

POPULAR SCIENCE

FOUNDED MONTHLY 1872

FEBRUARY

15 CENTS

NOW
15¢




EDGAR
FRANKLIN
WILLIAMS
ES

SEE PAGE 31

NEW INVENTIONS • MECHANICS • MONEY MAKING IDEAS
HOME WORKSHOP PLANS AND HINTS • 350 PICTURES

"Seven Skeletons Deep in the Earth"

Amazing Escape of Edward Eiskamp and his Six companions saved from death in Underground Maze



"MILE AFTER MILE we had wormed and twisted and crawled our way into the blackness of those caverns that burrow deep under the Catskills near Sam's Point," writes Edward Eiskamp.

"Down at last to the very bottom, we relaxed for that moment of exultation every explorer seeks. And in that moment, my flashlight slipped from my hand. There was a sickening splash, and darkness closed over us.

"My heart pounded in sudden panic. We were trapped in a vast underground labyrinth, blinded by inky blackness. Trapped where only light could save us.



Map shows location of Sam's Point Caverns where Eiskamp Party made Amazing Escape.

"Seven skeletons would grace this rocky vault Nature had prepared for us. What a grisly joke fate had played!

"But then we saw a glow of light from that deep, icy pool where the flashlight lay. We groped our way cautiously toward it... expecting every instant to see our beacon of hope fade and die.

"It didn't fade or die, or this story would never have been written. Fished up through eight feet of water, those fresh, strong Eveready Batteries maintained the brilliant beam that led us thankfully over the long, slow route to daylight.

"Until that day none of us realized how important fresh, dependable Evereadys can be. But we sure do now! For, if those batteries hadn't been fresh, if they had gone stale on some dealer's shelf they never could have brought us back from our near-grave."

Edward Eiskamp



Edward Eiskamp who, with six companions, had this thrilling experience in the Sam's Point caves in the wilds of the Catskills.

Eveready Batteries are more Dependable... They Last Longer... Always FRESH when you buy them

the "Date-Line" guarantees it!



NATIONAL CARBON COMPANY, INC.
General Offices: New York, N. Y.
Branches: Chicago, San Francisco
Unit of Union Carbide and Carbon Corporation

Does this date-line really mean anything?

You bet. When batteries dry out on dealers' shelves they lose their life and power. Only fresh batteries are long-lived, dependable.



Of course, anybody can date a battery—but only Eveready can really guarantee freshness. Take it from me, Eveready Batteries sell 4, 5, even 6 times as fast as other makes. They don't go stale on the shelf. They don't have time to.





Winning *their* Fight for Safety—

FOR HUMANITY'S SAKE
DRIVE SAFELY

Every man and woman in America must be interested in the vital subject of safety in modern car construction.

ENGINEERS DEVELOP STILL MORE
SAFEGUARDS FOR DRIVER AND PUBLIC
... IN WORLD'S SAFEST LOW-PRICED CAR



100% hydraulic! Plymouth's brakes do not use "winding action" of brake shoes; two pistons are at each wheel.

THE SAFEST BRAKES a motor car can have, engineering science says, are the 100% hydraulic kind used in the big 1936 Plymouth.

Since they do not rely upon the "winding action" of brake shoes, but have stepped cylinders to apply equalized pressure on each shoe of the individual wheel, they always brake evenly, firmly and surely.


By the law of physics governing the hydraulic principle, they are always equalized ... can't be otherwise ... and

so, will always stop a car smoothly, quickly and safely.

Also tremendously important to safety is the Safety-Steel body (all structural members of steel) interlocking with the car's frame so that each reinforces the other. This body is so strong, so well constructed that Plymouth cars have been rolled over and over in tests, and when righted, the doors still opened and closed properly!

See and drive the new 1936 Plymouth. Get a demonstration at any Chrysler, Dodge or De Soto dealer. The price is only \$510 (and up, list at factory, Detroit; special equipment extra).

PLYMOUTH DIVISION OF CHRYSLER CORP.



(Above) Famed Safety-Steel body—every structural member is steel ... for your greater protection in all emergencies.

Ask for the New
Official Chrysler Motors
Commercial Credit Company

**6% TIME PAYMENT
PLAN**

You can figure it out for yourself.

1 Start with your unpaid balance.

2*Then add insurance cost.


3 Then multiply by 6%—for a 12 months' plan. One-half of one per cent per month for periods more or less than 12 months.

*In some states a small legal documentary fee is required.

NO OTHER CHARGES



Insist upon 100% hydraulic brakes that always stop you smoothly and quickly.



The simplest, safest braking system made—Plymouth's 100% hydraulic.

RAYMOND J. BROWN, *Editor*
ARTHUR WAKELING, *Home Workshop Editor*
ALDEN P. ARMAGNAC, *Associate Editor*
SYDNEY OXBERRY, *Art Editor*

POPULAR SCIENCE

FOUNDED MONTHLY 1872

VOLUME 128 • NUMBER 2
15 Cents a Copy • \$1.50 a Year
Published Monthly by
Popular Science Publishing Co., Inc.,
353 Fourth Ave., New York

TABLE OF CONTENTS for FEBRUARY, 1936

World's Greatest Dam To Create an Electrical Paradise . . . 11

WALTER E. MAIR *tells how the Columbia River will be harnessed to reclaim a wilderness*

New Scientific Woodcraft Traps Forest Fire Fiends . . . 14

Exploits of Forest Service sleuths, recounted by STERLING GLEASON

Mercy Flyers Bring Rescue from the Sky . . . 20

ROBERT E. MARTIN *relates the thrilling feats of daring disaster pilots*

Queer Kinds of Money . . . 22

A remarkable collection of freak "currency," described by JOHN E. LODGE

Hunting Meteorites with an Aerial Camera . . . 24

A scientist takes to the air in a strange search

Fifty Years of Aluminum . . . 25

EDWIN TEALE *traces the amazing history of the magic metal*

How Dangerous Is Your Job? . . . 34

Your chances of getting hurt at work, discussed by JESSE F. GELDERS

Living Rat Traps Raised on Novel Farms . . . 36

WALTER E. BURTON *takes you for a visit to a ferret "ranch"*

February, 1936, Vol. 128, No. 2. **Popular Science Monthly** is published monthly at 353 Fourth Avenue, New York, N. Y., by the Popular Science Publishing Co., Inc. A. L. Cole, President and Treasurer; R. C. Wilson, Vice President; John Nichols, Vice President; C. D. Freeman, Vice President; F. W. Briggs, Sec'y. Entered as second-class matter Dec. 28, 1918, at the Post Office at New York under the act of March 3, 1879; additional entry as second-class matter at Dayton, Ohio. Entered as second-class matter at the Post Office Department, Canada. Printed in U. S. A. Copyright, 1935, by the Popular Science Publishing Co., Inc. Single copy, 15 cents. Yearly subscriptions to United States, its possessions, and Canada, \$1.50; foreign countries, excepting Canada, \$2. Subscribers must notify us of change of address four weeks in advance of the next publication date. Be sure to give both old and new address. The contents of this magazine must not be reprinted without permission. The editors are not responsible for unsolicited contributions, and cannot guarantee the return of such material or insure against its loss. Contributions not accompanied by sufficient postage will not be returned. In presenting numerous stories of new products of applied science, **Popular Science Monthly** does not underwrite the business methods of the individuals or concerns producing them. The use of **Popular Science Monthly** articles for stock-selling schemes is never authorized.

FEATURES AND DEPARTMENTS

<u>Home Repair Aids</u>	<u>6</u>
<u>Our Readers Say—</u>	<u>8</u>
<u>The Man with the Net</u>	<u>41</u>
<u>Crystals under Your Microscope</u>	<u>44</u>
<u>Home Experiments in Science .</u>	<u>46</u>
<u>Un-Natural History</u>	<u>47</u>
<u>Improvised Chemical Equipment</u>	<u>48</u>
<u>Cigar-Box Portable Radio . . .</u>	<u>52</u>
<u>Handy Radio Aids</u>	<u>54</u>
<u>Here's the Answer</u>	<u>55</u>
<u>Spotting Ignition Trouble . . .</u>	<u>56</u>
<u>The Home Workshop</u>	<u>57</u>
<u>Homemade Photo Accessories . .</u>	<u>80</u>
<u>Timely Hints for Car Owners . .</u>	<u>82</u>

Cover Design by EDGAR F. WITTMACK

AUTOMOBILES

<u>Car Resembles Plane</u>	<u>17</u>
<u>Glasses Shield Eyes from Glare .</u>	<u>17</u>
<u>New Skidproof Tire</u>	<u>19</u>
<u>Luminous Wand Gives Signals . .</u>	<u>30</u>
<u>Mechanical Loader for Coupe . .</u>	<u>33</u>
<u>Foot Rest Holds Umbrella</u>	<u>38</u>
<u>Road-Rail Tractor Climbs Stairs .</u>	<u>41</u>

AVIATION

<u>Novel Paddle-Wheel Plane</u>	<u>31</u>
<u>Army Drops from the Sky</u>	<u>38</u>
<u>Airport Whale Swallows a Jonah</u>	<u>43</u>

MODELS

<u>Ship Model in Modern Materials</u>	<u>19</u>
<u>Spars for the Great Republic . .</u>	<u>72</u>

H.G. WELLS's Greatest Outline

THE WHOLE AMAZING STORY OF THE SCIENCE OF LIFE

EVERY READER OF THE FAMOUS "OUTLINE
OF HISTORY" HAS EAGERLY AWAITED
THIS GREAT COMPANION WORK

A \$5.00
VALUE

free
TO NEW MEMBERS
OF THE LITERARY
GUILD

What Wells did for history with such amazing success in "The Outline of History" he has now done for the whole science of life! Here in one thrilling narrative is the dramatic epic of all living things—a whole library of knowledge on every form of life—revealing the mysteries of the human body and human behavior; of animal life; life in the sea; insect life; reptiles and birds; plant life. Here is everything you have always wanted to know about the origin and evolution of all the inhabitants of the universe. In fascinating text and pictures H. G. Wells, in collaboration with Julian S. Huxley and G. P. Wells, unfolds the secrets of birth, sex life, the working of the body machine in man and in all other living things. "The Science of Life" is a work which no modern, well informed person can do without. Originally published in four volumes for \$10.00, it is now presented complete in this ONE magnificent volume of 1514 pages—and you may have it free, if you accept this offer of free membership in the Guild. This is the most sensational offer the Guild has ever made. Don't miss it. Act at once before the supply of these wonderful books is exhausted.

A FEW OF THE FASCINATING SUBJECTS IN THIS GREAT VOLUME

How Our Food Becomes Blood
Nervous Mechanism and the
Brain
Reproduction and Fertiliza-
tion
Growth and Development of
the Embryo
Childhood, Adolescence, Ma-
turity
Mammals
Birds and Reptiles
Fishes, Insects
Vegetable Life
The Smallest Living Things
Evolution and Creation
Sea Serpents and Living Di-
nosaurs

"Missing Links" in Evolution
Evidence of the Rocks
Man's Body
How our Cells Multiply
Mendel's Law of Heredity
Is Human Rejuvenation De-
sirable?
What Determines Sex?
The Ages of Ancient Life
The Plants of the Ancient
World
The Reptilian Adventure
Dinosaurs
Ways and Worlds of Life
Life in the Sea
Infections and Contagious
Disease

The Six Vitamins
Drugs, Their Uses and Dan-
gers
The Heart and Lungs
Cancer
Tuberculosis
Behavior, Feeling, and
Thought
Ways of Life Among Ants,
Bees
The Amphibian Mind
Courtship in Animals
Play
The World of a Dog
Human Behaviorism
Hypnosis
Psycho-Analysis

AND HUNDREDS MORE

GUILD MEMBERSHIP IS FREE

The Guild provides the most complete, economical and convenient book service in the country. It selects for you each month an outstanding new book before publication. If you want the Guild selection for the month you pay only \$2.00 for it (plus a few cents carrying charges) regardless of the retail price. (The regular retail prices of Guild selections range from \$2.50 to \$5.00.) If you do not want the Guild selection, you may take your choice from forty other outstanding books recommended each month by the Guild, or the Guild will deliver, postage prepaid, any other book in print you wish at the publishers' prices. However, if you do not want any book that month, you are not obliged to take any. You may buy as few as four books within a year to enjoy all advantages of membership.

GUILD MEMBERS SAVE UP TO 50%


Outstanding of all advantages of Guild membership, particularly at this time, is the saving in cost of books. Remember, Guild savings are not merely fractional savings. When you can get a \$3.00, \$4.00 or \$5.00 book for only \$2.00, you can see at once that your book bills can be cut in half, and that you can afford to buy more books you wish to read this way than under any other plan.

FREE BONUS BOOKS DISTRIBUTED TWICE A YEAR TO GUILD MEMBERS

This popular new plan now makes it possible for Members to get an additional NEW book every six months, ABSOLUTELY FREE.

SUBSCRIBE NOW—Send No Money

The special features of Guild membership guarantee you greater economy, convenience and satisfaction than any other method of book buying. Remember: You buy only the books you want and may accept as few as four books a year. The Guild service starts as soon as you send the coupon. Our present special offer gives you H. G. WELLS'S "THE SCIENCE OF LIFE" absolutely free. This book will come to you at once, together with full information about the Guild Service and special savings.



1514
Pages
387
Illus-
trations

Monthly Literary Magazine "WINGS" Is Free

During the year you will receive without charge 12 issues of "WINGS," a sparkling illustrated little journal with news of books and authors. In this magazine descriptions are given of the Guild's current book selections and recommendations. It is a guide to the best reading and is invaluable to every one who wants to keep up-to-date on the new books.

MAIL THIS COUPON TODAY

FREE—"The Science of Life"

The Literary Guild of America, Dept. 2 P.S.M.
244 Madison Avenue, New York

Enroll me without charge as a member of the Literary Guild of America. I am to receive free each month the Guild Magazine, "WINGS," and all other membership privileges. It is understood that if I wish I may purchase as few as four books through the Literary Guild within a year—either Guild selections or any other books of my choice—and you guarantee to protect me against any increase in price of Guild selections during this time. In consideration of this agreement you will send me at once, FREE, a copy of H. G. Wells's "The Science of Life."

Name
Address
City..... State.....
Subscriptions from minors will not be accepted

POPULAR SCIENCE MONTHLY FOR FEBRUARY, 1936

Polishing with Eraser	79
Our Construction Kits	84
Model Railway Trolley	88
Realistic Smoke for Locomotives	102
Paper for Model Work	106

NEW DEVICES FOR THE HOME

Stand Holds Shaving Aids	50
Portable Window Shelves	50
Convenient Electric Outlets	50
Dripless Bottle Spout	50
Handy Thread Retainer	50
New Highball-Mixing Aid	50
Tests Coffee Freshness	50
Scale Speeds Recipe Mixing	51
Ash Tray Smothers Butts	51
Electric Foot Warmer	51
Soap Dispenser in Shaving Mug	51
Envelopes for Sandwiches	51
Fireproof Mattress	51
Motor Operates Window Shade	51

NEW PROCESSES AND INVENTIONS

Mirrors Capture Sun's Heat	18
Scow Rolls Over to Dump Load	18
New Reversible Propeller	19
"Spectral Detective" Finds Clews	29
Spinning Electric Furnace	30
Polishing Wheel of Rope Fiber	30
Triangular Hack Saw	31
Folding Motor Cycle	31
Generator for Bicycle	31
Three-in-One Darkroom Unit	32
Metal Sphere Is Rolling Gym	32
Detector Finds Rail Flaws	33
Shoes Fit over Skates	38
Oval Bicycle Sprocket	38

Wheel Gauges Distances	38
Thermometer Easily Shaken Down	39
Mechanical Cotton Picker	39
Meter Gauges Keeness of Smell	39
Bike Drives Like Auto	40
Magnifier for Fingerprints	40
Baby Carriage Has Endless Tread	40
Odd Life-Saving Suit	41
Paper Clips Get New Shape	42

UNUSUAL FACTS AND IDEAS

Deadens Pain of Dentist's Drill	16
"Statue of Liberty" for Mexico	17
Radio Detector Forecasts Storms	17
Excavator Digs Way to Job	17
Develops Fireproof Plants	18
Snowplow Removes Leaves	18
Makes "Inactive" Gas React	19
World's Smallest Brewery	30
Sheep Diet Gives Better Wool	30
Vote by Electricity	31
Perfume Made from Fruits	32
Pipe Bowls X-Rayed for Flaws	32
Odd Signals Warn of Typhoon	32
Stretch Life of Rubber	32
Plants Prefer Sodium Lights	33
Odd Laboratory Tests Windows	33
Produces Hot Ice	39
Crystals Grown to Make Lenses	39
Explains Weird "Light Pillars"	40
Brands on Fowl Foil Thieves	40
Tree-Top Hotel in Jungle	41
Tublike Boat Made of Skins	42
Dipper Holds Half Carload	42
Salve Grows Roots on Stems	42
Takes Gold from Sea	42
Names Printed on Flowers	43
P.S.M. Plans Aid Stargazers	43

Railway Carries Boats	43
Rocking Bed Relieves Heart	43

CRAFTWORK

Whittling Pocketknife Scotties	63
Lifelike Marionette Bodies	64
Tiny Sails Form Candle Shades	66
Desk Set of Synthetic Resin	69
Decorative Brass Porch Lamp	70
Rosettes Serve as Book Ends	86

WOODWORKING

How to Build Workbenches	61
A Dainty Dressing Mirror	62
Pine Cabinet for Glassware	66
Book Ends Turned from Scraps	68
Dish-Drying Cabinet	79

IDEAS FOR THE HANDY MAN

Flying-Ball Game	57
Magical Homemade Oscilloscope	58
Homeworkshop Guild News	60
Inexpensive Modern Stand	66
Block Puzzle Like Battle Tank	67
Workbench for Invalids	67
Caring for Paintbrushes	68
Old Bill Says—	70
New Whirling-Harp Toy	70
How to Make Picture Frames	71
Indoor Weather Vane Dial	75
A Well-Arranged Home Workshop	76
Improvised Staple Puller	76
Waxed Paper Protects Tools	79
Home Workshop Blueprints	86
Improving Circular Saws	89
Improvised Rim for Band Saw	89
Steering Device for Bobsled	98

In This Issue—Hundreds of Fascinating Articles Tell the Latest News of Laboratory Discoveries, Scientific Triumphs, and Amazing New Inventions

**THIS COMPLETE, SIMPLE, PRACTICAL COURSE
FOR SELF-INSTRUCTION WILL QUICKLY GIVE YOU**

A Complete Mastery of MATHEMATICS

Prepare now to advance yourself to an important job by *Mathematics Training*. *Mathematics* is the foundation of all

mechanical and scientific work, and of all business or industry based on science. Without this essential knowledge even the most capable man is left behind while others forge ahead to better jobs, bigger contracts, more money. You need mathematics to solve technical problems and to improve, speed up and check on your work and the work of others.

Now you can learn mathematics by an easy, inexpensive and time-saving method. A very simple and extremely interesting course in book form has been prepared for you by an expert who has devoted a lifetime to teaching practical men the fundamentals of this important subject.


MATHEMATICS FOR SELF-STUDY

By J. E. Thompson, B. S. in E. E., A. M.,
Dept. of Mathematics,
Pratt Institute

These books start right from the beginning with a review of arithmetic that gives you all special short-cuts and trick methods that save countless hours of your time. Then they go right into higher mathematics and show you how simple it is when an expert explains it for you. In no time at all you will be tackling with ease the most difficult questions on this subject.

An Expert's Simplified Methods

Mr. Thompson, the author of these books, has had many years' experience in mathematical training. He presents each practical method and problem in the clearest, simplest way. He gets right down to the kind of information that you need in your daily work.



**A Complete
Course and
Reference
Library in
5 Volumes**

**Arithmetic
Algebra
Geometry
Trigonometry
Calculus**
1598 Pages Illustrated

**Send No Money—Mail This Coupon
for FREE EXAMINATION**

D. VAN NOSTRAND CO., INC.
250 Fourth Ave., New York

Send me **MATHEMATICS FOR SELF-STUDY** in 5 volumes. Within 10 days I will either return the books or send you \$2.95 as first payment and \$2.00 per month for 3 months—total \$8.95 (5% discount for cash).

Name

Address

City State.....

Reference

Address

(P.S. 2-36)

**Every Needed Fact, Figure, Formula
Every Shortcut and Special Method**

in the

WHOLE FIELD of MATHEMATICS

Now in ONE Handy Volume!

For the first time you can have this wealth of practical mathematical information, covering every trade and business, condensed into one handy book for quick reference. This volume puts right at your finger tips instant facts and formulas for making every kind of mathematical calculation. From hundreds of different sources, this priceless information has been gathered together,

boiled down into brief, simple language, and applied to actual problems. Every man in business, every man in the mathematical trades, every man who ever uses a tool or has to make calculations or estimates in office, shop, or home, will find here a treasury of money-making, money-saving ideas.



THE HANDBOOK OF APPLIED MATHEMATICS

No previous knowledge of mathematics is needed. No study is required.

The specific information you want is easy to find, by looking it up in the index. The book takes up every trade and gives you practical methods, easily-worked formulas for solving every problem. Thousands of specific examples show you just how to make your calculations. If your work involves mathematics in any way this complete reference handbook is an indispensable part of your equipment. It is an amazing time saver for any one concerned with engineering, architecture, electricity,

mechanics, construction, automobiles, machinery, printing, or any other industrial work; or with accounting, auditing, manufacturing, costs, taxes, or any other business mathematics. No practical man, no house owner who makes an occasional repair, no one who has a home workshop can afford to be without the valuable information quickly found in this book.

**EXAMINE THIS BOOK FREE
SEND NO MONEY—MAIL THIS COUPON**

D. VAN NOSTRAND CO., INC.
250 Fourth Ave., New York

Send me on approval *The Handbook of Applied Mathematics*. Within 5 days after I receive the book, I can return it and owe nothing. If I keep it I will send you \$2.00 as first payment and I will pay \$2.00 monthly thereafter for 2 months—\$6.00 in all. (5% discount for cash.) (P.S. 2-36)

Name

Address

City State.....

Reference

Address

SIMONIZ

One of the Greatest
Discoveries
of Modern Science



Simonizing Makes Cars Beautiful...to Stay!

Simoniz and Simoniz Kleener are dependable! Millions use these famous products. Try them and you, too, will agree they are the greatest ever developed for making and keeping cars beautiful. Simoniz and Simoniz Kleener are easy to use, safe, and don't cost much. Yet they make the finish sparkle as never before... and it stays that way for years!

Always Simoniz a new car! But remember, whether your car is new or old, the sooner it is Simonized, the better.




The DeLuxe Beauty Treatment
For Automobiles




MOTORISTS WISE SIMONIZ

Home Repair Aids

FOR THE
HANDY MAN





Leak clamp taken apart to show special hinge




NEW CEMENT BRUSHES ON

BECAUSE it can be applied with a brush instead of a trowel, a recently developed cement simplifies the problem of pointing-up and weatherproofing old mortar joints in brick walls. No cutting or chipping is necessary, according to the manufacturers. Sold in powder form, the cement is simply mixed with water and applied to the joints with a small paint brush trimmed to fit the crack.



EMERGENCY LEAK REPAIR

EMERGENCY repairs to leaky pipes can be made quickly and easily with a new type of inexpensive clamp. Sold in a variety of sizes, it can be used effectively on either water, steam, or ammonia pipes in both high- and low-pressure systems. An easily assembled interlocking hinge makes it possible to apply the unit in close quarters, as shown above. Two bolts hold the clamp firmly in place, pressing a special rubber gasket against the leak.



TINY ELECTRIC OUTLETS

WITH a new line of midget electric-wiring devices now being manufactured, it is possible to assemble a combination wall plate to meet any requirement. The units are so constructed that they are easily gauged to form any type of combination from a single switch to a series of switches, outlets, and pilot lights. With only twenty basic parts, more than 59,000 combinations can be made.

WEATHER-STRIPPING TOOL

RESEMBLING a plane, an electric weather-stripping tool now makes it an easy matter to provide the necessary grooves in window sash. Operating at high speed on either alternating or direct current, the cutter plows a smooth groove to take the projecting weather-stripping fin, providing an easy-sliding joint. A special attachment also makes it possible to use the tool to rabbet the window frame for the base of the weather stripping.

Questions

FROM HOME OWNERS

Q.—I HAVE been having trouble with a grayish discoloration under the window sills on my white house. Do you suppose the black paint I have used for the trim runs when it rains? Can you suggest a remedy?—H. R., Roselle, N. J.

A.—IT IS POSSIBLE that the black trim is causing your trouble. Oil paints wear off by degrees and the microscopic particles wash away when it rains. As a temporary remedy, try scrubbing the discoloration with linseed-oil soap. As a white house is always somewhat of a problem, we would suggest repainting the trim a lighter color.

WHEN WATER PIPES RUMBLE

D. C. S., CLEVELAND, O. Rumbles and rattlings in water pipes generally can be traced to one or more of the following causes: Loose or worn parts in a valve or faucet, loose or hanging pipes that vibrate, and lack of air cushions.

CLEANING OLD BRASS FAUCETS

Q.—I HAVE some old brass faucets that defy the ordinary methods of cleaning. Have you any high-powered formulas?—T. E. A., Boston, Mass.

A.—NITRIC ACID (one part) and sulphuric acid (one-half part) make a strong cleaning solution for old brass. Mix in a stone jar, dip the brass faucets into it, and finally wash them thoroughly in clear water. All inner parts, such as the stem and washer, should be removed, of course, before the faucets are dipped.

DIRT CAUSES FOAMING BOILER

W. E. C., SPOKANE, WASH. Foaming and an unsteady water line in a new boiler is caused by the accumulation of dirt, grease, and oil that gets into the system during manufacture and assembly. This sludge can be removed by "blowing-off" the boiler under pressure.

TILE REQUIRES SPECIAL MORTAR

R. G., AUGUSTA, GA. Mortar for use with hollow tile should be made a trifle richer than for ordinary purposes. A good mix contains one part cement, three parts fine sand, and one-half part lime.

DULLING GLASS-FINISH VARNISH

Q.—THE WOODWORK in our new house has a high-gloss finish. Is there any way that I can dull it down without completely refinishing it?—B. C., New Haven, Conn.

A.—A GLOSS varnish can be toned down into a beautiful semidull finish by rubbing the woodwork with pumice stone and oil. The rubbing should be done with a soft cloth pad, dipped first into a shallow container of oil and then into powdered pumice. Rub lightly and with long, even strokes.

HEAT MORE COSTLY THAN POWER

P. D. A., JERSEY CITY, N. J. As a general rule, home electric heating appliances draw more current than motor-driven appliances. The average washing-machine motor, for instance, rated at one-quarter horsepower, draws less than two amperes, while an ordinary electric iron draws about four amperes. The cost of operation is proportional to the current drawn.

FILLING CRACKS IN MARBLE

H. K., BUFFALO, N. Y. Cracks in marble can be filled with a cement made by mixing beeswax (eight parts) with resin (one part) and a small quantity of powdered marble. Push this into the openings and then rub in more powdered marble to smooth over the joint and give the surface a finished appearance.

A short cut to financial security



PROVIDENT MUTUAL

LIFE INSURANCE COMPANY OF PHILADELPHIA, PA.

If I can save _____ cents a day, how much
monthly income will I receive starting at age
55, 60, 65 (check the age) and how much life
insurance for my family? My present age is _____

Name _____

Address _____

Occupation _____

PS-86

If you can save 25 cents a day, or over, mail this coupon

Our Readers Say



Then, We Suppose, Will Come The Censor of Smells

Is it practical to add the use of another sense to the realistic enjoyment of motion pictures? In the days of the silent movies, they laughed at talking pictures. Now I suppose you will laugh at smelling pictures. Today you see a fire in a motion picture and you hear the crackling of the flames. Why not smell the smoke? Here is my idea: the smoke could be compressed in tanks and a valve automatically opened to emit an adequate amount of smoke at the proper moment. Ventilators could quickly rid the theater of the smoke. Similarly, other odors could be employed in the same way to heighten the realism of many other scenes. What do you think?—A.M., Bridgeport, Conn.



In Search of a Model Home For His Bees

THE article on cast resins in the November number interested me very much. I bought some castings recently and found them easy to work with—so easy that I hope you will run more articles on this subject. Now I have a little request of my own which should interest thousands of your farmer readers. I would appreciate an illustrated article telling how to construct the most highly approved type of beehive that has been developed to date.—B.F.O., Moccasin, Ill.

Wants To Keep Abreast Of Fast-Moving Diesels

BEING a regular reader of your magazine, I have found it to be one of the best for the mechanic and engineer. However, like many other readers who are engineers or machinists, I am working with Diesel engines and would appreciate a department devoted to the Diesel engineer—such a department to cover new engines, developments, and operating hints.—G.S., San Diego, Calif.

Aiming To Give the Kettle An Everlasting Shiner

EVERY month when I receive my copy of POPULAR SCIENCE MONTHLY, I read the department headed Our Readers Say. In it there appear many questions for which the writers are seeking solutions. I have a question I would like to ask. Does any reader know how to keep a copper kettle shiny after it has been polished? I would certainly like to know as we have one which has to be cleaned every few days. It seems to me that somebody surely must have found a way around this difficulty.—R.T., Mobile, Ala.



Suggests Bridge of P.S.M.'s On Highway of Knowledge

IT HAS occurred to me that POPULAR SCIENCE MONTHLY does not confine its scope to chemistry, physics, and microscopy but covers many other subjects as well. For some time I have been aware of the lack of suitable media for bridging the gap between elementary science and the more advanced fields. But there is a widespread desire to acquire this knowledge. I noticed at A Century of Progress in Chicago that great interest was shown at the scientific demonstrations. It would be appreciated, I believe, if you would give us articles on electrostatic generators, piezo-electricity, and high-frequency sound waves.—L.Z., Chicago, Ill.

Well, Ether It Is Or It Isn't

RECENTLY I read a statement that matter may be a different, more solid form of ether. Turning this thought over in my mind, I have reasoned that ether might be composed of free electrons and free protons which, by equal attraction and repulsion, remain equidistant. The wave theory of light and radio would, I believe, hold true to this conception because, in the case of radio, the aerial, when it is negatively charged and emits electrons, repels the electrons in the ether and attracts the protons. When the aerial is positively charged, the reverse is true. Such a reaction would cause a backward-and-forward wave instead of the up-down-and-sidewise wave of present theories. In the case of incandescent materials, electric waves would be emitted in the same manner, but they would be of much higher frequencies. This ether-matter hypothesis would also check with the idea that ether fills all space—even a vacuum—because electrons and protons can pass between the atoms of the substance which contains the vacuum. Maybe some reader could tell me if such a theory is tenable.—K.McL., La Grange, Ill.

SPEAKING OF ETHER!



He'd Put Gus Wilson And Auto Kinks Back to Back

DURING the years I have subscribed for P.S.M., I have read with particular interest the articles on automobile mechanics by Mr. Bunn and the pages of handy kinks or ideas for car owners. I have been clipping these pages and have made a separate file of them. I always keep it with me when on a tour. But in making this file, the trouble is that the handy ideas and the Gus-and-Joe story appear on widely separated pages. It is my request that these two pages appear on the same leaf of the magazine. This means that if Mr. Bunn's article is on an even-number page, the ideas for car owners should be on the preceding odd-numbered page or vice versa. If this is done, readers, like myself, will not have to cut two

leaves (excluding the continued columns) from the magazine and our files will be fifty percent thinner.—A.A.B., Kohlapur, India.

Taking a Microbe's-Eye View, That Stamp Is Mighty Thick

WHEN we read in the newspapers that a balloon has risen into the stratosphere to a height of fourteen miles above the earth, it sounds like a long, long way. However, being of a mathematical turn of mind, I decided to visualize the feat of Captains Stevens and Anderson by comparing the earth with an orange. Using an orange of three inches diameter, I found that the altitude reached by the balloon would be, comparatively, about .005 inches, or approximately the thickness of a postage stamp. So, if any of your readers would like to see how far men have succeeded in raising themselves off the earth, all they have to do is to stick a stamp on an orange. It's still a long way to Mars, or even to the moon.—J.B.B., Rahway, N. J.

AW HECK, AND THAT WAS A GOOD STAMP!



A Phonograph and Refrigerator Are on His To-Be-Built List

As a subscriber and reader for ten years (some interruptions as a subscriber, but few as a reader), I have enjoyed most of the departments in your magazine telling how to make various things. Personally, I should like to see articles for the making of two items. One is an electric pick-up phonograph and the other is an electric, running-board refrigerator to be used while touring. I am particularly interested in the first and believe it would be of general interest.—P.R.F., Springfield, Ohio.

In Other Words, the String Would Really Go to Pieces

IN READING over the December issue, I came across the query of G.S., of Westbourne, Manitoba, Canada. G.S. wants to know what would happen if an equal pull were exerted at each end of a string of uniform strength throughout. In such a string, each fiber would have an equal hold on the fibers touching it. Therefore, the hold on each fiber would be the same at all such fiber-unions throughout the string. When the external pulling forces at each end of the string equaled the combined internal holding force of the fibers, the opposing forces would be balanced. Any increase in the external pull would overbalance this equilibrium and all the fibers would let go of each



other simultaneously. The string would become a cloud of fibers, falling to the floor. I know I can't prove it but neither can anyone unprove it.—S.E.W., Pittsburgh, Pa.

Amateur Chemist Puts Us In His Analytical Test Tube

FIVE YEARS' reading, almost constantly, of any magazine without offering a bouquet or throwing a brickbat is, in my opinion, some record. But I can resist the urge no longer. As an amateur chemist, I feel obliged to offer an analysis rather than a list of kicks. It goes something like this: (1) Feature articles—very high quality and large percentage present; (2) Gadgets—present in overwhelming amount; (3) Microscopy department—on the whole, good, but isn't the field large enough so that repetition is not necessary? Let's have more on staining and technique; (4) Radio department—as a ham, I may be qualified to vote 100 percent; (5) Workshop—very fine; (6) Photography—good but present in too small quantities; (7) Chemistry—practically a negative quantity. Most of us have done these experiments in high school or earlier. Chemical apparatus is so cheap that there is little excuse for pickle-bottle apparatus. And lastly, please give us something on pipe organs.—E.L.J., Kankakee, Ill.



Though Dead, He Became Champion Plant Patentee

AFTER reading the article, "Meet the Champion Inventors," in the January number, I wondered how many of your readers are aware of the fact that there is a law governing plant patents. Your story brought out the fact that an unknown inventor was the champion of living patentees but the surprising fact in the realm of plant patentees is not that Luther Burbank received the greatest number of these patents, but that all of them were granted to him after his death! The plant patent law was passed after Burbank had died and the patents were awarded to his estate through his executrix, Elizabeth Waters Burbank.—A.B.R., San Diego, Calif.

Few Sounds Would Sound Good To This Reader

IN THESE days when people are becoming aware of the harmful effects which noises have on their health, I think the time is ripe to legislate the worst noises out of existence. Technicians are able, through recent scientific developments, to set up a neutralizing noise in opposition to an offensive noise so that no sound is heard. Why, then, is it not practical and feasible to enact Federal or state laws requiring that such sound-neutralizing devices be installed on all machinery or devices which cause a noise exceeding a certain number of decibels? The cost of such a program, I think, would be offset in industry by a higher efficiency of the employees and in the city homes and streets by an immeasurable improvement in health and living conditions. Now don't ask me how about automobile horns, whistles, etc. I am not thinking of a soundless city or a silent factory but an environment with a sound level not exceeding a set number of decibels.—S.N., New York City.



World's Largest Grinder Recalls Childhood Toy

I'M STILL a bit dizzy from trying to visualize all the five motions of that big tool they're going to use to grind the 200-inch telescope mirror, described in your December issue—and my hat is off to the fellow who had the Einsteinian mind to invent it! Looking at the pattern of interlacing curves traced with the tool, I was struck with the resemblance to designs that children used to make with a toy called the "wondergraph" or some such name. It was a little wooden gadget with several flat wheels and, when you turned one with a crank, a moving pen traced all kinds of ornate designs on a piece of paper tacked on a holder. I haven't seen one in years; perhaps they're gone the way of the family album and the parlor stereoscope. It ought not to be hard to make one, though, and I'd like to put one together for my kids to play with (maybe me, too). If you can dig up the dope on this device, why not publish plans in your Home Workshop Department? I believe that machines working on the same principle, called "rose engines," are used for producing the ornamental patterns on bank notes and stock certificates.—A.R., New York City.

The Expression May Be Wooden But It Speaks for Itself

THIS is the first time I have felt impelled to write to any magazine concerning the contents of their publication. I am doing so now to thank you for the article on the character carving of Skipper Sam'l. I have whittled three of these characters, each one being an improvement over the preceding one. It seems that, should I elect to make a dozen of them, each would be slightly different in facial expression or carriage from the others. I hope you can find space in future issues for similar articles. I am mainly interested in handicraft and wood-working but also enjoy the articles on microscopy and nature studies.—W.C.W., Homewood, Ill.



We Hear of the Accidents Only, Says Air-Travel Enthusiast

HERE'S a letter I hope you will print. Too many people are judging air-line safety by accident headlines. A few spectacular crashes, in their minds, blot out the regular routine, unspectacular flights that go on day after day, the year around. A timely report of a U. S. Senate investigating committee has just been published. It shows by figures that airline travel today is three times as safe as it was just ten years ago! Lindbergh's flight to Paris convinced millions of people that air travel was safe and practical. The network of airports, humming with activity, throughout the country has made air travel seem matter-of-fact to these same millions. Now with airlines three times as safe and a dozen times as comfortable, there is only one excuse for not using them—the expense. And, with increased patronage, the cost of air travel is bound to drop.—B.T., St. Louis, Mo.

Defenders of Eagle Get the Bird

I WAS interested in reading, in your department "Here's the Answer," your defense of the eagle against the charge of kidnaping children. However, a few days later I saw in a newspaper a bulletin which went even further. Not content with whitewashing our national bird, it went on to say that if there ever was any trouble between children and eagles, it was probably because the children annoyed

the birds. Now, it's all right to hold to the belief that a bird can do no wrong, but they have no right to blacken the reputation of American childhood by insinuating that our kids go around attacking innocent bald eagles which have no thoughts of seizing youngsters. I think they owe the children an apology.—J.J.B., Asheville, N. C.

Human Alarm Clock Cheats Clock of Its Morning Ring

MAYBE some of the psychology sharks among your readers can help me to clear up a little mystery. For years, I have been using an alarm clock to wake me up in time to get to work but, to the best of my knowledge, the bell on the thing has never rung once. No matter what time I set the alarm for, I am sure to wake up just a few minutes before it is due to go off. Something about setting the alarm seems to set another alarm in my subconscious mind. As sure as I forget to set the alarm, I sleep right through my usual waking time. Is there some kind of telepathic connection between me and the clock?—A.K., Schenectady, N.Y.



There's a Time and Place For Everything—Even Chess

I NOTICE a letter from V.S.H., of Jerseyville, Ill., wherein he suggests a chess problem. Shades of Paul Morphy! I am afraid that V.S.H. will never live to see his suggestion materialize in any magazine other than one devoted solely to chess. I'm afraid, too, that the greatest game ever devised by man is doomed to continue on in the everlasting struggle of a pitiful existence. Only the remarkable nature of this fascinating game (which isn't a game at all but a mighty battle of mental powers) can account for its longevity among a people with so many passing fads.—S.S., Williamsville, Ill.

One of Our Hand Looms Is Going to School

I AM very much pleased with the plans of the hand loom which appeared in the October number. My wife and I built one of these looms and hope to have it in operation soon at the occupational therapy department of the Michigan State Farm Colony. I wish you would now print plans for a medium-sized table loom which could be built as readily as the other.—C.J.L., Caro, Mich.

In the Days When We're All Senoras and Señores

YOUR reader F.A., of Toledo, Ohio, in the December number asks for suggestions for a universal language for radio listeners. In my judgment, the ideal language for this purpose is Spanish. I say this because it is the purest form of Latin used today and it is the easiest to acquire. The rules governing its use are few. Fully one half of the inhabitants of the western world speak it. A teacher of languages, who spoke fourteen languages, has said that a working knowledge of Spanish could be acquired in three months, whereas it would take three years to make the equivalent progress in the study of English.—R.P.D., San Antonio, Texas.





*"My dad says
'complete' means
CHEVROLET!"*

com-plete' (kŏm-plēt') a. 1. With no part, item, or element lacking; free from deficiency; entire.

—Webster's Dictionary

NEW PERFECTED HYDRAULIC BRAKES
IMPROVED GLIDING KNEE-ACTION RIDE*
SHOCKPROOF STEERING*
GENUINE FISHER NO DRAFT VENTILATION
SOLID STEEL one-piece TURRET TOP BODIES
HIGH-COMPRESSION VALVE-IN-HEAD ENGINE


**Available in Master De Luxe models only. Knee-Action, \$20 additional.*

6% NEW GREATLY REDUCED G. M. A. C. TIME PAYMENT PLAN
The lowest financing cost in G. M. A. C. history. Compare Chevrolet's low delivered prices.

THE young man's dad is right! For, of all cars in the entire lower price range, the new Chevrolet is the *only* car that is really and genuinely complete. It's the only car that brings you *all* the features that are essential to complete motoring enjoyment. This word "complete" is the only word that fully describes the new 1936 Chevrolet; and it has come to *mean* Chevrolet to buyers of cars in the lower price field. See your Chevrolet dealer—*today!*
CHEVROLET MOTOR COMPANY, DETROIT, MICHIGAN

The only complete low-priced car

Master De Luxe Sport Sedan



A GENERAL MOTORS VALUE

RAYMOND J. BROWN, *Editor*



How the Columbia River will be harnessed for power and irrigation. The Grand Coulee storage reservoir is seen in the upper right-hand corner

World's Greatest Dam

TO CREATE AN ELECTRIFIED PARADISE . .

By *Walter E. Mair*

WHERE, thirty months ago, lone ranchers waited for an antiquated ferry to take them across the Columbia River, ninety-two miles southwest of Spokane, Wash., engineers are today pouring concrete for the greatest dam of all time, the Grand Coulee. Named after an old channel of the river, to which the Columbia was diverted by glacial action perhaps half a million years ago, this project will eventually transform 1,200,000 acres of practically desert land into a region of immense fertility. And it will set the pace of the new electrical era which, scientists and industrialists agree, will first dawn for the average man in the Pacific Northwest.

Comparisons with other engineering achievements, as well as with the wonders of nature, are so awe-inspiring as to stagger the imagination. Not until you have actually seen its immensity, its day-by-day development, can you realize how

far the Grand Coulee Dam surpasses even the Boulder Dam project on the Colorado River. Here are a few facts that can serve merely to outline the magic that is in the making, under the supervision of the United States Bureau of Reclamation, in what was actually a desert a few years ago:


The completed dam will create a waterfall more than twice as high as Niagara.


It will call for three times as much concrete as Boulder Dam, a total of 9,500,000 cubic yards.

Rock, sand, and gravel are being

Drawings by
B. G. SEIELSTAD

The Grand Coulee Dam compared with other marvels of engineering and nature. It will create a waterfall more than twice as high as Niagara





One of the cellular-sheet cofferdams with which the low winter stream of the Columbia is being confined

produced at the dam site by the largest plant of its kind ever assembled, electrically driven.

Although the estimated cost of the Grand Coulee Dam and its power plant is only about \$190,000,000, a total expenditure of \$393,000,000 will be required to build and put into full operation the reclamation program which is expected to provide ultimately 30,000 highly modernized, fully electrified, forty-acre farms. These are expected to furnish ample resources, with crop rotation and the building of at least four major industrial communities, to support an additional population of 1,500,000 people.

This program will require the installation of eighteen generators with a horsepower rating of 146,000 each, or a total of nearly three million. These giant units, operated on sealed phosphor-bronze bearings, are expected to be capable of being maintained without more than minor servicing for from forty to fifty years, because of the fact that the intakes will admit water that is practically free from suspended minerals, grit, and other elements that would tend to wear out the machinery.

Secondary power will be employed to operate twenty giant pumps which will lift water 310 feet from the pool formed by the dam, through a canal nearly two miles long, into the Grand Coulee irrigation reservoir. Each of these pumps will be driven by a 33,000-horsepower motor, and, in effect, they will operate as so many generating turbines running in reverse.

In other words, the mighty Columbia, thrashing and thundering its way more than 1,200 miles from its source in British Columbia to its mouth at Astoria, Ore., will be so harnessed in this deep-carved, granite-walled gorge that it will literally turn back the wheels of time at least 300,000 years. It will lift itself back into that tremendous canyon where once it flowed,

blotting out little settlements, covering worn and dusty upland roads.

When you realize that the annual run-off at the mouth of the Columbia is ten times that of the Colorado, which the Boulder Dam controls; its drop 2,650 feet from its source to the sea, you can understand why the river once misnamed by a poet "the mighty Oregon" is the greatest power stream in the civilized world.

In the section between the Canadian line and its mouth, where the net fall is



a favorable decision by Uncle Sam on this project in years when it looked as though the sprawling waste that was the Central Columbia Basin might remain forever a sage-dotted desert. Among these was James O'Sullivan, now secretary of the Columbia Basin Commission, formerly a mathematics teacher and civil engineer. He, as much as any one man, followed the project through until Uncle Sam turned it over to Dr. Elwood G. Mead, of the U. S. Reclamation Service, with the order to

RECLAIMING A WILDERNESS

This map shows the area in which 30,000 forty-acre farms will be provided by the reclamation project, supporting a population of 1,500,000

THE PYRAMIDS OVERSHADOWED

Five pyramids, each as large as the famous one at Giza in Egypt, could be set in the masonry of the Grand Coulee Dam, as in the drawing below



"carry on" with the gigantic undertaking.

Merely to hint at the romance, the grim battle that led to final endorsement and financing of the project, there was one winter when O'Sullivan, down to his last dollar, borrowed enough money to mount an oil stove in the back of a rickety old limousine. In this car he plowed through snow and sleet and boggy roads, pleading with the citizens of one little town after another to help get the state behind this dream of half a century. A milliner donated five dollars a month from her scanty earnings, for a year. A depression-haunted banker in a tank village took his last Liberty Bond from his private safe, to help convince the legislators at Olympia that Grand Coulee, proven sound engineering after years of bickering and contrary reports, must be made a reality.

For fifteen years, state, Federal, and private engineers had wrestled with the problem. Finally, the U. S. Army engineers recommended a comprehensive plan for developing the Columbia to provide for storage, navigation, flood control, power, and irrigation.


It calls for ten dams, including one at Rock Island, Wash., already built by private capital; Bonneville, close to Portland, Ore., and Grand Coulee.

"Two hundred and fifty feet to bed rock!" howled the engineers, when the building of Grand Coulee was proposed. As a matter of fact, the builders have struck bed rock well within 100 feet at nearly every point. Now let us review the picture as it stands, and try to imagine some of the transformation needed to create this giant among the world's dams:

During the last year, the contractors have faced the mightiest task in the history of construction and engineering. Diversion tunnels were too costly, and too risky, to handle the tremendous flow. So they have built a cellular-sheet cofferdam, 2,900 feet long, fifty feet wide, 110 feet high above bed rock—the greatest of its kind ever put in place—on the west bank. On the opposite bank another one, also of interlocking sheet piling, and to be filled with grout, cement, and earth, will help to pinch the low winter channel.



During the first year, with 3,500 men employed in the earlier stages, and a labor and technical staff running close to 7,000 at the peak, the work has involved such marvels as moving 60,000 cubic yards of earth and overburden from the dam site, railroad grades and other excavations, every day. This called for the

A worker guiding one of the huge steam hammers into position to drive piles strung for a cell of the huge 2,900-foot cofferdam



ELECTRICITY TRANSFORMS THE HOME

A kitchen at Mason City, equipped with all electrical conveniences. The drawing shows construction of experimental heat-storage oven to use off-peak current loads for heating in winter. At right, an oven installed for trial in a house at the dam-site village



largest belt-conveyor system ever built, running on sets of triple rollers and forming a moving trough five feet wide.

A similar giant conveyor system several miles in length, integrated with a great gravel-pit installation at the top of a hill near the dam site, will haul sand and gravel to the largest sorting, washing, and distributing plant in history. The concrete-mixing plants have a capacity of 14,000 cubic yards a day.

But the method of controlling the river flow and maintaining steady progress in pouring the various blocks, or sections, is not quite so simple as a matter of capacity and speed of machinery. That has already been indicated by the shifting and sinking out of line of one of the caisson piers sunk for a railroad and highway bridge which was to have been completed last summer. This is about the only defeat the engineers have suffered so far, and they have redoubled their precautions as the major job progressed.

Their plan is to leave a series of "low blocks" in the west end of the dam, over which the river will be diverted. During low water, which means in the winter, these openings will gradually be closed and poured, and the dam "fingered up" to its requisite height.

To protect the bed rock at the toe of the dam against the impact of 25,000,000 horsepower of energy dropping over the spillway, is something to think about, too. This the engineers plan to do by providing a deep pool (*Continued on page 100*)

New Scientific Woodcraft

By
**STERLING
GLEASON**

"FIRE weather!" Hot winds, racing in from the desert during the closing days of last October, turned the wooded areas of Southern California to tinder. Even as rangers doubled their vigilance and closed danger zones to campers, fires flared at three widely separated points.

From a spot near the ocean, flames began to eat their way back along the bony ridge of the mountains north of Los Angeles. A second blaze swept up a canyon on the east; and farther south, fire crackled in the chaparral and crept rapidly down upon the outposts of a wealthy residential district.

Within a few hours, the city was ringed with flame. Mountain homes were wiped out. Deer and other frightened creatures ran wildly down to the ocean or fled into town, driven before the advancing flames.

As warning of the fire's outbreak was flashed from lookouts on surrounding peaks, Uncle Sam's forest army mobilized. Big trucks, laden with CCC men, roared up to the fire zone. Powerful pumps flung sheets of water against the onrushing flames. Ranged over a battle line stretching for many miles, thousands of men valiantly fought the fire—trenching, cutting brush, and back-firing. Airplanes soared overhead, reporting by radio the progress of the battle. U. S. Army officers established a virtual martial law to prevent pillaging, and Red Cross field hospitals and soup kitchens for refugees and fighters gave the fire zone a war-time appearance.

Back-tracking the fire through its wake of smoking embers came the Forest Service G-men—trained investigators who combine the magic of microscope, test tube, and camera with the secrets of Indian woodcraft, and possess a seemingly uncanny ability to detect the work of a fire bug and track him down. They quickly traced one blaze to a camper's carelessness; another, to a broken power line spitting flame as it fell. The third was incendiary.


Dim footprints in the dust led them to parallel tracks where an automobile had stood. They trailed the car out of the forest, obtained a description of the car and driver from a witness who had seen the fire bugs make their get-away, and caught one suspect still wearing shoes which



A ranger photographing footprints in dust before proceeding to make a plaster cast of them. If a forest fire is suspected to be of incendiary origin, every clew is followed




Building up the footprints with plaster of Paris. After the cast has set, measurements are made of the length of stride, as at left. Below, completed casts



Fire raging in a national forest, as photographed from an airplane. In addition to the watch kept from towers on mountain tops, aircraft have been pressed into service for fire-patrol work. In one instance, a pilot even spotted the fire bug at work

Traps Forest Fire Fiends



From towers like this, perched on high peaks, ranger lookouts scan vast areas of our forest preserves and flash warnings at the first sign of fire



At Forest Service fire headquarters, locations of new fires are plotted as reports come in from lookout stations. Exact spots are found by triangulation, using bearings given by several stations

matched the telltale footprints. Seventy-two hours later, their intricate trail of investigation ended when they took the second culprit into custody as he lay in bed in his Hollywood home.

Tracking incendiaries is the work of a new arm of the Forest Service, organized to fight the criminals who each year cause disastrous fires to ravage the two hundred million acres of timber land under the government's care. Single districts have had as many as thirty incendiary fires in one season, some of them costing many thousands of dollars to suppress, not counting the living trees destroyed, the lives of brave fire fighters lost in the battle, and the damage done later by floods racing over denuded slopes.

The motive may be to settle a grudge against a neighbor by "burning him out," or to make jobs for fire fighters, although now the Civilian Conservation Corps has taken over this work. Ranchers frequently set fires to burn out the underbrush so that grass for their cattle will grow better, heedless of the fact that they burn out the humus, destroy roots, and start erosion that eventually will ruin the land.

One fire bug's criminal record was used by a group of cattlemen as a lever to compel him to set their fires. Another pair of incendiaries in a recent case were professionals who worked twelve miles apart, each planting fires at quarter-mile intervals. The fifty blazes they set quickly converted the whole area into a roaring inferno, resulting in one of the most disastrous fires of recent times.

The work of the fire bug has become a dangerous game since the G-men of the forest began operations. In some of the "hottest" districts, the number of incendiary fires has dropped to but two or three a year and, in almost every case, the guilty person has been tracked down.

These Forest Service experts com-

bine the latest methods of crime detection with a thorough knowledge of the secrets of woodcraft. Most people would say there were no clues left in the charred desolation after a forest fire has roared past. But faint impressions in the dirt and ashes, pools of candle tallow, cigarette stubs, burnt matches, and other trifling bits of litter, mean clues to the forest G-men.



A woodsman sleuth makes a careful examination of clues found near the spot where an incendiary fire was started. Even a few half-burned match sticks may lead to an arrest

The first ranger at a fire carefully covers any footprints he may find with bark or boughs to preserve them until the investigator arrives from district headquarters.

Not long ago, a column of smoke puffed upward from the green depths of Shasta National Forest in California. Another followed, and another. Soon the Bonanza King lookout station had reported five fires within a three-mile radius. Supervisor Earl E. Bachman immediately suspected fire bugs and hurried an investigator to the scene.


Traveling down Mumbo Creek, the ranger found the fires fresher as he went—proof that the fire bug was working downstream. The ranger took a short cut to where the trail joined the highway, and waited.

Out of the woods soon came a stranger. He professed ignorance of the fires but his shoes matched footprints near the point of origin. The ranger back-tracked with him over Mount Shasta to a camp fire the suspect had left burning, and gathered evidence linking the man to five incendiary fires.


The amazing woodcraft that enabled the Indian to read from footprints even the tribe to which another belonged, has been developed to a science by the use of camera and plaster of Paris. When a telltale track is found, the investigator takes a photograph. *(Continued on page 122)*

Deadens Pain of Dentist's Drill

Amazing New Discovery Ends Years of Search for Easily Applied Anesthetic To Make Painless Dentistry a Reality



Dr. Leroy L. Hartman, of Columbia University, whose discovery of a desensitizing substance robs the dentist's drill of its terrors



The cotton is held against the affected part of the tooth for about a minute


A TWENTY-YEAR search to find a way of relieving the discomfort of a patient in a dental chair has just ended in success for Dr. Leroy L. Hartman, of the Columbia University School of Dental and Oral Surgery, who announces the discovery of an amazing desensitizer that eliminates pain in the preparation and filling of tooth cavities. Leading authorities hail his achievement as one of the greatest contributions of all time to the practice of dentistry.

While suitable anesthetics have long since been developed for comparatively major dental operations, the prospect of having a tooth filled has remained a bugaboo for the average patient. Until now, no simple anesthetic, easy to apply and wholly devoid of undesirable after effects, has been available for such minor, everyday treatments.

The new desensitizer, a colorless liquid resembling water in appearance, is just such a preparation. Its use requires no injection with a needle, or other elaborate procedure; in fact, a patient need not even be aware that it is being employed. To apply it, a pellet of cotton is simply dipped in the liquid and held against the affected part of the tooth, for a period varying from a minute to a minute and a half.

When this has been done, the tooth is completely insensible to the touch of a dental drill, and remains so for from twenty minutes to an hour. Working without fear of discommoding the patient, a dentist may speedily complete the task of preparing a cavity for filling. So free of discomfort is the process, according to reports, that a trip to the dentist becomes as casual and painless an affair as getting a haircut or a manicure.

Since dentistry began, hundreds of research workers have sought an anesthetic that could be used in this way. Following



To prepare a tooth for treatment, a pellet of cotton is first dipped in the colorless liquid

classical theories of dental pain, they tried all sorts of expedients—forcing pain-deadening substances into the nerves or into the pulp at the center of a tooth to be drilled, or attempting to block the nerve connections to the tooth. After experimenting for years along the same lines, Dr. Hartman abandoned these methods in favor of a new theory that brought success. His research convinced him that it was possible to desensitize the outer portion of a tooth, establishing a localized zone that would act as a barrier to reduce sensations communicated to the sensitive pulp, or inner portion. On the basis of this theory, he developed his desensitizing solution, which takes effect upon the layer of the tooth technically known as the dentine.

To try out the effectiveness of the new solution, and to determine the proper strength to be used, no laboratory animals would serve. Human "guinea pigs" were needed. Volunteers eagerly presented themselves in the clinics of the Columbia Dental School, hopeful of being spared the suffering to which most dental patients of necessity are resigned.

Since last March, Dr. Hartman reports, more than 500 cases have been treated, with results that have vindicated his most optimistic hopes. Difficult cases in the children's clinic, and cases of adults with abnormally sensitive teeth, have proved easy to handle with the aid of the new anesthetic, he declares. Patients have suffered little or no uneasiness in treatments that, under other methods, would have caused almost unbearable pain. Not only does the desensitizer prevent pain, the tests have shown, but it presents the possibility of saving teeth that would otherwise be lost by extraction. Examination has shown that the anesthetic does not in any way impair the vitality of the pulp of the tooth, a drawback to which other drugs have been found subject.

So much importance is attached to the new discovery that it will be safeguarded against possible exploitation by a procedure like that adopted for other history-making contributions to human welfare, including the insulin treatment for diabetes and the ultra-violet irradiation of food. Patent rights for the solution have been assigned by Dr. Hartman to Columbia University, which will control both the quality and price of the solution, and will place the commercial product upon the market. According to the university, the solution will be made available for public use in the near future.

Announcement of the new desensitizer recalls the fact that it was dentistry that first gave anesthetics to the world. Ether anesthesia was first used in the extraction of a tooth, antedating the celebrated occasion when it was first employed for a surgical operation at the Massachusetts General Hospital, Boston, in 1846.




MEXICO BUILDS HER OWN "STATUE OF LIBERTY"

LARGER than the Statue of Liberty in New York Harbor is a massive monument recently erected on an island in Lake Patzcuaro, State of Michoacan, Mexico. The upheld right arm is reminiscent of the American Goddess of Liberty, but the striking, angular lines of the Mexican statue are more modernistic in style. The monument is a memorial to José Maria Morelos, a leader in the war by which Mexico won her independence from Spain.

STREAMLINE CAR LOOKS LIKE A PLANE

WITH all wind-resisting body parts cut away, a bullet-nosed, radically streamline automobile has been constructed in Germany. The odd vehicle, shorn of all but its essential elements, bears a striking resemblance to an airplane without wings. It is claimed that the machine will go over sixty-two miles on less than a gallon of gasoline, and can reach speeds as high as seventy miles an hour.



Front view of new German streamline car which resembles a wingless plane


EXCAVATOR DIGS ITS WAY TO A JOB



Steam shovel at bottom of zigzag ramp it dug to reach floor of pit

ONE condition in the recent sale of a new excavating machine to a Birmingham, England, brick-making firm was that it must be delivered ready for work at the bottom of a seventy-foot pit whose sides were nearly perpendicular. No derrick or hoisting appliance was available, so the operator adopted the novel method of making the machine dig its own way down the cliff by constructing the zigzag ramp that is shown at the left.

RADIO DETECTOR FORECASTS STORMS



Radio storm detector set up on the front bumper of a car. Static sounds identify weather


At right, portable loop antenna used as a direction finder for locating approaching storms

STATIC may be caused not only by advancing thunderstorms but also by snowstorms, dust whirls, and other types of climatic disturbance, and each type has an individual and distinguishable sound, according to experimenters who have developed what they call a radio storm detector. From hourly bearings taken with this device, they claim, the character, position, path, and speed of any advancing storm may be accurately plotted. Tests now being made suggest that even minor snow flurries and rainstorms may be spotted at distances up to 300 miles.



TINY GLASSES SHIELD EYES FROM GLARE

TO REDUCE the blinding glare of approaching automobile headlights, a novel eye shield has recently been introduced. Strapped to a band worn about the head, a metal frame extends from the forehead and holds two ovals of amber glass in front of the eyes, where they are normally just out of range of direct vision. A slight turn of the head places the glass ovals between the eyes and the rays of oncoming car lights.



Inventor of new solar furnace beside one of the rows of mirrors mounted on a revolving frame

Above, smelting ore by the reflected heat of the sun. Focused in the furnace by sixty mirrors, the solar rays are said to produce temperatures up to 6,000 degrees F.

Mirrors Capture Sun's Heat to Smelt Ore

SIXTY mirrors, arranged in three racks that revolve on a circular track, are used in a new type of solar furnace invented by a Californian. When rolled into a position facing the sun, the reflectors focus the sun's rays on the material to be

heated in the furnace. Temperatures up to 6,000 degrees F. may be obtained, the inventor declares. It is expected that the apparatus will provide a cheap heat source for a wide variety of uses, including smelting ore and superheating steam. Each ad-



ditional mirror, it is said, will add 100 degrees F. to the temperature of the furnace. The apparatus is said to be economical in both construction and operation; it can be built for about \$1,000, and only one man is required to operate it.



Model of scow loaded and ready to be emptied. Water admitted to compartments overturns it

SCOW CAPSIZES ITSELF TO DUMP ITS LOAD


A scow that rolls over to dump its load is a recent invention. A line leading from the towing vessel to the scow operates a hand wheel which allows water to enter an inner compartment, thus destroying the scow's balance and overturning it. When it is emptied, air tanks above the deck ends roll the scow back to normal position and a system of traps empties it of water.



In the upper picture, the scow is turning over to discharge its load. Above, the empty vessel righting itself. A trap system lets out water

VERSATILE SNOWPLOW REMOVES LEAVES

Snowplow fitted with giant squeegee for clearing leaves from the streets. The inset shows plow at its unusual task



MOTORIZED snowplows do double duty at Newark, N. J., where they are used for removing fallen leaves from the streets.

and ease the rubber edge over the pavement, a sprinkler wets the street in advance of the snowplow.


To adapt the plows for this work, strips made of old solid-rubber tires are bolted to the lower front edge of the plow as a squeegee. To lay the leaves

FIREPROOF PLANTS TO GUARD FORESTS

PLANTING belts of fireproof plants is a novel expedient proposed by a western botanist to shield the forests of Southern California from damage by fire. In a recent demonstration before Los Angeles County supervisors, he showed the resistance to flame of bushes that he has developed, by tossing an oil-soaked rag into the midst of one and lighting it. The rag burned to cinders, but the bush was found virtually unscathed. Plants of this kind, he maintains, would provide an effective barrier, wherever they were planted, to the spread of destructive forest fires.



A torch of oil-soaked rags could not set fire to this plant




Prof. H. S. Booth making "impossible" compounds

MAKES SIX COMPOUNDS OF "INACTIVE" GAS

BY PRODUCING chemical compounds new to science, Prof. Harold S. Booth of Western Reserve University has just upset a teaching of long standing. Chemistry textbooks used by high-school and college students state flatly that the rare gases of the atmosphere—argon, helium, neon, krypton, and xenon—do not combine with any other elements. The very name of argon, a gas used in electric-light bulbs, comes from a Greek word meaning "inactive." Reasoning that unusual conditions of temperature and pressure might alter its behavior, however, Prof. Booth mixed argon with a chemical called boron trifluoride and chilled it to about 200 degrees F. below zero, meanwhile applying pressures ranging from ten to fifty atmospheres. To his delight, he obtained six "impossible" compounds of the supposedly inactive gas.

SKIDPROOF TIRE HAS "SQUEEGEE" TREAD

UNUSUALLY long life is claimed for a "finned" automobile tire just placed on the market. Parallel vanes of flexible rubber, forming the tread, yield to the contour of the road and thus minimize wear. The new style of construction, according to the maker, has also proved unexpectedly effective for preventing skids in turning and stopping, in comparative tests with conventional treads of knobbed or ribbed design. When brakes are applied, the fins of the new tires squirm into a curious serpentine shape that acts as a squeegee and wipes away moisture from a wet pavement, leaving a dry surface that the following part of each tread can grip. On a dry road, the flexing action is said to end skids.




Cross section of tire, and views taken through plate glass to show how tread acts under normal traction load, and in braking

COMPRESSED OIL REVERSES PROPELLER

MARINE PROPELLERS with reversible blades have been perfected, giving ships added maneuverability and greater smoothness of operation. The latest type is controlled hydraulically from the bridge. To alter the course of a vessel from forward to astern, or to change its speed without "jumping," the pilot or helmsman operates a small lever, and oil pressure communicated to a

piston within the propeller hub changes the blade setting accordingly. Propellers of this sort are reported particularly advantageous for towboats, since they facilitate smooth and gentle maneuvering to take up the slack in a towing hawser without jerking. Changes of direction are effected much more smoothly than by the common arrangement of reversing gears.




New reversing propeller for ships. Blade angle is controlled from bridge

At right, a close-up of the propeller to show how blades are set for speed or to reverse the direction

VALVES CONTROL SPEED OF PARACHUTE'S FALL

SOVIET designers have developed a parachute that allows the user to control the speed of his fall. A hole in the center of the parachute dome may be opened or closed by special valves, accelerating or retarding the speed of the descent.




MODELS HISTORIC SHIP IN MODERN MATERIALS

PLASTIC MATERIAL, acetate yarn, and paint thinner were the unusual materials used by a Tennessee model maker to build a ship model of H.M.S. Bounty, a three-masted square rigger. Following designs and plans published in POPULAR SCIENCE MONTHLY, he constructed the hull and masts from a plastic substance used to make inexpensive pocket combs. A cellulose-acetate yarn, employed in weaving wrinkle-proof shirt collars, forms the rigging. All joints and connections are welded together with acetone, a liquid used as a paint remover.

Mercy Flyers Bring

*Winging in the Wake of Flood,
Storm, and Earthquake, Daring
Pilots Rush Food and First Aid*



A flying ambulance of the U. S. Army Air Corps. Such craft often give peace-time service by aiding disaster victims

By ROBERT E. MARTIN

DISASTER strikes. An earthquake shatters a western city. A hurricane levels a southern town. Roaring flood waters lay waste a thousand farms. Doctors, food, medicine, clothing, are needed by the refugees. So, the Minute Men of the Air, pilots of the Red Cross, take to the sky.

These daring flyers have pulled their ships off fields still rocking in the grip of an earthquake. They have headed out over impassable territory where engine failure meant a certain crash. They have battled fog and gales to carry serum to stricken communities. Their planes, close on the heels of disaster, play a vital part in the relief work of the Red Cross.

A few weeks ago, a West Indian hurricane cut a 150-mile-wide swath across Cuba and headed for the Florida coast. Radio flashed word of the coming whirlwind. Immediately, land planes and flying boats roared away with warning signals. Over isolated villages and small sponge and fishing boats, which carried no radio, they swooped low and dropped floats with white streamers labeled, "Hurricane Warning." Inside the floats, wrapped in waterproof materials, were details of the coming storm. Even before disaster strikes, the disaster pilot starts his work.

In preparation for emergencies, the American Red Cross has worked out an elaborate signal code for use by pilots and ground workers. The airman employs short blasts of his engine for signaling; the ground worker, strips of cloth.

When a pilot gives five blasts of his motor, he is inquiring, "Do you need anything?" Three blasts mean, "Repeat the message; I don't understand it;" two blasts, "Message understood; await our return," and four blasts, "Stand by for a dropped package."

That last signal, a few years ago, ushered in what is probably the most thrill-packed sixty seconds in disaster flying. They occurred as Lieut. Lawrence Genaro and Tom Ryan were preparing to drop food at Claypool Hills, Ind.

It was midwinter. Ice jams in the Wabash River had caused the flooding of more than a million acres in Indiana and Illinois. Twenty-nine thousand persons were victims of the flood and 2,000 were homeless. Eight people lived for nearly a week in a barn surrounded by water; their only food, until planes dropped rations, corn which they crushed into meal and cooked over a fire of cobs. Blizzards and bitter cold turned the flood waters into ice and slush and made rescue by boat impossible.

During the height of the flood, as many as five Army ships at a time were in the air, shuttling back and forth on errands of mercy. Genaro and Ryan had hopped off from the field at Fort Benjamin



When snow marooned a family on this New Jersey farm, Navy bombers kept them from starving. A parachute carrying food can be seen in the upper right-hand corner



FIGHTING PESTILENCE

Airport workers loading a plane with medical supplies to be flown into an earthquake-stricken area. Prompt aid relieves the injured and prevents spread of disease

Rescue from the Sky

Harrison, near Indianapolis, and had headed south. Wrapped in a blanket, they carried a large parcel of food and clothing. Near Claypool Hills, they sighted fifty refugees, marooned on a high spot, waving frantically.

Genaro eased back the throttle and circled lower. At 200 feet, Ryan stood up in the cockpit ready to throw overboard the bundle of supplies. Suddenly, the icy gale from the propeller caught the blanket, whipped it loose, and sent it flapping back over the tail of the plane. Entangled in the control surfaces, the blanket threatened to send the ship crashing to earth. Instantly the pilot saw his danger. He dropped in a fast landing on the only strip of ice available, taking a chance that it would hold. It did. And, after untangling the blanket and unloading the supplies, the two men soared away safely on the return trip to the home airport.

During one disaster in the South, a

newspaper printed the complete Red Cross signal code and pilots dropped the papers at all marooned farmhouses. It enabled the victims to signal their needs.

This is done with cloth strips, twelve feet long and two feet wide. White cloth is placed on bare ground, black cloth on snow. In floods, the strips are sometimes floated on the water, supported by boards and sticks. By forming code letters with the strips, a Red Cross worker on the ground can report the number of persons killed and injured as well as the food, clothing, and medical needs of a stricken community.

The symbol for persons killed is A; for those injured, F, and for those homeless, H. By putting Roman numerals before the symbol letters, the number in each case is indicated. Other common needs are signaled as follows: blankets, FN; tents, FT; matches, TT; bacon, AA; beans, AE; powdered milk, AY; drinking water, EK; canned tomatoes, EH.

In addition, more than twenty medical supplies, ranging from aspirin, HH, to tetanus antitoxin, NT, are indicated by two-letter symbols. Thus, if a disaster pilot spies the following series of letters laid out on the ground: X FT FN TT EH, he knows the worker below needs tents, blankets, matches,

and canned tomatoes sufficient for ten people.

The great Mississippi flood of 1927 was the first American disaster in which planes figured widely. When the swollen river ate its way through levees and inundated 1,250,000 square miles of farming land, Army and Navy planes flew back and forth, reporting the location of victims clinging to roofs and tree tops, while a fleet of 826 boats carried on the work of rescue.


SINCE then, pilots have been the eyes of the Red Cross in every major disaster. Although the organization itself owns no planes, Army, Navy, and National Guard airmen are trained to carry on at a moment's notice.

When the Southern California earthquake of 1933 was wrecking buildings at Long Beach, a pilot hopped off from a field still trembling from the shocks and cruised over the city. Telephone lines were down. Communication was severed between different parts of the city. The pilot's radio report of actual conditions and of points of greatest need proved of immense value in carrying on the rescue work.



By flashing a running story of events on the ground below, disaster pilots often aid in rapid-fire rescues. Besides the radio, they use aerial cameras. Photographic records of flood and earthquake areas, on a number of occasions, have helped relief officials to map a program of attack.

In 1929, two dramatic jobs took disaster pilots aloft.

Santo Domingo City, in the Dominican Republic of the West Indies, was virtually wiped out by a fearful hurricane which left 2,000 *(Continued on page 118)*





An outboard motor is the unusual cargo of this bombing plane. Packed in hay and attached to a parachute, it was dropped in a flooded section for use in rescue work. At right, ground-code signals of the type used to convey information to air pilots



The plane at the left is loaded with peace-time bombs containing food. Rescue flyers have developed great skill in dropping such missiles. Above, putting a patient into an air ambulance

By JOHN E. LODGE

Below are shown the largest and smallest of Chinese coins. At right, a mold in which Malay "tree money" was cast. Coins were broken off as needed



Beads, cowrie shells, and empty cartridges, all used as money in Ethiopia. The Italian invasion doubtless put many more cartridge shells into circulation

Queer Kinds of Money

..FROM ELEPHANT TAILS TO WOODEN NICKELS



Howard D. Gibbs at the safe which houses some of his 130,000 specimens of rare coins and curious forms of money

NOT long ago, a bank clerk in a midwestern city was running over coins that had been deposited during the day. A discolored one-cent piece caught his eye. Closer inspection revealed that it was a rare "strawberry-sprig" penny, minted in 1793. Its worth, as a collector's item, was \$300—30,000 times its face value!

A depositor in another bank recently brought in one of the first silver dollars ever minted in the United States. By putting hoarded money into circulation,

Gibbs, of Pittsburgh, Pa. In his home museum, Gibbs has 130,000 specimens.

It was a small French coin that first interested Gibbs in collecting unusual monies. He was seven years old when a relative gave him a coin dated 1656. It still has a place in his world-famous collection, a collection that now occupies a huge safe, fills a large closet, and overflows into scores of boxes and containers.

A day spent in his home museum is like a Marco Polo journey through strange realms of money. You see "pieces of

the depression brought to light rare and curious coins, aiding collectors who ride the hobby of numismatics.

More than 5,000 people, in the United States alone, collect old coins and queer money. Their hundreds of thousands of specimens give fascinating side lights on customs, laws, and ideas of the past and trace the story of money through its varied and successive chapters.

In such collections, you find stone doughnuts, metal bells, humming-bird feathers, blocks of salt, fishhooks, elephant tails—strange monies of the past, crude predecessors of our modern coins and bills.

One of the largest private collections of unusual money in the world has been assembled by Howard D.



eight" of the Spanish Main, spade coins of ancient China, money dating from the time of Haroun-al-Raschid, the Caliph of Bagdad. You handle a piece of money that looks like a hat, one that looks like a saddle, another that looks like the tongue of a tiger. You see coins of the Bible—shekels used by the money changers, pieces of silver such as Judas took, tribute pennies, and the "widow's mite." There are Baluba crosses from the Belgian Congo, tea bricks from Burma, bread money from Russia, cheese money from China, cacao beans from the days of Montezuma.

In a great coil, there are 10,000 tiny, crimson humming-bird feathers sewed to a belt of braided material. At Vanikoro Island, in the South Seas, this feather money once was standard currency. Similarly, in Mexico, at the time of Cortez's invasion, tail feathers from the brilliant quetzal bird symbolized wealth in the royal family. And, among tribes of North American Indians, in the early days, scalps of red-headed woodpeckers passed as money, a scalp being equivalent to about fifty cents.

"Here," Gibbs tells you, "is the largest metal coin in the world."

Made of Alaskan copper, it is half as tall as a man and weighs ninety pounds. Such giant coins were used in the northern country 100 years ago and were worth 5,000 blankets or \$2,500. The smallest coin in the collection is an Oriental piece hardly as large as a bird shot.

In the primitive days of wandering tribes, Gibbs explained to me, there was little need for any form of money. If one



A Baluba cross, used in the Belgian Congo 200 years ago. It was made by digging a trench and pouring in molten native copper

Elephant-tail hairs, like those shown at the left, were legal tender in Central Africa until modern firearms caused inflation

man had a cow and wanted a tent and another had a tent and needed a cow, they traded possessions. But as people settled down and markets sprang up, some yardstick or standard of value became necessary.

The first standards of value were grain and cattle. In various parts of the world, salt, dates, cocoa, olive oil, tea, coal, leather, rubber, and porcelain became the yardsticks. At one time, cowrie shells were current as money all over the Orient and the coast towns of Africa. Copper pots were exchanged as money on the Island of Cyprus. And, in America, tobacco in the South, and beaver skins in the North passed as currency in pioneer days. Contracts in Colonial Massachusetts were made payable in silver, beaver skins, or wampum. The latter, produced from periwinkle shells, was standard currency among the Indians and was accepted in payment of fares on New York ferries up to the end of the seventeenth century.

When you reach into your pocket for change, you can be thankful you do not live on the Island of Yap. For generations, huge pieces of stone money were employed by natives of this island in the South Seas. Gibbs showed me a typical specimen. Shaped like a doughnut, it was carried about by inserting a stick in a hole in the center. A stone coin thirty inches in diameter and weighing 170 pounds had a value of a canoe, a wife, or 10,000 coconuts.

The quarries from which the stone money came lay on another island 300 miles away across a treacherous sea. One characteristic of a primitive money, as Gibbs pointed out, is that it was usually something difficult to obtain. Thus, whale teeth formed currency in the Fiji Islands, a tooth having a trading value of \$150. Boar tusks passed as money in Papua and, in Central Africa, the black, wirelike hairs in an elephant's tail were widely used before the days of firearms. After white hunters invaded the Congo, killing large numbers of the animals, there was an inflation in elephant-tail money and the value of the hairs dropped.

By examining the coins of a distant land, Gibbs told me, you can oftentimes tell much about the sort of clothes the people wear. In New Guinea, for example,

the money, even today, contains a hole. Wearing scant clothing, the natives have no pockets and keep their wealth on strings around their necks. In Malacca, in the Malay Peninsula, coins were cast in metal "trees." A dozen coins branched from the central stem, like apples. When a native made a purchase, he broke off a coin; when all the money was gone, he threw away the stem that remained.


In Kurdistan, money took the form of gold and silver arm bands. When a village was attacked, the natives slipped their money on their arms so they could take their wealth away if forced to flee. In addition, the metal bands protected their arms against swords and knives.

A few years ago, Gibbs discovered three of these rare "coins" in a Chicago pawnshop. They had come from the estate of a local collector. The pawnbroker had no idea what the trinkets were and parted with all three for twelve dollars. Later, Gibbs sold one for \$125.

Gumdrops were recognized as money at one time in Alaska. Shortly after traders opened up the territory, natives used the candy as coins. During the construction of pioneer railroads in the West, whisky was a commodity currency. Contracts with workmen called for payment in so much money and so much whisky a day.

Gibbs showed me a curious piece of metal, shaped like a spade or the head of a spear.

Gibbs displays the largest metal money known. Used by natives of Alaska a century ago, it is made of copper and was worth \$2,500



Teeth of dogs and boars, a medium of exchange in New Guinea. Traders made counterfeits



SALT MONEY. Ethiopians "salt down" fortunes in this form. Beggars are given a lick



COINS OF THE BIBLE. Left to right: A "piece of silver," like the thirty Judas received; A shekel used by the money changers in the temple; Roman coin marked with the head of Tiberius Caesar—one of "the things that are Caesar's"; the "widow's mite"



Feathers of the quetzal symbolized wealth among the Aztecs


"That," he said, "is the oldest metal money in the world. It was used in ancient China. For more than thirty centuries, it has been in the world, passing from hand to hand and from generation to generation. What a story it could tell!"

This coin illustrates one way money developed. First, the Chinese left their weapons or tools as surety for debts. Then, they fashioned small imitation weapons or tools and left them as tokens, retaining the use of the real implements. Another early coin, dating from about 700 B.C., shows the same evolution. It is a small metal reproduction of a bolt of cloth. First, the actual silk (*Continued on page 123*)

Hunting Meteorites

with an

AERIAL CAMERA



AN AMATEUR MAKES A FIND

J. B. Lynch with the 749-pound Hugoton meteorite found at Hugoton, Kans. Lynch, a high-school student, showed Prof. H. H. Nininger the spot where a fragment of the stone had been turned up with a plow



Prof. Nininger, at right, with the party he led on the first airplane hunt for unknown meteorite craters


SOARING over the sparsely settled plains of the Southwest, a cabin monoplane recently carried a party on a novel hunting trip. Armed with an aerial camera, they were tracking meteorites—masses of mineral matter that have whizzed out of interplanetary space and buried themselves in the earth.

Hunting meteorites from the air is the latest wrinkle to be employed by Prof. H. H. Nininger, who has made the finding and study of these celestial visitors his life work. On his recent expedition, he made a 2,000-mile circuit over parts of Colorado, New Mexico, and Texas. This area was selected for the search because it is largely uncultivated, and the craters formed there by falling meteorites would be found undisturbed except by surface erosion.

So-called "buffalo wallows," and prairie lakes that looked to Nininger as though they might cover meteorite craters, were photographed and their locations were noted. In Texas, the party flew over a known meteorite crater and made pictures for comparison. When he returned to his starting point at Denver, Colo., the scientist had pictures of scores of places that he considers worth searching; it now remains to investigate these suspected craters on the ground.

Nininger was the first scientist ever to

make a deliberate and systematic search for meteorites. While others contented themselves with finding and examining specimens that had been seen to fall, he recruited an army of volunteer searchers in every state of the Union by delivering lectures to groups of farmers, showing them specimens of meteorites, and offering hard cash for any that might be turned up by the plow. Where other in-



Above, a possible meteorite crater as photographed from the air. Below, Prof. Nininger etching a meteorite with acid to disclose its crystallization



vestigators acquired two or three meteorites in the course of a year—mainly by accident—Nininger has collected them by the thousands.

When a great meteorite fell near Paragould, Ark., a few years ago, Nininger questioned hundreds of persons who had witnessed the terrifying sight. Although an eighty-five-pound fragment found in a farmyard was generally believed to have been the cause of the disturbance, he was convinced that a larger find would reward searchers. Drawing a line on a map, he directed farmers to follow it for several miles from the point where the fragment had landed. Just three miles away, buried under nine feet of soil, they discovered the 800-pound Paragould, largest stony meteorite known.


Only slightly smaller is the Hugoton, which Nininger found as the result of one of his lectures. At the end of a talk at Hugoton, Kans., J. B. Lynch, a high-school boy, recalled that he and his father had plowed up a stone that looked like the specimens the lecturer had exhibited. "It's still out in the field," he said, "if you want to come and see it." The "stone" proved to be a fifteen-pound fragment sheared off a larger mass. By digging where it had been turned up, Nininger uncovered the 749-pound monster.

Lynch is not the first farm boy to earn a part of the cost of his education by the chance turn of a plowshare. Nininger pays a dollar a pound for small meteorites, and hundreds of dollars for the larger ones.

Now that he has enlisted the aid of the airplane in his search, he expects to unearth many unsuspected meteorites, which may add to our knowledge of the universe beyond the earth's atmosphere.

FIFTY YEARS OF


Aluminum



HE PUT A "PRECIOUS METAL" IN KITCHENS

Charles Martin Hall, whose discovery of the electrolytic process for producing aluminum made the metal available for commercial use. In circle, first specimens he made

By
Edwin Teale



JUST half a century ago, the commonest metal in the earth's crust was as scarce as silver. Prof. Frank F. Jewett, of Oberlin College, Oberlin, Ohio, was pointing out this curious paradox to his chemistry class in the spring of 1883.

"If any of you can extract aluminum in commercial quantities," he concluded with a smile, "you are sure of a fortune."

A slender student in one of the front rows nudged his neighbor. "I'm going after that metal!" he whispered.


That was the beginning of one of the most dramatic achievements in chemical research. The student was Charles Martin Hall. Hardly three years later, in a wood-shed workshop, using makeshift apparatus and homemade batteries, he achieved the goal which the greatest scientists in the world had failed to attain.

On February 23, 1886, Hall rushed into Jewett's laboratory with a few small buttons of silvery metal in his hand. It was the first aluminum produced by the method which now turns out the world's supply of more than 375,000,000 pounds a year.

Those buttons are still in existence. So fast has the world of aluminum moved, that few of the millions who take this metal for granted know its amazing history. Few realize that less than a century ago, platinum and aluminum jewelry sold for exactly the same price; that, at the Paris Exposition of 1855, a lump of aluminum occupied a place of honor next to the crown jewels; that in 1884, when the 100-ounce aluminum cap was cast for the Washington Monument, it was exhibited in the window of a Fifth Avenue jeweler, in New York City.

The
Strange Story
OF THE
Magic
Metal

A side post for use in railroad rolling-stock construction being extruded at a mill. The silvery metal is used in high-speed trains



The Navy and Marine Memorial at Washington, D. C., cast from aluminum—an example of the use of the lightweight metal in the arts. At right, an open-pit bauxite mine in Arkansas

upon the unique combination of qualities found in this magic metal.

So many, so varied, so vital are the uses of aluminum that it is easy to forget that people still living have seen virtually its whole commercial history. It is easy to forget that only 111 years ago, no one in the world had ever seen aluminum.

The first man to set eyes upon the metal was the Danish experimenter, Hans Christian Oersted. In 1825, Oersted, by chemical methods, obtained small globules of aluminum no larger than a pinhead. Later, the German chemist, Friedrich Wohler, accomplished the same feat. But it was not until Napoleon III became interested in using the light metal for military helmets that Henri Sainte-Claire Deville was set to work producing usable quantities of aluminum. His chemical reduction method put the metal on the market, but large quantities and cheap production were impossible.

At this point, encouraged by Prof. Jewett, Charles Martin Hall started his quest. Every spare minute went into his search for a short cut to the production of aluminum. After he graduated, he continued his researches, making his own batteries and assembling makeshift ap-

Napoleon III entertained guests at a table set with aluminum forks. The King of Siam wore an aluminum watch fob. And, when the Prince Imperial of France was one year old, a minister of state bought him the rarest thing he could find, an aluminum rattle. In 1852, the metal was quoted at \$545 a pound; today, it sells for about twenty cents a pound. The discovery made by the twenty-two-year-old student at Oberlin College is responsible. As it celebrates, this month, the fiftieth anniversary of his accomplishment, the world is depending in countless ways upon the metal he made commercially available.

From the time you wake up and squeeze tooth paste from an aluminum tube in the morning, until you go to bed at night, you meet the silvery metal in a host of forms. Products range from rivets the size of a match head to fifty-ton cranes and giant Zeppelins. Racing yachts, chewing-gum wrappers, chairs, wheelbarrows, Hollywood armor, baby cradles, tank cars, horseshoes, beer kegs, bicycles, fishing reels, and tiger cages all have been made of aluminum. It is used in gleaming church spires, roaring airplanes, 100-mile-an-hour streamline trains. Engineers on the Mississippi use aluminum booms and buckets; workmen at Boulder Dam employ dump trucks with aluminum bodies. T.N.T. is mixed in aluminum vats. Snowshoes, whistling tea-kettles, golf clubs, and fireworks all depend



At left, a workman is welding side pieces onto a spun shell to form a large utensil. Below, rebuilding a bridge with aluminum to save 750 tons of weight. Note how easily the laborer in the foreground is carrying a long channel



paratus in a shed back of his home.

Aluminum oxide, or alumina, was comparatively easy to obtain. It was reducing the oxide to the metal that had balked previous efforts to produce aluminum in commercial quantities. Hall sought to reach the goal by a new road—electrolysis, or the chemical decomposition of the alumina, while in the molten state, by an electric current. The melting point of alumina is 2,050 degrees C., far too high for Hall's home-made bellows and furnace.

So he sought a chemical salt which when molten would dissolve alumina and enable him to electrolyze it in solution.

First he tried fluor spar. It proved unsatisfactory. Then he turned to magnesium fluoride. Again, the result was failure. Finally, he tried cryolite, a glassy substance brought from Greenland. Pumping the bellows in his shed laboratory, Hall melted the cryolite and sprinkled into it the snow-white, powdered alumina. Then, for two hours, he let an electric current pass through the seething mass. In the bottom of the crucible, when the test was ended, he found small globules of silvery metal. As soon as they were cool, he rushed out into the cold February day to show Prof. Jewett that his search had reached its goal.

Curiously enough, 3,000 miles away at Gentilly, France, another young experimenter of Hall's age had made the same discovery at almost the same time. He was Paul Heroult. Inheriting a small tannery, Heroult used the Gramme dynamo in it to provide electricity for his tests. The lives of these two workers ran strangely parallel. They both were born in 1863. They both made their discovery in 1886. And they both died in the same year, 1914. Hall's success preceded Heroult's by a scant two months.

Theoretically, every clay bank is an aluminum mine. In practice, however, an ore, named bauxite, after the French village of Les Baux where it was first discovered, is employed in the production of aluminum. Most of the bauxite used in America comes from Arkansas and from Dutch Guiana. It first goes to a vast plant at East St. Louis, Ill., where the alumina is extracted. This white powder is shipped to refining centers in New York State, North Carolina, and Tennessee. Out of the electrolytic baths comes the pure aluminum. Approximately two pounds of alumina is required to produce one pound of metal. The electricity needed to produce that pound of aluminum would keep a forty-watt lamp burning continuously for twelve and a half days.



Women's accessories of aluminum

In place of Greenland cryolite, a synthetic cryolite is now widely used at refining centers.

The first plant that employed Hall's cryolite method went into operation on Thanksgiving Day, 1888, at Pittsburgh, Pa. From it has grown the gigantic, sprawling battery of factories along the Allegheny River at "the aluminum city," New Kensington, Pa.

As you go through these acres of buildings, you see electric furnaces towering forty feet in the air; steam chambers and gas-heated ovens aging alloys; great rollers reducing slabs of aluminum to silver-colored foil, .00035 of an inch thick. Rows of extrusion presses, fed billets of hot aluminum as a cannon is fed shells, force out streaming pipes and tubes. In fascinating, twenty-four-hour-a-day activity, the machines are transforming tons of the metal which Hall made plentiful into articles of utility and beauty.

In fact, the use of aluminum has spread too rapidly for our vocabularies to keep step. We still call aluminum containers "tin cans"; we still refer to aluminum waffle molds as waffle "irons"; we still speak of "tin foil," although most of it is made of aluminum.

Probably the first commercial use of the lightweight metal in this country occurred in 1876 when a New York concern produced a surveyor's transit made of aluminum. The transit was in constant use until 1909, when, still in good condition, it was placed in a museum.

Watch fobs formed one of the early products turned out after the Hall process went into operation. Then came cooking utensils. So rapidly has this field expanded that more than 350,000,000 aluminum pots and pans have been made in the United States alone. One queer demand for aluminum came in 1906 when Walter Wellman, the arctic explorer, was grooming a dirigible for a flight to the North Pole. He had special aluminum boats shipped to Spitsbergen to carry on his airship for emergency use.




This machine rolls aluminum sheet into foil. Much of the wrapping material commonly called "tin foil" is aluminum

Below, at left, beer barrels made of the magic metal. No lining is required for them. At right, aluminum bassinets provided for new-born babies at a hospital



A workman applying aluminum foil as an insulating material. Crumpled and arranged in multiple layers, it holds heat



This huge aluminum shovel dipper takes up sixteen cubic yards of dirt

Trouble at the Chicago stockyards, in 1897, gave aluminum another chance to demonstrate its value in an entirely new field. Locomotive gases at the yards corroded the copper telephone wires and produced frequent trouble at the switchboard. As an experiment, half a mile of aluminum wire was installed. It proved so satisfactory that its use spread. Today, there are more than 430,000 miles of aluminum cable in use, and a large part of the high-tension power lines of the country are formed of aluminum cables with steel cores added to increase their strength.

Every year, millions of pounds of metal are reduced to a flaky powder to provide the pigment for aluminum paint. Twenty-seven states require it to be used on bridges and highways. Ships employ it as a weight saver. Tests have shown it has remarkable power to protect wood from moisture and ultra-violet rays.

Laboratory tests at New Kensington revealed the secret of this power. When the paint is made, the metal particles are placed in a varnish base, about two pounds of aluminum in a gallon of the vehicle. Before the paint dries, the experimenters found, some of the little flakes of aluminum rise to the top and "leaf," or overlap like shingles. The result is a thin skin of metal which protects the surface from sunlight and moisture.

To aid in discovering new uses for aluminum as well as to learn new facts about its remarkable properties, about 100 scientists and technologists work in the huge, hilltop laboratory at New Kensington. During a recent visit to "the aluminum city," I watched these men at work. A host of ingenious machines aids them. In one room, long rows of humming electric motors are pushing, pulling, twisting, vibrating tiny pieces of aluminum. Day after day, week after week, month after month, and even year after year, the punishment continues. By such fatigue tests, the scientists are learning more and more about aluminum and its alloys. As many as 40,000 specimens of aluminum are tested for tensile strength in a single year.

One electric mechanism pushes and pulls on a strip of aluminum 1,800 times a minute, thirty times every second, day and night, until the metal breaks. Another reproduces the vibration of an airplane, and a third measures the "creep," or elongation of the metal at high temperatures. Testing machines having screw threads made with watchmakers' precision, can exert a pressure of 330,000 pounds.


Thirty thermocouples, as fine as the threads of a spider's web, measure the heat radiated by aluminum and alloys. Salt-spray tests, which continue for years, reveal new facts about

corrosion. And, an intricate laboratory mechanism constantly subjects aluminum specimens to load strains while an electric current passes through them. Humming, spinning, pounding, the research machines are always at work. So new is aluminum that the research men are still exploring its properties and possibilities.

Besides general research, the laboratory tackles thousands of specific problems. A shaving-cream manufacturer wants to put his product in aluminum tubes. Will the cream corrode the metal? A manufacturer wants a container in which to ship a specific chemical. Is aluminum suitable? A packer desires to put sardines in aluminum cans. Will the metal keep the fish in good condition? In each case, only the laboratory can tell. Technologists set to work, make their tests, and give their report.


Right now, they are grappling with the problem of producing alloys which will have greater strength at higher temperatures. This will facilitate the work of aircraft engineers in designing engines with more power per pound of weight. How much weight can be saved by substituting aluminum for steel wherever possible, was recently demonstrated when an aluminum Pullman car took to the rails. It weighed only half as much as the conventional sleeper.

An interesting innovation in connection with alloys is the use of the spectroscope (*Continued on page 132*)



An elaborate research apparatus used for testing the torsional strength of metal


A room finished in aluminum. It has walls of the metal especially treated and colored. The trimmings are in natural aluminum and drapes are made of mesh



"Spectral Detective" Finds Telltale Clews in Bands of Flame •



With a new wonder instrument, science can now test abandoned ore dumps like this, to determine the presence and amount of rare minerals





NICKNAMED "the spectral detective," a wonder instrument so sensitive that it detects and measures as little as one ten-millionth of a gram of a substance—a speck far too small to see—has been perfected by two young graduate scientists of the California Institute of Technology. Its feats rival the accomplishments of scientific sleuths of fiction.

A chip of paint is found in the clothing of a hit-and-run driver's victim. With the aid of the new instrument, it is compared with paint from the fender of a suspect's car. The composition of the two samples proves identical, and the suspect is convicted.

A prospector brings in a chunk of ore. Assayers have found nothing in it worth mining for, but in an hour's time the "spectral detective" reveals seven rare elements. Several of them—including gallium, a strange metal that melts at body temperature; germanium, a metal that hardens copper; and indium, used for bearings in fine watches—are far more valuable than gold!

A mineral spring is discovered. Does its water contain any substances of medicinal value and, if so, in what proportions? Samples of the mud from the spring are placed in the instrument and the elements they contain are determined at once.

To perform feats like these, without recourse to the conventional long-drawn-out processes of chemical analysis, the "spectral detective" applies a principle familiar to any school-boy who has passed sunlight through a glass prism and has observed the spectrum or rainbow of colors that is formed. Light from an incandescent



MEASURING MINUTE QUANTITIES OF MATTER BY SPECTRAL ANALYSIS

At top, the machine in use. The substance to be analyzed is placed in the concave tip of a carbon electrode, as at right. Light is projected along dotted lines to camera seen in center close-up. At left above, the rotating sector that divides spectrum for quantitative analysis

metal or mineral may also be spread into a spectrum. In this case, bright lines of various colors will be seen alternating with dark portions of the band, each element producing its own characteristic pattern.

To take advantage of this phenomenon, a pinch of a substance to be tested by the new instrument is placed in the hollowed-out core of a carbon electrode and heated to 10,000 degrees F. Light from the glowing sample, formed into a spectrum, is projected upon a strip of photographic film. When the film is developed, the position of the transverse markings left by the telltale luminous lines shows what elements were present in the sample.

But this is not enough. The quantities, too, must be determined. Even if an abandoned mine dump is known to contain precious metal, for example, a mining syndicate will still want to know whether there is


enough to justify reworking the dump. The brightness of the lines made by the "spectral detective" supplies the answer; it is an accurate indication of the quantity of each particular element that is present, and each hidden quantity is measured ingeniously.


Light from the glowing sample, before it reaches the film, must pass a rotating strip of black-painted wood that cuts down the exposure along the central zone of sensitive emulsion. Hence, the recorded lines appear to fade out at the middle, leaving gaps that vary in width according to the brightness or faintness of the original lines. By measuring the gaps, and using similar spectrum photographs made from samples of known composition for comparison, it is possible to estimate precisely the percentage of any one of seventy elements in the sample.

One of the new instruments is already serving the Los Angeles, Calif., police department. Other applications foreseen by the inventors, Dr. M. F. Hassler and R. W. Lindhurst, are almost limitless in scope; for the rapid, precise results obtainable with the "spectral detective" threaten to outmode much of the present technique of chemical analysis and assaying.

THE CAMERA RECORDS THE FACTS

A strip of film showing a calcium line trying to unite. Width of the gap indicated by arrow fixes amount of calcium in sample






Real beer is the product of this unusual piece of laboratory equipment

MIDGET BREWERY TESTS MALT AND HOPS

ALL the operations of a modern beer-making plant are carried out in a working model eight feet high and covering an area of less than five square feet, recently completed for Birmingham University, England. Called the world's smallest brewery, the miniature establishment will test hops, barley, and yeast, and carry out experiments in brewing research. The model consists of four independent units, capable of producing one gallon of beer apiece from each brew. Brewing conditions in any given plant may be simulated, and it is possible to duplicate any local variety of beer or ale.



DRY CELLS


Below, a driver signaling a left turn with luminous wand. Inset shows how dry cells are placed in transparent shaft

LUMINOUS WAND GIVES NIGHT-DRIVING SIGNALS

A NEW aid for car drivers is an illuminated wand for giving traffic signals at night. Made of a translucent colored material, the hollow staff contains a small flash-light bulb and battery. Light from the bulb is diffused along the entire length of the device, which is mounted on a bracket and may be raised or lowered.

POLISHING WHEEL IS OF ROPE FIBER


STRONG rope fiber and a binding agent are combined to form a new type of metal-polishing wheel. The novel construction provides a resilient, cushioning backing for abrasive material glued to the outer surface, and facilitates rapid and smooth work. According to the maker, it is well suited for operations in which wheels of felt, leather-covered wood, and canvas are now employed. Wheels of the new type are available in various sizes.



Rope-fiber polishing wheel before application of abrasive

FURNACE SPINS TO MAKE GREATER HEAT POSSIBLE

WHIRLING at high speed, a new French electric furnace is said to develop temperatures of more than 5,000 degrees F. to melt refractory materials in powdered form. Ordinary smelting-furnace walls melt at about 3,200 degrees F., but in this machine the powder to be fused is thrown against the outer walls by centrifugal force, thus lining the wall surface with heat-insulating materials. A resistance rod, forming the central axis, supplies the heat.




Rotary electric furnace for melting powdered refractory materials

SHEEP GO ON DIET TO GIVE BETTER WOOL

BY FEEDING sheep a special fattening diet, it is reported, a California expert has produced a superior wool twice as strong as the ordinary variety, promising clothing and fabrics that will wear far longer than those of today. Groups of sheep, kept in pens at the University of California Agricultural College, were fed upon a scientifically planned ration that caused them to gain weight and improve in health. At the end of six months they were sheared. Then their diet was changed to the ordinary ration of sheep on the range, and they were sheared again after another six months had passed. Tests of the two types of wool, made in the air-conditioned laboratory of Prof. J. F. Wilson, wool technologist, showed the breaking strength of wool from the specially fed sheep to be more than twice as high as that of the other samples. In addition, the yield of wool was 343 per cent greater.




Sheep under test for effect of diet on wool production. In circle, a sample of their wool, at left, compared with wool from ordinary sheep




Prof. J. F. Wilson, gauging strength of wool. Water drops in a cup until weight breaks hair

PADDLE-WHEEL PROPELLERS LIFT AND DRIVE NOVEL PLANE



THRESHING the air like giant paddle wheels, four huge propellers serve the double purpose of lifting and propelling an odd wingless plane designed by two Denver, Colo., inventors. Mounted in pairs on struts jutting obliquely upward from the fuselage, the "propeller wings" have opposing blades fixed on a common shaft at an angle of ninety degrees to each other. An automatic mechanism turns the shafts to "feather" the blades so that each upstroke propels the plane forward and each downstroke provides lift. Drive shafts in the struts connect the blades with the motor in the fuselage. The pilot may control blade pitch to gain either greater speed or more lift.

TRIANGULAR HACK SAW CUTS ONE-INCH METAL




Triangular-bladed hack saw ripping heavy metal

METAL up to one inch in thickness may be cut or ripped by a novel triangular-shaped hack saw. The odd design permits the blade to move diagonally through the material while the frame goes back and forth in a horizontal position. The blade is protected by stainless-steel webbing and is loosely screwed to the frame, making it practically impossible to break it, according to the makers. The tool may also be used to saw wood or composition material.


COUNCILMEN VOTE BY ELECTRICITY

ELECTRICITY speeds up the voting of the council that governs Middlesex County, England. Votes of members are recorded on an electrically lighted panel placed near the chairman's desk. To vote "yes" or "no" on a proposed measure, each member presses one of a pair of buttons on his desk, and a colored bulb lights up on the panel to indicate his vote, enabling the chairman to tell at a glance whether members have passed or rejected the proposition. It is expected that this system will save much time.





Colored lights on this panel take the place of ballots

MOTOR CYCLE HAS JACKKNIFE CHASSIS



At left, motor cycle with seat frame that lifts to expose the motor. Below, the frame raised to give access to motor and chassis

TO ALLOW easy access to its motor, the body of a motor cycle recently constructed by a French inventor unfolds like a jackknife. A metal frame, which supports the driver's seat and covers the motor, is attached to the chassis so that it may be tilted straight up in the air, exposing the motor to full view. No extensive adjustments are necessary preparatory to raising the frame, and the tilting may be done in a few seconds, it is claimed.



BIKE CARRIES OWN GENERATING PLANT

ELECTRICITY for bicycle lights is supplied by a new generator that operates by contact with the bicycle's rear wheel. Contained in a streamline shell, the unit is attached to the frame under the seat as shown in the photograph above. At a speed of eight miles an hour, it is said that sufficient current is generated to operate both head and tail lights.


METAL SPHERE IS ROLLING GYMNASIUM



By shifting the weight of his body, an athlete can roll this hollow sphere

FUN and exercise are provided by a metal sphere devised by two French inventors. By using hand and foot grips within the ball, and shifting his weight in acrobatic maneuvers, an athlete can pro-

pel himself about, as shown in the accompanying photograph. Made of a lattice-work of metal strips, the device rolls in any direction.



ODD WARNING SIGNALS GIVE TYPHOON ALARM

WATER craft scurry for cover when signals resembling gigantic bottle stoppers are hoisted on masts along the coast of Hong-kong, in the China Sea. The odd warnings herald the approach of a typhoon, and are raised whenever one of these violent storms comes within 300 miles of the colony.

STRETCH LIFE OF RUBBER

DUE largely to constant and systematic industrial research, the average service life of rubber and rubber goods has been doubled since the World War, according to a statement of a leading rubber industrialist.



Experimenter submits samples of fruit perfumes for trial

PERFUME MADE FROM FRUITS RIVALS SCENTS OF FLOWERS

A NEW use for California fruits is foreseen by a western specialist, whose experiments convince him that they may be employed in the manufacture of exquisite perfumes. Through a series of processes that he has developed in his laboratory, the aromatic oils contained in oranges and other fruit are extracted and blended, producing scents that are said to rival those of the most fragrant flowers.

PIPE BOWLS X-RAYED FOR FLAWS




SO THAT smokers may be sure of what they are getting, a leading maker of pipes takes an X-ray picture of each bowl. This reveals any defects which might later cause a cracked bowl.



THREE-IN-ONE AID FOR PHOTOGRAPHERS

THREE different appliances—an enlarger, a contact printer, and a retouching desk—are combined in a single piece of apparatus introduced for amateur photographers. Prints or enlargements up to eight by ten inches in size may be made. A negative to be enlarged is placed in a booklike holder and slipped in the side of the device, which is set for size by means of a focusing knob. Paper is inserted at the top, and the exposure is made by depressing and releasing a platen handle, automatically operating a self-contained lamp. For contact prints, both negative and paper are placed in the top of the device. The


platen may be unlocked and swung out of the way, permitting retouching to be done on a well-illuminated base that may be tilted to the angle at which it is most convenient to work.



A negative being placed in a book-like holder at the side of the unit, to make an enlargement. At right, a special holder for strip film. A focusing screen of ground glass is a part of the outfit



In making an enlargement, paper is inserted at the top and a platen handle is depressed as illustrated



An experimenter examining exotic plants grown indoors under sodium-vapor light

PLANTS PREFER SODIUM LIGHTS TO SUN

SODIUM-vapor lamps, already heralded as an outstanding improvement for highway lighting, also provide the best illumination so far discovered for growing plants, according to experimenters of the Boyce Thompson Institute for Plant Research at Yonkers, N. Y. Buckwheat and other test crops, under the yellow rays of the new lamps, grew more rapidly and

showed more sturdy development than similar plants grown under natural sunlight, they report. Neon tubes resembling those used in advertising signs were found to provide illumination nearly as stimulating as that of sodium vapor, and both proved more beneficial than ordinary incandescent lamps.

COUPES GET MECHANICAL LOADER FOR LUGGAGE


STOWING luggage away within the rear compartment of a coupe, and removing it, is made easy by a mechanical loader recently marketed. The device consists of a platform mounted on rubber wheels which run on tracks fastened to the deck-compartment floor. Luggage can be arranged conveniently at the rear of the deck, and then moved forward by turning a crank which operates a simple cable mechanism.



Rolling platform stows luggage in compartment


TRACKWALKER'S AID SHOWS HIDDEN FLAWS IN RAILS

EQUIPPED with a new aid, a railroad track inspector can easily spot hidden cracks and defects in rails. As the device is pushed along on rollers, mirrors reflect light upon the underside of the flange, and serve as a periscope for the easy examination of the under surface.



Close-up of rolling periscope. Mirrors give view of under surface of rail


Trackwalker using device to look for flaws in rails



Left, interior of unique window-testing laboratory, showing adjustable ceiling. The picture below shows exterior of building, with brightness meter mounted on the roof

STUDY WINDOW SIZES IN ODD LABORATORY

How MUCH daylight comes in a window? To supply data long needed by architects, as a guide in designing windows for homes, offices, and factories, the United States Public Health Service has erected a unique experimental structure near Arlington, Va. Brightness, dimness, or glare in any part of its single room is measured by an instrument employing a photo-electric eye, while experimenters block off window sections with shutters, roll false walls into position, and raise or lower movable ceilings. Research workers atop the structure, meanwhile, constantly record the



brightness of the sky as a check on the interior measurements, using a brightness meter that resembles an anti-aircraft listening device. Thus information is obtained as to the comparative effectiveness of windows of varying size and shape. One conclusion obtained is that increasing the height of a window produces considerably more improvement in illumination than a corresponding increase in its width.

How Dangerous

By
JESSE
F.
GELDERS

Although it looks like play, a professional athlete's job is as risky as a deep-sea diver's or a steeple jack's

danger as a bookkeeper; he can't even get the same kind of insurance. Many companies won't write a policy of any kind for a steeple jack; that indicates the peril of his job!

The steeple jack shares the hardly desirable distinction of having the "most dangerous job" with scores of workers in other widely assorted fields. Undersea divers, aviators, auto racers, caisson men working in compressed air, makers of high explosives, professional athletes, including baseball players—all of them face such great risks that they are usually described by the terse comment: "Not insurable."

The estimates of danger are not just guesswork. Their accuracy is continually being sharpened by scientific calculations. It is not a mere matter of counting deaths and injuries; if it were, many jobs might be considered much safer. Unexpected influences enter into the figures.

In the infancy of accident-insurance companies, some sixty years ago, they used plain horse sense to classify occupations. Those that seemed to have the same sort of hazards—for instance, jobs that required the same tools—were grouped together.

Now, however, the companies have actual records of millions of accidents, and a gauge of their seriousness, in dollars and cents. Last year alone they paid out \$90,000,000 for injuries, deaths, and sickness. When there is a question about the dangers faced by persons employed in any kind of work, a large company takes from its files the records of all the policies covering that particular occupation, over a period of six months, or a year, or several years. The amounts paid out in settlement of claims are added up and compared with the total premiums collected. The comparison shows immediately whether the danger has been greater or less than it was estimated.

Some years ago, a dentist was regarded as one of the safest possible risks. He was



brakeman, (10) steeple jack. Change from any of those jobs to a higher-numbered one, and you take a step toward injury or death!

The rates charged for accident insurance show *how much* the hazard increases. If a bookkeeper becomes a nurseryman he doubles his risk. A brakeman is in more than seven times as much



HOW dangerous is your job? What are your chances of being killed, or temporarily or permanently disabled? More than they would be at other work—or less?

Those are broad questions, but I found an accident-insurance company ready to give amazingly definite answers. And the answers were full of surprises.

A prison warden faces less danger than a diamond cutter, I learned. An ambulance driver's job is as safe as a garage mechanic's. Driving a heavy truck is riskier than either; it's as dangerous as moving buildings!

Whatever your job may be, the insurance company can estimate, in actual figures, how much more dangerous—or less dangerous—it is than any other given job.

Insurance experts have classified some 5,000 occupations, dividing them into ten separate groups according to hazards. Those ten degrees of danger can be illustrated by ten names, one picked at random from each of the ten classes: (1) bookkeeper, (2) food inspector, (3) camera-lens grinder, (4) ambulance driver, (5) tree pruner or nurseryman, (6) cabinet-maker using machinery, (7) structural-steel riveter, (8) coal miner, (9) freight



When a dentist works on your teeth, he stands the same chance of getting hurt as a woodworker using sharp hand tools



Is Your Job?



in the first class, with bookkeepers, bank clerks, editors, librarians, telephone operators, and other inside workers, safer at their jobs than they would be on the street.

But scores of dentists injured their hands and fingers. They were bitten or bruised by patients' teeth. They were cut or scratched by their own instruments. Many of those injuries caused temporary but complete disability, especially if infections developed. A dentist couldn't put an infected, bandaged finger into a patient's mouth.

A large group of insurance companies checked up their claims, and shifted dentists from the first class to the third. A dentist's work makes him about fifty percent more liable to disability from injury than a bookkeeper, a banker, an editor, or any of the snugly safe inside workers.

Exactly the same change was made in the rating of building contractors who stayed in the office and visited the actual job only occasionally. They used to be considered as safe as bankers. But they went to the job so often that their accident record was as bad as dentists'. Just a few months ago, during the alteration of a building in an eastern

In spite of the risk of jail breaks and riots, a prison warden is safer while on duty than is a diamond cutter at work at his bench



plosion occurred—probably due to the accidental breaking of the light bulb and igniting of alcohol vapor—and the man was killed. The job which led to that tragedy is listed in the fourth class.

And in the next class, *more dangerous*, is the repairing or operating of a sewing machine!

Prison wardens' lives have been endangered often by mutinies and jail breaks. Yet the warden's job, measured in terms of accidents, over a period of years, is as safe as a food inspector's. A diamond cutter, or a jewelry maker, for whom a little slip may mean an injured hand and temporary disability, is in about a third more danger than the superintendent of a penitentiary.

In every occupation, the chances of loss by accident depend not only upon the likelihood of the accident but also upon its consequences when it does occur. This is the explanation of at least a part of the hazard in many of the "most perilous" jobs.

Not only is a baseball player more liable than a stock broker to sprain his arm but the injury is almost sure to prove more costly. A second baseman with his leg spiked may be in no more pain than a carpenter who has stepped on a nail but, other things being equal, the ball player's disability will be greater or longer than the carpenter's.

From a cold, mathematical viewpoint, one partially disabling accident is sometimes as bad as a fatality. A carpenter fell twenty feet from a scaffold and a hatchet, with which he had been working, severed four fingers. His policy named specific sums to be paid for the loss of hands, limbs or eyes, or for permanent total disability or death. But it did not mention fingers. The loss of four fingers totally disabled the carpenter
(Continued on page 130)




Accident-insurance statistics show that a locomotive engineer, driving a train on a fast run, is as close to peril as a riveter perched on the framework of a skyscraper




Living Rat Traps

RAISED ON NOVEL FARMS




DEATH TO RODENTS

A brown or fitch ferret in a nest at the Farnsworth farm near New London, Ohio. The slender, streamline head is typical of the breed



A house in which ferrets are bred. Under the eaves, and running the full length of the building, is a screened window for ventilation



An overhead trolley used for transporting food to the houses and removing straw

IF A MAN . . . make a better mouse-trap than his neighbor," someone said, "though he build his home in the woods, the world will make a beaten path to his door." The truth of this statement is being realized with profit by a number of "farmers" in the vicinity of New London, Ohio; only the traps are *raised* and not built, and they work equally well with rats, prairie dogs, and squirrels. New London is known as the ferret center of the world, because more of those animals are raised there than in any other place, some 25,000 a year being a conservative present-time estimate.

A ferret is a small, slender animal of the weasel family. The typical ferret is about fourteen inches long, with a $5\frac{1}{2}$ -inch tail. Its body is long and slender, its head small, and its nose pointed. Ferrets are native to Africa, although some authorities say that they came originally from Asia. The ferret has been raised in captivity for so many years that it cannot exist very long in the wild state.

Two varieties of ferrets are raised on a commercial scale, for hunting rats and other animals. One, the fitch, is brown in color, with brown eyes, and looks something like a mink. The other type is the English or white ferret, which has pink eyes and is the same size as the fitch. About the only difference between the types is their appearance. Both kinds are good hunters.

Scattered around New London are perhaps a score of ferret farms. One of the largest of these is operated by Levi Farnsworth, who has been raising the animals for forty-five years. He has produced as high as 10,000 a year.

Farnsworth's interest in ferrets started accidentally, and somewhat startlingly, when he was a small boy. One day he was playing near the barn when he saw a strange animal stick its head out of a hole. It started towards him. He didn't wait for further investigation, but ran to the house. Breathlessly he described the animal, and did such a good job that everybody expected to see something as large and wild as a wolf. But when the monster was captured it proved to be a ferret, tame as a kitten.

Two weeks later, ten baby ferrets were born. Then the owner of the mother ferret was discovered. He was a neighbor who had brought a pair of the animals over from England. The ferrets, minus one pair, were returned to him. When that pair grew up, Farnsworth built up a local reputation with them, as a rat destroyer. Rat hunts were organized, and sometimes as many as seventy-five rats would be caught in one of these campaigns.

It was only natural that Farnsworth should start raising ferrets to sell. He advertised, increased his stock, and the enterprise grew until he now has one of the biggest ferret farms in the world, with about 2,000 animals in stock most of the time.

A ferret is a natural-born hunter. This makes it valuable as a rat exterminator. Turn a properly reared ferret into a nest of rats, and it will not rest until every one of them is dead. The ferret is the only animal, Farnsworth says, that has proved efficient as a rat hunter. Many of his sales are to companies that specialize in ridding office buildings, warehouses, stock barns, chicken coops, and



A worker ladling graham mush into the feeding pans of the individual pens. Below, an English or albino ferret shows its tameness. After becoming accustomed to its handler, a ferret cannot be induced to bite



In This Article, the Author Takes You for a Visit To a Strange "Ranch" Where Ferrets Are Bred by Thousands To Aid Man in His War Against Rodents

By **WALTER E. BURTON**

other structures of rats. They are widely used for cleaning out ships, where rats frequently become a great nuisance.

A ferret must be broken for rats before it can be called an efficient hunter. Farnsworth recommends that mice or young rats be placed in a pen with the ferret. The ferret gets the idea immediately but, because of inexperience, does not do a perfect job the first time. Little points of technique, like the proper neck hold to get on a rat in order to make it give up the ghost immediately, must be learned by practice. After the ferret has dispatched one or two small rats or mice, or grown-up rats whose most damaging teeth have been knocked out, it is ready to tackle the fiercest of rat fighters. The battle invariably is a brief one, with the decision always in favor of the ferret. The rat generally rears itself on its hind legs, ready to lunge at its foe. The ferret approaches the rat in a sidling manner. Then, quicker than the eye can follow, it whirls and grabs the rat by the neck. That is the end of that particular rat. A ferret seizes its prey and holds it as tenaciously as a bulldog. Its hold can be broken by pressing the thumb just above its eyes.

To rid a building of rats, ferrets are released where they can enter the rat holes. The animated rat traps seem to dash into the holes instinctively. They are built for work in such close quarters. In other words, they are properly streamlined.

Incidentally, in raising ferrets for the market, the goal is somewhat different from that sought in breeding most other animals. Whereas the raiser of fur-bearing animals, chickens, hogs, and the like, generally strives to produce the largest animals possible, the ferret breeder directs his efforts more toward the raising of small or medium-sized stock, which can wriggle

through the smallest rat holes with ease.

Because of their rat-hunting abilities, one or more ferrets frequently are kept as permanent residents of mills, cellars, grain elevators, and the like. They will keep the surrounding territory completely free of rats. However, Farnsworth thinks it better for the ferrets not to run loose all the time, but to be housed in pens except when at work catching rats.

One reason why it is not wise to let ferrets roam over a farm is that they have a weakness for poultry. However, they can be used for ridding a poultry house of rats, simply by releasing them when the fowls are roosting. A ferret cannot climb, so that, when the chickens are off the floor, it cannot injure them. The fact that a ferret cannot climb, while a rat can, accounts for the apparent slowness with



Alarmed by the photographer, this mother ferret is ready to defend her litter. She is holding one of the tiny young ones in her mouth

which ferrets sometimes rid a building of rats. The rats can go anywhere between the walls, but the ferrets must wait until the rats return to the ground before attacking.

That the ferret, as a rat hunter, is of real economic value can be seen by considering for a moment the rat situation. Surveys made by government agencies indicate that there is at least one rat for every man, woman, and child in the United States. Each one of these more than 100,000,000 rats destroys two dollars worth of food a year, on the average. This represents a loss that accounts for the full-time labor of 200,000 men. In addition to its destructiveness, the rat is a carrier of diseases—some of them, like the bubonic plague, extremely deadly. So, as a ratter, the ferret is a real friend of man.

To many persons, perhaps, the ferret is best known as a rabbit hunter. Its ability to invade the burrows of rabbits, and chase them out where hunters can get them, has led to its widespread use. However, many states now prohibit the use of ferrets for hunting, in order that the rabbit population will not be wiped out by too much efficiency on the part of hunters equipped with ferrets, which they carry about in their pockets or special pouches.

Purchasers of ferrets frequently devise novel uses for them. There is the case of the Kansas postmaster, who found them highly efficient for ridding land of prairie dogs. He discovered that two pairs of ferrets will clear seventy-five to 100 acres of prairie dogs in three or four months. The way he works is to keep the ferrets in a box with a wire (*Continued on page 127*)

ARMY DROPS FROM THE SKY TO TEST NEW WAR TACTICS



Soviet infantrymen descending from planes in parachutes and advancing in novel maneuvers

SOVIET Army officials recently directed more than 1,000 infantrymen in a spectacular mass parachute jump to test the possible value of such tactics in war time. Flown behind "enemy" lines during maneuvers, fully equipped soldiers bailed out of huge transport planes, descended to the ground, freed themselves from their parachutes, and advanced on foot ready for action. By this means it is proposed that a surprise attack could be directed against an enemy from the rear.

AUTOMOBILE FOOT REST CONCEALS AN UMBRELLA



TUCKED away within a new automobile foot rest is a full-sized umbrella, ready for instant service in case of an unexpected shower. The end of the umbrella handle forms a cap that closes the tube, keeping out dust and dirt, and a friction catch prevents rattling. When the umbrella is to be used, it is easily slipped from its holder, as shown above. The foot rest, says the maker, can be installed in any car.

SHOES FIT OVER SKATES FOR WALKING TO POND

SPECIAL "overshoes" for ice skates now enable wearers to walk to and from their homes with their skates on. Pressed from sheet steel and perforated to decrease their weight, the attachments are fastened to ordinary shoes or ice-skate shoes by single ankle straps. They provide broad rubber treads that allow the wearer, despite his elevation from the ground, to walk in normal fashion. The blades of the skates are raised so that they are kept clear of the ground.




Skater with "overshoes" for walking in skates

ROLLING WHEEL GAUGES DISTANCES ACCURATELY

LAYING out golf courses, parks, and pipe lines is made easier by the use of a measuring wheel with which, it is claimed, one man can determine distances more quickly and with less chance of error than two men using a tape. Rolling this device in front of him, the operator can mark off any distance by reference to a counter geared to the wheel, the circumference of which is exactly three feet. Inches are shown on a graduated hub disk.


This measuring wheel registers distances in feet and inches




Bicycle equipped with new oval gear sprocket

OVAL BICYCLE SPROCKET MAKES PEDALING EASIER

PEDALING a bicycle is said to be made easier by a novel gear demonstrated in London. Instead of the usual circular sprocket wheel, one of oval shape has been constructed to give a low-gear effect at the weak top and bottom positions of the stroke, and a high-gear effect at the strong center position. An idler wheel maintains a uniform tension on the chain.






Clinical thermometer, shown at left, is shaken down by twirling with metal handles

THERMOMETER TWIRLED TO SHAKE IT DOWN

TO SAVE the trouble of shaking it down, a new clinical thermometer is provided with a case that may be twirled between the fingers. The spinning motion quickly drives the mercury to the desired level by the application of centrifugal force.

HIGHEST PRESSURE PRODUCES HOT ICE



Apparatus with which Prof. P. W. Bridgman creates high pressures

CONSTANTLY risking the danger of a fatal explosion, Prof. Percy W. Bridgman of Harvard University recently applied pressures up to 70,000 atmospheres—by far the highest ever produced by man—to nearly 200 elements and compounds. Nearly half of them assume amazing new forms. Rubber, paper, wood, and linen cloth turn into transparent, horn-like materials. Boiling water is transformed into a strange kind of ice that is even hotter. New apparatus makes possible the creation of these tremendous pressures.



CRYSTALS GROWN TO MAKE LENSES FOR INSTRUMENTS

A NEW lens-making material, superior to glass or quartz for many applications, has been perfected by Prof. Donald C. Stockbarger of the Massachusetts Institute of Technology. It consists of artificially grown crystals of a chemical called lithium fluoride, formed by placing the pure powder in platinum crucibles with conical bottoms and melting it in an electric furnace. As the material cools slowly, a tiny "seed" crystal forms in the point of the crucible, growing until the entire mass is one solid crystal. It may then be removed, cut to any desired shape, and polished. Transparent, optically perfect lenses have thus been obtained. Since the material transmits a wider range of ultra-violet light than any other known optical substance, photographic research instruments employing lenses made of it will be able to peer farther into secrets of matter.



Prof. Stockbarger sawing a three-inch lithium fluoride crystal into sections for lenses. At left, lens "blanks"



Subject testing his sense of smell with new scent meter, seen separately at the right



SCENT METER GAUGES KEENNESS OF SMELL

AN INSTRUMENT resembling a perfume atomizer, devised by a New York nerve specialist, accurately measures a person's keenness of smell. This is rated in terms of the amount of air that must be pumped up a subject's nostril, from a reservoir containing coffee or lemon oil, to produce a perceptible odor. Locating brain tumors is a proposed medical application

TEST IMPROVED MECHANICAL COTTON PICKER

MACHINES may end the role of the traditional Negro cotton picker of the South, if current experiments to produce a practical labor-saving substitute prove successful. Witnesses of a recent Arizona demonstration saw the latest type of mechanical cotton picker harvest 600 pounds of cotton in three hours, while hand pickers near-by could gather only thirty pounds apiece in the same time. As the apparatus advanced, whirling claws stripped the fluffy white bolls from the plants, and a suction tube deposited them in a huge bag. The device is an improvement upon an original model that created a sensation when exhibited in Mississippi two years ago. Commercial production of the machines is expected soon.



This machine harvested 600 pounds of cotton in three hours—as much as twenty hand pickers

THREE-WHEEL "BIKE"

DRIVES LIKE AN AUTO



This novel vehicle is propelled by means of pedals and steered with an auto-type wheel

AUTOMOBILE, tricycle, and bicycle features are combined in an odd vehicle recently introduced. The "driver" sits in a comfortable chair seat and propels the car by a bicycle-type sprocket gear connected with the two front wheels. The machine is steered by the single rear wheel, turned by means of an automobile-type steering gear.




Magnifier in use for examining fingerprints

EXAMINE FINGERPRINTS WITH ODD MAGNIFIER

TO SPEED up the checking of fingerprints, Pasadena, Cal., police use an odd enlarging machine. A light glowing in a metal chamber illuminates a fingerprint on an identification card. The image is enlarged and reflected upward through a funnel-shaped tube to a circular ground-glass screen at the top. By examining the magnified finger whorls and ridges projected upon the glass, police check large numbers of prints in a short time.

BABY CARRIAGE USES TRACTORLIKE TREAD

TO MAKE it easy to move a baby carriage up and down stairs, a new continuous-tread attachment is fastened underneath the body between the wheels. When the device is placed in the position shown in the photograph below, the carriage rides over steps with little effort on the part of the user, and without bumping. When not in use, the device is retracted close to the springs and clear of the wheels, where it does not interfere with ordinary operation.



Retractable tread helps baby carriage on stairs

ICE CRYSTALS PRODUCE WEIRD EFFECT



Night photograph showing strange pillars of light said to be formed by reflection on tiny crystals of ice in the upper air. At the right are three such crystals, magnified forty times

MYSTERIOUS vertical pillars of light, sometimes extending more than 1,000 feet above street lights and airport beacons on cold, windless winter nights, are explained by Prof. B. W. Currie of the University

of Saskatchewan, Canada. The displays, he finds, are caused by light reflected from minute ice crystals, formed in the upper air and settling toward the earth, which he has caught and photographed.


TATTOO BRANDS ON FOWLS TO FOIL THIEVES



Poultrymen stamping identifying marks on the wings of chickens

TATTOOING the wings of poultry with the brand of the owner is the novel method devised by the Connecticut Poultry Association to curb the activities of chicken thieves. The farmer inks a pair of specially devised tattoo pliers, adjusts them over the wing of a bird, closes the pliers, and a permanent identifying mark is stamped on the wing. Members who join the theft-control plan are given the necessary equipment, and their tattoo marks are registered with the state police.

The Man



with the Net

RATTLESNAKES can't hear their own rattles.

NICOTINE got its name from Jean Nicot, the man who introduced tobacco into France.

PAINTED MUSHROOMS are used as buttonhole flowers in France.



FOURTEEN THOUSAND average-sized ants will weigh one pound.

WAX keeps the fluids of the human body from evaporating.

FORTY YEARS without a drink of water is the record of John Eddy of Linton, Ind. Since 1895, he has confined himself to tea, coffee, and milk.

ELEPHANTS are near-sighted.



A TOTAL of 147 fires were set by electricity from the human body in the last six years.

THUNDER rolled in a record nineteen-minute peal not long ago in Kentucky. One clap was still sounding when the next began, so the reverberations continued without ceasing for the stretch of 1,140 seconds.

EDIBLE PLATES made from bread dough were exhibited recently at Chicago.



GOAT WHISKERS are used in making rugs and carpets.


METEORS hitting the earth in the past 100,000 years would form a layer, if evenly distributed over the surface of the globe, hardly one one-hundredth of an inch thick.

SEVEN SNAKES timed over level ground in California, had speeds of from a quarter of a mile an hour to three and a third miles an hour. The red racer was the fastest; the California boa the slowest.

SMALLER BREEDS of turkeys to fit smaller modern ovens are being sought by the U. S. Department of Agriculture.



JUNGLE TOURISTS USE TREE-TOP HOTEL




From the veranda of this unique hotel, guests can watch jungle beasts

A HOTEL in a tree provides accommodations for sight-seers in the heart of the African jungle near Nyeri, in Kenya Colony. Known as "Treetops," the establishment has two combination bed-and-sitting rooms and a bathroom, is equipped with electric lights, and is reached from the ground by a retractable ladder. It provides a safe retreat for the observation of wild animal life, which is attracted by salt licks near-by. The rate for one night's stay is ten pounds (about fifty dollars), a fee which includes transportation through the jungle to the hotel, native bearers to carry equipment and supplies, and an armed guard for safety.

TRACTOR RUNS ON ROAD, RAILS, OR STAIRS

HYBRID vehicles that travel with equal ease on highways or railroad tracks have appeared in recent years, but the latest British model goes a step beyond its predecessors in versatility. Tests have demonstrated its ability to traverse rough unpaved ground and even to run up and down a flight of steps. For rail use, small, flanged wheels are lowered into place. A fifty-horsepower Diesel motor propels the machine, which has a four-wheel drive and can haul ten cars.



A British road-and-rail tractor crossing obstacles in a recent test


LIFE-SAVING SUIT KEEPS USER WARM



Comparative comfort is provided by this water-tight life-saving suit

WATER-TIGHT life-saving suits which keep the wearer afloat for two days, protect him from cold, and provide a compartment for food and water, may replace life preservers now in use. The suit is constructed of rubber, lined with kapok, and made water-tight by a rubber belt held against the neck. Lead weights keep the wearer upright.

Mammoth power-shovel dipper compared with one of the size commonly used



BIGGEST DIPPER HOLDS HALF CARLOAD

Almost as large as the average one-car garage is a huge power-shovel dipper recently placed in operation at an Illinois coal mine. Made of a lightweight metal alloy, the mammoth bucket is said to be the largest of its kind in the world, having a capacity of thirty-two cubic yards. It could fill the average railroad car in two loads. The photograph shows the big dipper compared with a standard one of three fourths of a cubic yard capacity.

ODD TUBLIKE BOAT IS MADE OF SKINS




A coracle, or hide-covered boat, on display in a Chicago museum

Twigs, skins, rawhide ropes, and butter are the materials used to make an odd tublike boat recently placed on exhibition in Chicago by the Field Museum of Natural History. Used by natives in Tibet to cross rivers, the curious craft is constructed around a framework of willow twigs. Skins are fastened around the "hull" and sewn together with rawhide strands. The holes made by stitching are calked with butter.

Below, our artist shows how natives of Tibet cross rivers in these strange craft



PAPER CLIPS GET MODERNISTIC SHAPE



Spiral-shaped paper clips, and one in use

PAPER CLIPS have appeared in a new "modernistic" design that is declared both decorative and practical. Because of their unusual spiral shape, according to the maker, they may be used repeatedly without losing their spring. Their thinness eliminates bulky files and cut envelopes.



ELECTROLYTIC PROCESS TAKES GOLD FROM SEA


RECOVERING valuable radioactive substances from old radium-emanation tubes used for medical purposes is one application foreseen for a radically new electroplating process devised by Prof. Colin G. Fink, of Columbia University. His method, substituting a revolving, motor-driven cathode for the customary stationary one, performs electroplating feats hitherto considered impossible—among them the recovery of gold from sea water. The photo above shows him with his apparatus.

SALVE GROWS ROOTS ON PLANT STEMS

ENTIRELY new methods of plant propagation are forecast by the recent discovery of chemicals that cause roots to grow from the sides of the stems of plants. Scientists first discovered the curious effect a short time ago, and more than sixteen substances, most of them complex organic compounds, have been shown to produce the odd root growth. Where a salve incorporating chemicals of this type is applied directly to the stem of a tomato plant, numerous roots sprout from the spot in as short a time as six hours. These small roots, when replanted, are said to grow much more quickly than ordinary cuttings or seedlings. Other advantages claimed for this method of propagation include greatly reduced cost and absolute assurance that the healthy characteristics of the parent plant will be reproduced. Plants treated with the ointment are uninjured but grow into curious knotty shapes, for the stems curl up at the points where the ointment is applied. The substances which stimulate such growth have been named auxins.



A tomato plant being treated with chemical to produce root growth on its stem. Note resulting knotty formation at right. The inset shows small roots growing on a stem treated in this manner



Upside-down view of mechanic adjusting landing lights of transport plane gives weird effect

AIRPORT WHALE SWALLOWS A MODERN JONAH

A PICTURE that apparently shows a victim struggling in the jaws of a marine monster was the unlooked-for result when a photographer snapped a mechanic adjusting the landing lights of a big transport plane. The illusion is particularly striking when the photograph is viewed upside down, as shown at the left.

NAMES PRINTED ON FLOWERS

GIFTS of flowers that bear the name of the recipient are now possible, through a French method of printing lettering on living petals. A tin-foil stencil is placed over the flower, which is exposed to rays from an ultra-violet lamp, thus bleaching the coloring. The exposure may vary from ten seconds to as much as twenty minutes.




Red tulips marked with letters by new process

CRUDE RAILWAY CARRIES BOATS ACROSS CANADIAN PORTAGE



To SOLVE the problem of portaging outboard-motored skiffs from one lake to another, a narrow-gauge railroad has been placed in service at Prince Albert National Park, Canada. When a craft arrives at the end of a lake, it is hauled out of the water upon an incline, as shown in the lower view, and placed upon a flat car. With this aid, it is easily trundled through the wooded country to the next lake, as seen in the photograph above.



A power boat being hoisted from water to portage railway




P. S. M. PLANS AID AMATEUR STARGAZERS

AIDED by POPULAR SCIENCE plans, George Rohrer and Howard Robinson, amateur astronomers of Atlantic City, N. J., have


outfitted themselves completely for the pursuit of their hobby. The photograph shows them with their photographic telescope, sextant, spectroscope, and sky charts.

ROCKING BED EASES HEART STRAIN


SUFFERERS from heart ailments are said to be aided by a new rocking bed. Operated by an electric motor, the bed alternately raises the head and feet of the patient, helping the blood circulate to all parts of the body, thus easing the strain upon an over-taxed heart.



Alternately raising the head and feet, this rocking bed helps the blood to circulate



Crystals of two sulphates as seen through the microscope. At the left is magnesium sulphate (Epsom salts), and at the right, crystals of copper sulphate (blue vitriol). The photograph shows how the tilted microscope is used for watching crystals form



Strange Beauties of CRYSTALS REVEALED BY YOUR MICROSCOPE

THIS is, in many respects, the age of crystals. The metallurgist, with his special microscopes, studies the crystalline structure of steels, and learns how to make better alloys. The microanalyst, by comparing minute crystals of a poison or a substance used to adulterate food, with known crystalline materials, is able to identify the undesirable ingredient. The science of microchemistry depends to a considerable extent upon knowledge of microscopic crystals. To the amateur microscopist, crystals have a special appeal because they are among the most interesting and beautiful objects upon which he can train his magic lenses.

A crystal is a piece of chemical element or compound whose surfaces are plane and arranged symmetrically. This arrangement is an outward expression of internal structure—in other words, of the manner in which atoms and molecules of the substance are placed. For convenience, crystals have been classified, according to their geometric form, into "systems." There are, for example, the hexagonal system, including such crystals as the elongated six-sided prisms of quartz; the regular system, represented by the octahedral (eight-sided) crystals of alum; the rhombic system, including sulphur and topaz crystals; the monoclinic system, of which gypsum crystals, tartaric acid, and rock candy are examples; the square prismatic system, with the mineral zircon as an example; and the trigonal system, with the scalenohedron crystal of calcite as an example.


But, without worrying about the countless possible crystalline forms, you can enjoy several evening sessions at your microscope, looking at crystals. The preparation of crystal specimens is so easy, and there are so many possible sources of interesting forms, that you need never want

for an ample supply of varied materials.

From the kitchen table, borrow the salt shaker. Place a small pinch of salt on a clean glass slide, and add a few drops of water. Stir with a toothpick until the salt dissolves. Then warm the slide gently over a Bunsen burner, an alcohol lamp, or the small electric warmer whose construction is described later in this article. When the water begins to evaporate and a white deposit forms about the edge of the liquid, place the slide on the stage of your microscope, which has been tilted one or two

degrees from the horizontal. Focus at the edge of the water film in the thinnest part of the water layer, and watch what happens!

You will see, here and there over the microscope field, tiny cubes that increase fairly rapidly in size. There may be groups of cubes that grow into masses resembling modernistic buildings. These cubical objects are crystals of sodium chloride—common salt. Scattered among them you may observe crystals that are not cubical in shape but which may have complex,



1 To prepare crystals of chemical salts for study under the microscope, make a saturated solution and filter it to remove dirt, lint, and other impurities



2 Place a drop of the filtered solution on a clean slide ready for evaporation into its crystals

many-sided forms. These are crystals of other materials, perhaps some iodine salts, that were present in the table salt.

By this simple method, you can prepare slides of hundreds of different water-soluble crystalline substances. The process almost invariably consists of making a saturated, or at least a strong, solution of the material either by adding a few drops of water to some of it on a clean slide, or by dissolving as much as possible in a small quantity of water, and then allowing some of the solution to evaporate and deposit crystals. Heat is applied mainly to hasten the process of evaporation.

Tiny Particles of Common Household Chemicals, Viewed Through Your Magic Lenses, Present a Weird Wonderland for Exploration and Study

By MORTON C. WALLING

After you tire of looking at isolated crystals, try mixing two chemical salts together in solution, and letting the resulting liquid evaporate on a slide. Two excellent materials for this stunt are the sulphates of copper and magnesium. Make a saturated solution of copper sulphate (blue vitriol), and of magnesium sulphate (Epsom salts). Mix a drop of each solution together on a glass slide and heat to a fairly high temperature. The salts will fuse in their water of crystallization. Do not carry the heating too far. Stop when the material has formed a clear film on the hot glass.

Transfer the warm slide to the microscope, and focus on the film. Adjust the illumination so that the light is not too strong; or, better still, employ dark-field illumination if your microscope is equipped for that. As the film cools, you will see little points appear and spread out in a beautiful pattern. You often can start these points by touching the film with the point of a needle. The growing patterns eventually run into each other, at which time growth stops. The result is a crystalline mosaic that is best seen at fifteen or twenty diameters. Sometimes, rainbow colors are visible in the intricate patterns.

Various other stunts can be performed with some of the common salts. By allowing a copper sulphate solution to crystallize at fairly high temperatures, around ninety degrees, interesting spiral patterns can be produced. By adding a little colloidal silica to solutions of metallic salts, many fascinating spiral and curved patterns are formed by the crystals. The solution should contain about three or four percent of colloidal silica, ac-

cording to some microscopists. Commercial water glass (sodium silicate), sold for use as an egg preservative, contains a considerable amount of colloidal silica.


Water is not always the solvent employed for making solutions from which crystals grow upon evaporation. Sulphur, for instance, is insoluble in water but dissolves readily in carbon disulphide. There are two crystalline forms of sulphur, the monoclinic and rhombic. Melt a quantity of sulphur in a small crucible—a small tin can will do—being careful not to let it catch fire. If it does, smother the flames by placing a piece of cardboard over the container. Fumes of burning sulphur are irritating and, in sufficient quantities, poisonous. When the sulphur has become liquid, set the container aside to cool. After part of the sulphur has solidified, pour out the liquid center. This will reveal a mass of long, slender, pale-yellow crystals of monoclinic sulphur. In time, at ordinary temperatures, these will turn to masses of rhombic sulphur.

THERE is a quicker method of producing rhombic sulphur crystals. Dissolve some sulphur in carbon disulphide, pour a few drops of the solution on a glass slide, and let the solvent evaporate. Scattered rhombic crystals of varying sizes will result. At fifteen or so diameters, these are very beautiful. In handling carbon disulphide, keep it away from fire, as it is highly inflammable and explosive.

In your study of crystals, you will find that, while each substance that crystallizes does so in accordance with a definite plan or pattern—a fact that is of value in recognizing unknown materials—the final crystalline pattern may not always be the same for each material. You can demonstrate this with a solution of common salt.


Place a drop on a slide and heat it gently. Soon the water at the edge of the drop will evaporate, and the solid material will be visible as a ringlike deposit. Sometimes, masses of crystals will grow out from this ring with amazing rapidity, soon covering the

(Continued on page 112)




In circle, mosaic of copper and magnesium sulphate crystals. Above, crystals of oxalic acid


The diamond-shaped object at the right is a rhombic sulphur crystal, magnified forty-five times



3 Drive off water by heating the slide gently. The heater shown in the illustration is the resistance unit described. The transformer is in the background




4 To protect a crystallized chemical from moisture, place a drop of castor oil over it and set a clean cover glass on top of it



5 For permanent preservation, seal the castor-oil mount by applying gold size in a ring around the edge of the cover glass

Scientific Stunts

FOR THE HOME EXPERIMENTER




TOY BALLOON FINDS HEAT LEVEL

Filled with gas and carefully weighted with cardboard, a toy balloon released in an artificially heated room will drift about just level with the tops of the doorways. This is because the warm air near the ceiling is lighter than the balloon, which therefore floats on top of the layer of cooler and denser air below. The effect is very striking

EARTH'S MAGNETISM DIPS NEEDLE

Tie a thread to the middle of a steel knitting needle so that it hangs horizontally, then magnetize it by stroking with a permanent magnet. If suspended as shown below, it will dip at the end pointing to the north, if you are in the Northern Hemisphere, to follow the earth's magnetic lines of force




RADIUM RAYS PENETRATE HEAVY PAPER

The rays from the radium on your luminous watch dial have penetrating power like X rays. Wrap a photographic plate or a piece of film in heavy black paper and place the watch dial next to the paper. In thirty-six hours the rays will make an impression on the film, as shown in the photograph at the right


RADIUM ON YOUR WATCH DIAL

In a dark room, look at the luminous numerals on your watch dial with a strong magnifying glass, and you will see what happens when radium atoms break down. You will see the luminous areas flashing with hundreds of twinkling lights, looking like microscopic fireworks. Each flash indicates that an atom of helium, shot out by the disintegrating radium, has collided with a crystal of zinc sulphide. The luminous paint contains a minute quantity of radium, or a radioactive substance, and the sulphide of zinc




GLASS SHOWS WAVE LENGTH OF LIGHT

Heat the sealed end of a glass tube until it is red hot and blow into a thin bubble as below. If parts of it show colors in a thin film, the thickness of the glass is close to the length of light waves, or about one forty-thousandth of an inch. When broken, the glass will float like thistledown





ULTRASENSITIVE BAROMETER

With a vacuum bottle and a piece of small glass tubing, you can show a difference in air pressure for a six-inch change in elevation. The tube, bent horizontal to eliminate the effect of gravity, passes through a hole in an air-tight cork. A drop of water in the horizontal tube moves as the elevation of the bottle changes



MAGNET ATTRACTS PLATING


There is not enough nickel plating on a brass safety pin for a magnet to pick it up, but when suspended by a thread, as at left, the pin is easily attracted. It is also possible to magnetize the plating




Un-Natural History By GUS MAGER




THE POLAR BEAR'S SMALL, WEASEL-LIKE HEAD, LONG, SLENDER NECK, AND BRISTLE-SOLED FEET MAKE HIM A FREAK AMONG ALL OTHER BEARS! YES, HE WEARS STIFF-HAIRED BRUSHES ON THE SOLES OF HIS PAWS, TO GIVE HIM A FOOTHOLD ON THE SLIPPERY ICE!



AND THIS CUTE LITTLE ORNAMENTAL BUNCH OF GREEN FEATHERS—TAKE IT OR LEAVE IT—IS A CATERPILLAR FROM THE TROPICAL JUNGLES OF BORNEO!




THE SEA HORSE! THE FISH WITH A HORSE'S HEAD AND A MONKEY'S TAIL. BUT WHAT A SISSY NATURE HAS MADE OF PAPA SEA HORSE! DADDY SEA HORSE IS A LIVING BABY CARRIAGE. HE HAS A POUCH IN HIS ABDOMEN, IN WHICH MAMMA SEA HORSE LAYS HER EGGS, AND IN WHICH PA CARRIES THEM UNTIL THEY ARE HATCHED—IMAGINE!



THE NATURAL WAY FOR MOST PARENT BIRDS TO FEED THEIR YOUNG IS TO PUSH THE BEAK DOWN THE YOUNG BIRDS' THROATS, BUT THE PELICAN FEEDS ITS FLEDGLINGS JUST THE REVERSE—HE OPENS HIS GULLET CAFETERIA, AND THE YOUNGSTERS REACH FAR INTO THE THROAT AND HELP THEMSELVES TO THE FISHY FREE LUNCH, SWALLOWING THE FOOD BEFORE WITHDRAWING THEIR HEADS

THE SQUID HAS FOR COUNTLESS AGES USED A "SMOKE SCREEN." IT EJECTS AN INKY FLUID TO HIDE ITSELF AND BAFFLE ITS ENEMIES OF THE BRINY DEEP!




IT DOES appear sometimes as though Old Mother Nature couldn't keep score—as though she were still playing with blocks. Her department seems gummed up, and not at all in apple-pie order, as witness her thousands of apparently unnatural mutations and variations. Just look at the haywire creatures of many kinds assembled on this page.

Chemistry Equipment


Bottles, Tubes, and Other Objects Found in Every Household Can Be Made into Apparatus For Performing Many Fascinating Experiments

By Raymond B. Wailes



PROOF THAT AMMONIA GAS WILL BURN

When a solution of ammonium hydroxide is heated gently in a flask, ammonia gas is released. A lighted match held to the outlet of the flask ignites the gas as it breaks down into nitrogen and hydrogen, the latter burning. The heater illustrated is an alcohol lamp fitted with a shield made from a can, as shown below



I WISH I had a chemical laboratory, but I can't afford it," more than one would-be home experimenter has told me. They share the popular idea that chemistry is necessarily an expensive hobby.

It needn't be. Naturally, it is sensible to enjoy the convenience of the fine equipment that supply houses can provide, if you have the money to spend for it. You might be surprised, however, if your purse is limited, to discover how much of the apparatus you need can be assembled at little or no cost from odds and ends. Perhaps it may not be as professional-looking as some that you have seen, but it works, and that is the main thing you are interested in. Later on, if your finances allow you to add more costly pieces of ready-made equipment, the experience you have already had with inexpensive homemade apparatus will guide you in making wise selections.

Your own home will yield a variety of objects that can readily be transformed into useful laboratory accessories. Bottles of every description are treasure trove, for they may be cut apart, by methods described in previous articles of this series, and used to make all sorts of apparatus—funnels, crystallizing dishes, pneumatic troughs, condensers, drying tubes or towers, and reaction chambers. Discarded or broken glass "straws," the kind used for sipping beverages, make useful tubes for conducting liquids and gases. Corks of all kinds, and odd lengths of rubber tubing, are worth-while finds for an amateur chem-

ist ransacking the household cupboards. Even unlikely looking objects are not to be passed over too hurriedly—a pair of letter scales, for example, may come in handy for weighing out chemicals.

To store your supply of chemicals, you will need an array of small, neatly labeled vials or bottles. Wide-mouthed bottles should be used for solids, and small mayonnaise jars will serve the purpose. Wash the inner lining of waxed card-


board, under the metal cap; but do not discard it, for many chemicals would attack the bare metal. Small-mouthed bottles are preferable for keeping liquids. Ordinary corks may be used for bottles containing substances that do not attack cork. Glass-stoppered bottles will be needed for ammonium hydroxide, iodine in crystals or alcoholic solution, bleaching powder, and the acids. Lye, or sodium hydroxide, cannot be kept in even a glass-stoppered bottle, for the stopper will stick; a rubber stopper should therefore be used, or a bottle may be fitted with a cork that has been weighted and soaked in molten paraffin.

A raid on the kitchen and the family medicine chest will help fill your bottles with chemicals, if you can identify the ones you find there under their various aliases. The baking soda on the kitchen shelf is sodium bicarbonate, while sodium carbonate can be recognized as washing soda or sal soda. Epsom salts provide magnesium sulphate. Bleaching powder, sometimes labeled chloride of lime, contains calcium hypochlorite. Lye supplies you with sodium hydroxide, alum with potassium aluminum sulphate, and sal ammonia with ammonium chloride. Table salt consists principally of sodium chloride. Vinegar, which contains acetic acid, can be pressed into service when a very weak acid is needed for chemical experiments. Precipitated chalk is a form of calcium carbonate. Familiar chemicals that travel under their right names include sulphur, charcoal, boric (or boracic) acid, carbon tetrachloride, and denatured alcohol. Ammonia water, or household ammonia, is ammonium hydroxide; while the commercial form is not a pure one, it may nevertheless be used successfully in many chemical experiments.

A very strong and pure solution of am-

A DRYING TUBE

To remove water vapor from gases generated in the laboratory, you can make this simple drying tube. Lumps of desiccated (anhydrous) calcium chloride are used to provide the drying action




from Odds and Ends

monium hydroxide, if needed, is easy to make. When ammonia gas is bubbled through water, it dissolves, combining with the water to form ammonium hydroxide. Ammonia gas for this purpose may be generated by heating an alkali and an ammonium salt in a flask with a small amount of water. Ordinary household lye, or sodium hydroxide, will serve for the alkali. The ammonium salt may be either ammonium sulphate or ammonium chloride; both are readily obtainable and very inexpensive.

The ammonia generating flask in which these substances are placed should be fitted with a one-hole stopper. A glass tube leads the gas to an outlet under water in a narrow vessel, such as an olive bottle. Keep the water cold, by standing the bottle in a can or jar of water and ice, as the formation of a strong solution would otherwise be impeded by the heat developed as the ammonia gas dissolves in the liquid.


Heat the flask, and you will observe that copious

quantities of ammonia gas are produced. Bubbles coming from the outlet tube disappear in the water at the start, however, because the gas dissolves completely. The water in the bottle is well saturated with the gas when a strong odor of ammonia is produced by bubbles escaping from the liquid. At this point, you may remove the bottle and substitute another of fresh water, if more of the solution is desired. Wooden blocks will serve as a rest for the bottles, and may be slipped out when a bottle is to be changed.



Apparatus for preparing ammonium hydroxide. Gas generated in the flask is dissolved in water in the bottle

Either an ammonium hydroxide solution prepared in this way, or ordinary household ammonia, may be used to demonstrate that ammonia gas will burn. Place whichever solution you choose in a flask that is fitted with a one-hole stopper, and heat it cautiously. This releases the ammonia gas. If a glass tube is placed in the cork, a lighted match held at its upper end will kindle the



Chlorine gas, produced by heating a mixture of match heads and acid, is made to bleach wood

escaping vapors. The ammonia breaks down into the substances of which it is composed, nitrogen and hydrogen, and the latter burns.

The solution used in this experiment should be heated very gently, especially when household *(Continued on page 125)*

Chemical MAGIC with Zinc


ENTERTAINING stunts of chemical magic can be performed with zinc in finely powdered form, which may be purchased from dealers in chemicals as "zinc dust."

A composition that takes fire spontaneously may be made by mixing the metallic powder with sodium hydroxide solution to form a paste. The exact strength of the last-named ingredient does not matter a great deal, but a ten-percent solution that is sure to be satisfactory can be made by dissolving about ten grams (two teaspoonfuls) of sodium hydroxide or lye in ninety to ninety-five cubic centimeters of water (an ordinary drinking glass holds about 240 cubic centimeters). Squeeze the zinc-alkali paste between sheets of stiff, absorbent paper to remove the excess sodium

hydroxide solution, and then spread it out in a layer about one fourth of an inch thick. Within one or two minutes, of its own accord, the paste will steam, smoke, and finally catch fire, forming white clouds of zinc oxide as it burns.

Write some words upon a small square of paper, using a clean pen and employing a solution of a cobalt chemical—cobalt chloride dissolved in water, for instance—as ink. When the writing is dry, it will be invisible. Now prepare a layer of alkali-dampened zinc dust, as before, and lay upon it the paper with the invisible message. The heat from the freshly prepared paste develops or brings out the hidden writing.


The explanation of the paste's mysterious behavior is threefold. The alkali first dissolves some of the zinc oxide that is always present in zinc dust. The zinc itself also reacts with the alkali, as well as with the oxygen of the air. Each one of this series of reactions liberates heat, and their combined effect raises the temperature of the paste



Ordinary zinc stearate powder, blown into the flame of a Bunsen burner, produces a vivid, spectacular flash of light


until the zinc metal actually takes fire and burns at the expense of the oxygen in the air. The paste should be spread on a surface that will not conduct heat rapidly.

Another way you can make zinc burn is to take a pinch of zinc dust in the palm of your hand, or place it in a small tube, and blow it into a flame. Its rapid combustion produces a vivid flash of light. Ordinary zinc stearate powder, found in many household medicine chests, can be used instead. In this case, the sound accompanying the flash, a harmless "woof," makes the demonstration still more impressive.



Invisible writing is brought out by heat produced in a mixture of zinc and an alkali

COMFORT AND CONVENIENCE FEATURED IN New Appliances *for the Home*



SHAVING STAND. Mounted on a heavy base, this metal stand holds everything needed in shaving. A built-in light below the mirror receives power through an extension cord running from the base. There is a brush holder with cup, and a tray for razor and soap. The height is adjustable



WINDOW SHELVES. Narrow window sills can be put to use by means of portable shelves which are easily put in place. They are nine inches wide and come in a choice of three different lengths



DRIPLESS BOTTLE SPOUT. When the tip of this "magic spout" is dipped into the liquid already poured, as shown, the flow is stopped and the spout can be withdrawn without spilling. It can be used on wine and other liquor bottles



End view of continuous outlet strip, to show its construction



CONVENIENT OUTLETS for electrical appliances are provided at six-inch intervals on a continuous molding strip. The material is available in various lengths and is easily installed




THREAD RETAINER. The metal clip shown above keeps thread from slipping off the spool. Thread feeds through an eyelet that moves across the spool in a transverse slot



An exact "jiggerful" of liquor is drawn from a bottle when the rubber bulb on this new highball-mixing aid is pressed as illustrated above




TESTS COFFEE FRESHNESS
To enable the housewife to test the freshness of vacuum-packed coffee, a manufacturer supplies a chemically impregnated label that changes color when in contact with oxygen



SCALE SPEEDS RECIPE MIXING. A rotating dial on this kitchen scale enables the housewife to weigh all the ingredients of a recipe in one bowl. As each item is added, the dial is set back to zero for the next. Graduations are in pounds and ounces

ASH-TRAY CELLS SMOTHER BUTTS

When a lighted cigarette is stood on end in one of the cells of the novel ash tray shown at the right, it is put out at once. A patented cellular construction is employed




ENVELOPES FOR SANDWICHES. Individual bags of transparent wrapping material, for keeping sandwiches and cakes fresh, are now available. Accordion pleats at the sides make them fit snugly. Larger sizes fit fruits and other foods



ELECTRIC FOOT WARMER. Immediate relief for cold feet is afforded by this electric foot warmer, which is covered with a porcelain shell. It is said to yield a pleasant, uniform heat and to be very economical in current consumption



FIREPROOF MATTRESS. Smoking in bed is made a comparatively safe pastime by the introduction of a mattress in which all inflammable material has been chemically fireproofed. The photo shows it under test




MOTOR OPERATES WINDOW SHADE A reversible electric motor, operating on the house current, raises or lowers a window shade at the pressure of a button. The button is held down until shade is at desired level

SHAVING MUG HAS BUILT-IN SOAP DISPENSER. By turning a ring that forms a part of a new shaving mug, the user causes soap to be forced into the mug from a reservoir in the base. The mug is shown at right



Cigar-Box Portable

IS INEXPENSIVE



Front view of portable all-electric broadcast receiver. The cabinet is an ordinary cigar box with a leatherette covering

tended tuning range over the entire broadcast band. Both units are located on the face or panel of the cigar-box cabinet, the 140-mm. condenser being placed at the extreme left while the 100- to 500-mm. unit is located exactly in the center under the loudspeaker grille.

Coil difficulties are reduced to a minimum. An ordinary commercial high-gain A.C.-D.C. antenna coil is the only coil used. This type of coil, available at most radio-supply stores for a few cents, requires no socket. In the actual wiring of the receiver, three soldering lugs provide a convenient means of making the necessary connections.

Two electrolytic condensers comprise the

By **WALTER J. BRONSON**

A CIGAR BOX full of radio! That is what you will have when you complete the efficient little all-electric broadcast receiver illustrated. By careful planning and the use of midget parts and space-saving metal tubes, a complete three-tube circuit, loudspeaker and all, has been crammed into an ordinary cigar box.


In designing the circuit, the main thought was to provide the radio fan with an all-around personal receiver. A miniature broadcast set that could pinch hit for the big living-room receiver, an easily built outfit that could be stowed away in a traveling bag, and a simplified circuit that would give loudspeaker reception wherever a 110-volt power supply, either alternating or direct current, was available. The result is an inexpensive outfit that can be built by anyone who boasts a jack knife, a pair of pliers, a screw driver, a soldering iron, and a small drill.

A 2½ by 5 by 9-inch cigar box of the top-opening type will house the parts nicely. This eliminates entirely the cost of a cabinet. Covered with leatherette, it matches the appearance of the best in commercial cabinets.


To provide a rigid support for mounting the various parts, as well as a metal surface to serve as a common return lead, the hinged top of the cigar box, which serves as the front face of the cabinet, is lined with a 4¾ by 8½-inch piece of sheet aluminum. Also, to allow the front face to be opened easily, the top edge of the cigar-box cabinet is hinged by gluing a strip of heavy cloth along its rear edge.

The three tubes employed are of the 6.3-volt, all-metal type. A single 6K7 serves as the combined radio-frequency and detector stages and a 6C5 used in a resistance-circuit provides audio amplification and drives the loudspeaker. For rectification, a second 6C5 is employed. These are mounted horizontally in conventional wafer sockets supported by L-shaped aluminum brackets.

For tuning, a single 140-mm. variable condenser (C₁) is wired in parallel with a 100- to 500-mm. mica variable condenser (C₂). This combination provides good selectivity and ex-



The set in use as an auxiliary receiver. It can be used wherever a 110-volt power supply, either direct or alternating, is available



The cigar-box cabinet opened to show how the parts are mounted on a support of sheet aluminum, lining the box top

Radio

TO BUILD

simplified filter circuit. One is a midget-type dual 8-mfd. condenser (C5) rated at 175 volts and the other, by-passing the cathode of the 6C5 audio tube, is a 12-mfd. unit (C6).


Care must be exercised in connecting the dual electrolytic condenser (C5) into the circuit. The positive lead of each unit must be connected exactly as shown in the diagram. This point should be kept in mind when purchasing the condenser. If a common lead is provided, it must be the negative terminal.

The tiny filter choke (Ch.) used in the original receiver was made by removing the small iron-cored coil from an old electric clock. The coil provides one of the smallest A.C.-D.C. iron-core filter chokes that can be obtained. If an old electric clock is not available, clock replacement coils can be purchased from many radio parts supply houses for a few cents.

Volume is easily controlled by means of a 50,000-ohm potentiometer (R1) used to vary the screen-grid voltage to the detector tube. To save space, a combination volume-control-and-filament-switch should be used. This is mounted at the right of the speaker, in line with the tuning dial (C1), on the front face of the cabinet.

With but one exception, all resistors are of the half-watt, carbon type. The exception is a two-watt carbon unit (R5) connected into the cathode lead of the 6C5 audio tube. Although a one-watt resistor could be used in this position, the two-watt rating provides a margin of safety and prevents any possibility of a troublesome burn-out due to excessive plate current.

Filament supply for the three tubes is provided by a standard 360-ohm A.C.-D.C. line cord. This cord contains the dropping resistor which reduces the line



Another view of the receiver. Because of space limitations, a midget three-inch magnetic speaker is used. The three tubes are mounted horizontally on L-shaped aluminum brackets




Diagram of simplified circuit. The various units are numbered for comparison with the list of parts needed for building the set

LIST OF PARTS

- C1.—Variable condenser, midget, 140 mmf.
- C2.—Variable mica condenser, 100 to 500 mmf.
- C3.—Fixed condenser, .0001 mfd.
- C4.—Fixed condenser, .01 mfd.
- C5.—Dual electrolytic, 8-8 mfd., 175 volt.
- C6.—Electrolytic condenser, 12 mfd., 25 volt.
- R1.—Volume control, potentiometer, 50,000 ohm.
- R2.—Fixed resistor, 1 meg.
- R3.—Fixed resistor, 150,000 ohm, 1/2 watt.
- R4.—Fixed resistor, 250,000 ohm, 1/2 watt.
- R5.—Fixed resistor, 4,000 ohm, 2 watt.
- R6.—Fixed resistor, 100,000 ohm, 1/2 watt.
- ch.—Filter choke (see text).

Miscellaneous: Cigar box, sheet aluminum, three-inch magnetic speaker, wafer sockets, metal tubes, 360-ohm line cord, leatheret dial plates, knobs, speaker grille and plate, wire, nuts, solder, etc.

voltage to the voltage required for the series-connected filaments. Since manufacturers' color codes on the three terminal wires used in these built-in resistance cords vary, examine the three wires and the plug terminal leads carefully before making the connections. The built-in resistance wire, generally identified by the fact that it is covered with asbestos, must be connected into the filament circuit. The remaining two wires provide the full line voltage of 110 volts for the rectifier and plate circuit.

Because of the limited space available, a midget three-inch-diameter magnetic speaker is used. If desired, a simple jack connection that will allow a pair of earphones to be substituted for the speaker can be made, or the speaker can be eliminated entirely and earphones wired permanently into the output of the audio tube.

For best results, the receiver should be used with a good antenna. In tests, a sixty-foot outside wire provided good room volume on more than a dozen broadcast stations. As in most A.C.-D.C. circuits, no ground is used.




The receiver being stowed in a suit case for traveling. Because of its compactness and adaptability, it is ideal for this purpose

Handy Radio Aids

FOR SET BUILDERS



BY MAKING it possible to reduce the voltage supplied to an electric soldering iron when it is momentarily not in use, the homemade rest illustrated not only prolongs the life of the iron but makes frequent retinning unnecessary. The circuit, assembled in an aluminum chassis, which also serves as the support, consists simply of a power resistor provided with movable taps, two 2.5-volt pilot lights, a red-jewel window, a green-jewel window, and a toggle switch. Closed, the switch provides the full 110 volts to the iron. Opened, it reduces the voltage and the heat. At full heat, the red pilot lamp is lighted, while the green



pilot glows at low heat. The resistance across each pilot light should be adjusted to the point that allows the lamp to light when the switch is in the proper position.


RadioTool Carries Own Light

WORKING in the dark depths of a radio circuit is made easy by a new illuminated screw driver. A standard flash-light cell housed in its hollow-metal handle powers a small bulb mounted in a transparent tip that holds the blade. Turning the screw-top of the handle lights the bulb and illuminates the business end of the screw driver in a circle of light. For convenience, the handle is supplied with a pocket clip.



This illuminated screw driver is handy for working in dark corners


New Socket Wrench Has Flexible Shank



Hard-to-get-at parts are easily reached with the flexible shank of this new socket wrench

Small Rectifier Powers Auxiliary Speaker

WITH the compact and inexpensive rectifier shown at the right, it is a simple matter to provide a direct-current power supply for the field of an auxiliary loud-speaker. Small enough to be mounted in a corner of the small speaker cabinet or on the speaker itself, the inexpensive unit, rated at twelve watts, is capable of supplying 100 volts of direct current at 120 milliamperes when plugged into a 110-volt, alternating-current house line. The circuit, housed in a neat crackle-finish metal chassis, makes use of a 25Z5 rectifier tube. Four holes drilled in narrow flanges at the ends of the chassis provide a means for mounting the unit with either screws or bolts. Connections to the speaker field are made through two convenient terminals.



Compact rectifier unit for auxiliary speakers

HAVING a flexible shank, a socket wrench recently placed on the market eliminates the problem of adjusting nuts and bolts located in the hard-to-get-at corners of a crowded radio cabinet. Although designed primarily for receiver-aligning work, its socket will fit a large variety of nuts encountered by the radio builder in his everyday jobs.

Di-Pole Antenna Serves Steel-Top Autos


DESIGNED especially for use on modern steel-top automobiles, a new di-pole antenna is easily installed under the running board. Mounted on the running-board bolts, the U-shaped unit in reality serves as a counterpoise while the car itself acts as the antenna. Any noise from

near-by man-made static sources, such as the ignition system, is eliminated by the cancellation effect of the di-pole construction. Hinged mounting brackets allow the unit to be adjusted to insure road clearance. The antenna may also be adjusted in length from two to three and a half feet.



Interlocking Fuse Case For Auto Receivers

FOR use in auto radio receivers, a recently developed fuse holder can be connected into any supply lead. Designed for standard automobile fuses, the two-piece case has a spring bayonet lock that insures good contact at all times. When it is necessary to replace a fuse, a twist opens the interlocking case.



Adjustable di-pole antenna mounted under the running board of a car. It serves as a counterpoise

Question: How did the pineapple come to be called by that name?—P.K., Macon, Ga.

Here's the Answer


ah, piña manzana!



A.—THE pineapple received its name from the Spaniards who first explored the tropical areas of the Americas. They likened its appearance to a pine cone and suffixed apple, probably to denote that the newly found fruit was edible.

Plenty of Ice Left

G. C. S., PORTLAND, ORE. About 6,000,000 square miles of the earth's surface are still covered with ice and 5,000,000 of them are in the Antarctic.



Don't Wait for the Rattle

P. S. C., HARRISBURG, PA. Rattlesnakes do not always "rattle" before striking. In tests, only about one half of the snakes "rattled" when a would-be captor came within striking distance.

When Sharks Flatten Out

Q.—SHARKS, when hauled out of the water onto the beach or the deck of a boat, flatten out. What causes this?—T. B. C., Jacksonville, Fla.

A.—SHARKS do not have a bony skeleton, but one composed mainly of cartilage. This elastic structure sags under the weight of the shark's body when it is placed on an unyielding surface, such as the deck of a boat.

When Oil Shows Its Colors

Q.—WHAT causes a film of oil on water to be iridescent?—T. A., Rockford, Ill.

A.—WHEN rays of light strike a film of oil, or any other transparent substance, the rays are reflected back to your eyes from both the upper and under surfaces of the film. In these two series of light waves, some of the waves will interfere with each other, that is, the crest of one wave will coincide with the trough of another. Wherever this happens, they will be neutralized and the colors which normally would be formed will be missing. When rays of any given wave length are removed

from a beam that produces a white light, the remaining rays take on a color that is complementary to the missing rays. With this happening a great many times in the light rays coming from the film of oil, the film becomes iridescent. Those light waves which are in phase (crest to crest or trough to trough) augment each other and produce a color which is twice as bright as either of the single waves could set up.

So Cold It Creaks

T. M. M., DULUTH, MINN. Snow creaks under your feet in extremely cold weather because the low temperature keeps the snow from melting under this pressure and the dry snow crystals, being compressed, slip over one and another causing the characteristic creaking sound.

Tips on the Moon

Q.—DO THE tips of the crescent moon ever point towards the horizon?—L. S. B., Canton, Ohio.

A.—THE horns of the moon always point away from the horizon and never towards it. This is so because they must always point away from the sun, which is below the horizon at night. Artists sometimes erringly paint the moon with the horns pointing the wrong way.

Before the Stove Era

Q.—WHY did people of ancient civilizations make their cooking pottery with rounded instead of flat bottoms?—W. C., Wichita, Kans.

A.—PREHISTORIC cooking vessels had rounded bottoms, it is suggested by archaeologists, because such bases nested more firmly on the stones or supports of the fireplaces used for cooking.



Yes, If You Fall Down the Well

Q.—CAN stars be observed in the daytime from the bottom of a deep well or tall chim-

ney?—A. W. D., Colorado Springs, Colo.

A.—A VERY bright star might be seen, but certainly no others. Star gazing from the bottom of a deep, dry well or lofty chimney is doubtful, at best.

Peering Through the Haze

Q.—WHY is it that a haze makes the setting sun appear reddish in color but gives distant mountains a bluish appearance?—A. M. G., Elmira, N. Y.

A.—HAZE is made up of a mass of tiny nuclei, such as particles of dust and soot and molecules of gas to which water vapor clings. These minute particles of haze scatter the short waves of blue light more than the longer red waves. The result is that the haze looks blue and when it is interposed between the observer and a light such as the sun, it changes the color of the light to a reddish hue. It is like looking at the sun through blue glasses. In the case of a distant mountain, what the observer is seeing is not the mountain but the blue haze intervening between himself and the mountain. The mountain serves to outline and contrast the haze with the surrounding atmosphere.



Without St. Patrick's Aid

Q.—WHAT is the scientific explanation for the absence of snakes in Ireland?—P. A. M., Malden, Mass.

A.—ANY snakes that might have been in Ireland were destroyed or driven from the land by the ice of the Pleistocene age. During this period a sufficiently large part of Ireland was covered with ice so as to make any part of the land uninhabitable for reptiles. When the ice receded, Ireland was separated from the nearest land, England, by a body of salt water. No reptiles could migrate across this sea since the only known snakes to inhabit salt water are in the tropical regions.

Twisted Into Beauty

A. W. P., QUINCY, MASS. The beautiful grain of the Circassian walnut tree is caused by the rigorous climate of the Caucasus to which area, as its name implies, the tree is native. The wood fibers of the young trees are twisted and gnarled by strong winds and, as the tree develops, they form the beautiful patterns seen in cross section.

A Difference in Sea Level

L. S. S., BAYONNE, N. J. Sea level is not the same at all locations. In this country and Canada, for instance, it is higher on the Pacific than on the Atlantic coast. Mean sea level at Prince Rupert, B. C., is 1.64 feet higher than at Halifax, N. S.; at Seattle, 1.18 feet higher than at Portland, Maine; at San Diego, Calif., 1.74 feet higher than at Fernandina, Fla.

That Masculine Profundo

Q.—WHY is it that a man's voice is so much deeper than a woman's?—C. R. C., Sydney, Australia.

A.—A MAN'S vocal cords are larger and heavier than those of a woman and it is this difference in construction which causes a man's voice to be of a lower pitch. This difference in sound is the (Continued on page 129)

Spotting Ignition Trouble

*Gus Gives a List of Simple Tests
To Make When Your Engine Misses*

"I'LL BET there's at least a bucketful of carbon in this motor, Gus," said Mason Backett, as he pulled in at the Model Garage and Gus Wilson, half owner and mechanic of the establishment, came out to see what he wanted.

"Sounds as if it had a lot—maybe a couple of cupfuls," the veteran auto man grunted, after testing the motor for a minute, "and that's a plenty without filling any buckets!"

"How soon can you get a valve-and-carbon job done?" Backett asked.

Gus scratched his head. "Come back about three o'clock this afternoon. I'll have it done by then."

At the appointed time, Backett returned, got in his car, and drove off.

About an hour later, the phone rang and Joe Clark, Gus's partner in the ownership of the Model Garage, came to the door of his office. "Backett on the phone," he called. "Says he's stuck about ten miles up the road near Parrville. He sounds sore as a boil. Claims you busted most of his spark plugs when you cleaned them on that carbon-and-valve job. Better go fix him up. I'll look after things here."

Backett, his hands covered with grime and a streak of black smeared across his face, was still working over the spark plugs when Gus drove up. At the rumble of the service car, he pulled his head out from under the hood.

"Heck of a job you did on this car!" he growled, angrily. "What did you clean these plugs with, anyhow—a sledge hammer? All but two are shorted and I can't get anywhere on two cylinders. She started missing on one cylinder before I'd come two miles from your place. I found the bum plug by shorting them out one at a time with a screw driver, and replaced it with an old spare I found in the tool kit. But that must have been on the blink, too, because it kept right on missing, and then the other plugs went dead in the next few miles. It's up to you to replace all the plugs you've busted and darned if I don't think you ought to pay me for the time I've wasted!"

"Say, mister," snapped Gus, "if a single spark plug goes bad that's commonplace. If two go dead at once, that's as rare as pinfeathers on a turtle. If three or more went dead at the same time, that would

be nothing short of a miracle! You're barking up the wrong tree. It just couldn't be spark plugs."

"Not spark plugs!" snarled Backett. "What else *could* it be? Didn't I hold the screw driver against each one and get absolutely no sign of a spark?"

"Maybe you did," Gus retorted, "but I'll bet a hat you didn't disconnect one of the spark-plug wires and hold it near the plug to see if there was any current flowing to the plug. Start up the motor, and we'll try that."

Backett got the crippled motor going, and Gus, after picking out an apparently dead plug with the aid of the screw driver, snapped the cable loose and held it close to the plug terminal. There was no sign of a spark. He reached around and shut off the motor.

"Trouble with you," he grumbled as he replaced the plug wire, "is that you're like too many other fellows—always jumping at conclusions. First off, when the motor started missing, trying the plugs with a screw driver was the right thing to do and when you got no spark at one of 'em, replacing it was O.K. I'd have done that myself. And when it kept on missing on that same cylinder I'd have concluded as


you did that the old plug from the tool kit was sour, too. But by the time the other cylinders began to cut out you had it so firmly fixed in your noodle that it must be spark plugs you never even thought of looking for anything else."

"All right, I'll bite. What is it?" Backett growled, as he unconsciously added another streak to his facial decoration.

"Dollars to doughnuts it's right here," said Gus, opening the distributor and bending over to inspect it. His face broke into a grin. "There you are! Timer contact lock has worked loose, and the gap has closed up."

"But that would stop the motor entirely," Backett protested.

"It would, but for the fact that nothing made by human hands is absolutely perfect. No matter how nearly true the timer cam may be, by the time it's mounted on the shaft it is sure to run out of true a tiny bit, so that some of the humps on the cam lift the contact arm just a shade more than the others. When the gap was slowly closed by the loose contact turning in its thread, first the lowest hump on the cam couldn't quite make the grade, and that cylinder got no more spark. Then, as the vibration closed it still farther, more cylinders cut out until only the two served by the two highest humps on the (Continued on page 120)



As Gus opened the distributor and bent over to inspect it, his face broke into a grin. "There you are!" he exclaimed. "The timer contact lock has worked loose, and the gap has closed up."


By MARTIN BUNN




Flying Ball...

AN EXCITING NEW MARBLE GAME ANY ONE CAN MAKE

By Charles Vanuck



When the plunger is released, the ball strikes the hurdle and flies upward toward the holes



Rear of the panel showing how the holes are laid out so clear passages may be run from each one. At right is the firing mechanism

PLENTY of excitement and fun is in store for any one who makes this game. It will amuse the entire family for hours. The balls leap and fly into the targets or pockets with such speed that it is often impossible to see exactly where they have gone until they drop out of the holes at the bottom and into the scoring pockets.

The box and cover are each about 10 by 12 in. and 1½ in. deep. The bottom and the outside covering of the top can be made from heavy cardboard. The inside panel of the top should be made from light plywood, pressed composition wood, or ¼-in. pine. The holes that serve as pockets for the balls as they are shot are bored or cut 1¼ in. in diameter.

By referring to the photograph that shows the layout from the back, you will see that the holes must be carefully located so that the channels can be placed without interference. These channels are made from ¼-in. wood and should be at least ⅛ in. wider than the diameter of the balls used.

In the model shown, ½-in. agate marbles were used for balls, and the channels were made ¾ in. wide. Place a small wedge-shaped bit of wood at the bottom of each channel so that when the balls fall down the channel they will land on the wedge and be ejected into the scoring pockets. The holes at the bottom of the panel


should be just large enough to pass the balls freely. The scoring pockets are spaced so as to correspond with these openings.

Place scoring numbers in the pockets. An old calendar will furnish the numbers. The highest pockets are the easiest ones in which to place the balls, so they should be given the lower scoring numbers. The highest number should be placed on the lowest central hole. The balls travel the shortest distance when shot at this hole, and it requires some judgment to shoot them with just enough force to score here.


The firing mechanism is constructed from three pieces of wood and a piece of wire coat hanger or other heavy wire for the plunger. The spring for the model was made from half of a spring from an old electric flatiron cord, but a suitable spring can be purchased from your hardware dealer for a few cents.

Form a tight loop at one end of the plunger and bend the loop at right angles to the wire to form a surface to strike the balls. The other end of the plunger passes through a ¼-in. hole in the side of the box nearest the player, therefore the ring for a finger grip should not be formed until the firing mechanism has been assembled in place.

The "gun" is located centrally in the bottom of the box and is fastened to the bottom with (Continued on page 99)





The completed base unit, shown at the left, has seven scoring pockets into which the balls return




In making the net, fasten the lengthwise cords on first and leave them about 1 in. slack. Glue the end knots before cutting the cord

UNIQUE
HOMEMADE

Oscilloscope Shows



The sound-wave pictures are seen in the revolving mirror at left while the sounds are issuing from the loudspeaker. A man's speech is like A; a power-line hum, like B



ALTHOUGH you can build it at trifling cost, this remarkable instrument makes sound visible. It produces a fascinating motion picture of sound waves occurring as rapidly as 2,000 or more a second, and forms a graphic image of your voice, favorite radio program, or even the hum of an alternating-current power line. Those who do their own photographic developing can also record the image of the waves permanently on ordinary roll film.

The secret of the device is explained by the old bromide, "It's done with mirrors." The technical name for it, in fact, is a vibrating-mirror oscilloscope. Forbidding as this may sound, the principle of operation is really quite simple.

Sound-producing vi-



brations are impressed on a beam of light, which moves in accordance with these vibrations. This is accomplished by means of two mirrors. One is vibrated by sound waves and gives the light beam its horizontal scanning motion and the wave image its width or amplitude. The other mirror revolves and spreads out the image in a vertical direction.

If the vibrating-mirror speaker unit is connected with the radio in exactly the same way as an ordinary magnetic loud speaker (P.S.M., Feb., '34, p. 54), the sound waves will cause the mirror to vibrate. This makes a point of light on the ground glass of the scanning screen expand horizontally into a line. When viewed in the revolving mirror, this line appears in the form of sound waves such as are illustrated. Thus the sound waves are visible at the same instant they issue from the radio loud speaker.

A "home broadcast" microphone connected to the radio (P.S.M., Apr. '33, p. 62) enables you to see your own voice or any other local sounds. If the unit is connected directly to a toy train transformer at about 14 volts, the a-c. hum of the house current is easily seen.

In constructing the oscilloscope, the first step after cutting the base to size is to assemble the vibrating mirror unit. This consists of an old magnetic speaker unit of the so-called "Baldwin" type, obtainable for considerably less than a dollar from most radio supply mail-order houses. Over the end of this is stretched a piece of thin rubber from a toy balloon, which is held in place with a rubber band.

A 1/4 by 1/4-in. mirror, made from a microscope cover glass, is fastened to one side of the rubber with cellulose or "household" cement. The cover glass is cut by scratching it lightly with the jagged edge of a broken razor blade or



Details of scanning screen and sound recorder, and photograph of shoe box to shield recorder against stray light. A cardboard strip helps shield the condensing lens from the lamp house

Sound Waves *in* Action

*The Apparatus Costs Little to Assemble, Yet It
Enables You to See Your Own Voice and Watch
Graphic Motion Pictures of Radio Programs*


By
WALTER
BACH

the point of a phonograph needle and carefully bending it until the glass breaks along the scratch. After polishing the glass thoroughly with a clean, oil-free cloth, silver it with the following solution: Dissolve 700 milligrams of silver nitrate in 40 c.c. of distilled water. Add ammonia water, drop by drop, until the brown precipitate, which formed at first, clears again; then add 200 milligrams of Rochelle salts. Any druggist can prepare this solution if necessary. A supporting bracket cut from sheet copper completes the vibrating-mirror unit. In the photograph at the top of this page, the unit has been removed from the bracket to show the details.

The revolving mirror is cut from an ordinary hand mirror and cemented to a wooden backing, which is attached to the shaft. The motor, pulleys, and shafting were taken from a toy construction set.


The illustrations reveal the construction details of the scanning screen and lamp house. The lamp-house slit is produced by making a fine scratch on the silvered side of a 1 by $\frac{1}{2}$ -in. piece of mirror. The height of the automobile lamp filament in the lamp house, the focusing lens, and the condensing lens on the scanning screen are all determined by the corresponding height of the vibrating mirror. Measure this height from the center of the mirror to the baseboard.

The parts used in assembling the oscilloscope




The scanning screen is cemented to the baseboard with the center 1 in. from the edge of the base. With the vibrating mirror also located 1 in. from the edge, the vibrating mirror *(Continued on page 90)*

How lamp house is constructed. Below: The $\frac{1}{4}$ by $\frac{1}{4}$ -in. glass is warmed over a lamp while it is being silvered



Top view of the apparatus. The lamp house, which may be made of thin tin or any suitable material, contains an automobile lamp and is wired for 6 volts a.c. or d.c.



SURVEY THROWS NEW LIGHT ON Home Workshop Owner



We now know what his interests are, how much time and money he spends, and what kind of shop he has . . . All revealed by a study of the National Homeworkshop Guild



Official Magazine
POPULAR SCIENCE
MONTHLY

The questionnaire filled four closely printed pages and covered twenty-one different subjects

HAVE you ever wondered how you compare with the average home worker? Whether you spend more or less time and money than he does? Whether your tools and equipment are better or worse?

These are questions of immediate personal interest, but no one heretofore has been able to answer them for the simple reason that it was impossible to say with any certainty what the typical home worker is really like. Now, however, we know. A remarkably thorough survey of members of home workshop clubs has just been completed by Marvin A. Powell, of Cheyenne, Wyo., and submitted as a thesis for the degree of master of arts in the Colorado State College of Education, Greeley, Colo.

A glance at the accompanying summary of the principal findings of the survey will give you a vivid picture of the average home workshop club member. The complete report covers more than a hundred type-written pages in length and includes twenty-six tables. Everything relating to the home workshop is revealed and analyzed.

The purpose of the study was to ascertain the value of the home workshop as a leisure activity in the lives of the members of the National Homeworkshop Guild and to show the status of the home workshop. Survey sheets containing

a great many questions were printed and mailed to club members in thirty-one states and the District of Columbia. These individuals, it turned out, are engaged in 160 different vocations, including a surprising number of professional and

business men, bankers, doctors, brokers, teachers, and technologists of many kinds.

Age. The largest age group is that from 25 to 33 years; next, those from 34 to 40 and 41 to 47. Seventy-three and a half percent are in these three groups, nine and a half percent are younger than 25, and the remainder are older than 47.

Education. Almost five out of six went to high school, and one out of three continued on to college. One out of every five men who replied holds a college degree. About ten percent have attended special schools of various types, and courses in shop work were taken, while in school, by three fourths of the members.

Vocations. An almost equal division between skilled workers and those who hold "white collar" positions is shown. More remarkable still is the variety of vocations, the number reported being 160.

The five leading occupations in order of their frequencies are salesman, electrician, clerk, teacher, and mechanic.

Trade Experience. Forty-three percent have had work in the skilled trades. In order of frequency, the first ten trades listed are mechanic, carpenter, machinist, electrician, wood-worker, printer, pattern maker, painter, plumber, and jeweler.

Home Workshop. The range of time the shops have been in existence is from one to thirty-five years, and the median length of time is four years. The majority of the shops are located in the basement, but about one out of three is in a separate building, a garage, a room of a house, or an attic. A few were reported to be in such unlikely places as offices and bedrooms. Practically all the shops can be heated and lighted.

Shop Equipment. There are five machines and approximately fifty hand tools in each shop. In counting the hand tools, a set of auger bits, a set of twist drills, and similar sets of small tools were each considered as one tool.

The machines, arranged according to frequency, are as follows: (Continued on page 103)

THE TYPICAL HOME WORKSHOP CLUB MEMBER

He is thirty-five years old.

His shop is in the basement and can be lighted and heated.

He spends eleven and a half hours a week in his shop.

His shop equipment consists of five machines and fifty hand tools.

He has invested \$190 for tools and machines.

He spends \$128 a year for wood, tools, hardware, paint, metal, and miscellaneous supplies.


He may follow almost any vocation under the sun, from bank president to laborer. The list of occupations reaches the amazing total of 160.

More often than not, he has never worked in a skilled trade.



His education is better than average. It is almost a one-to-two chance that he went to college and a one-to-four chance that he holds a college degree.

He maintains his shop principally for enjoyment, but partly for making repairs and other profitable work.

He is an inveterate magazine reader. POPULAR SCIENCE MONTHLY is his favorite magazine.




Folding Bench for Narrow Garage




BETTER WAYS TO BUILD Workbenches


A page of hints by HI SIBLEY




Portable Corner Work Cabinet for House Use




Sturdy General Purpose Bench






For Unused Space Alongside Driveway





Kitchen-Table Bench



Packing-Box Bench



Rolling Workbench



A DAINTY

Dressing Mirror

You can learn a lot about fine cabinetmaking by constructing this beautiful little piece . . . and without spending much for materials



By
EDWIN M. LOVE


PLACED on an end table, a low chest of drawers, or some other piece of furniture, this decorative little dressing glass provides not only a mirror of usable size but also two small drawers for handkerchiefs or gloves. It therefore makes an excellent gift.

Walnut, mahogany, and maple are desirable for making this piece, but any good cabinet hardwood may be used. The ends are cut from a piece of 1 by 10 in. stock 22 in. long. Shape roughly and joint up the back edges for use as face edges. On one piece square a line across the face side $\frac{1}{4}$ in. above the lower end. Lay out the $\frac{3}{4}$ by $\frac{3}{4}$ in. rail notch in the front edge, and draw the bottom curve, which begins $1\frac{3}{8}$ in. from the front edge and ends $15\frac{1}{8}$ in. from the back edge. Square another line across the face of the stock $5\frac{1}{4}$ in. above the first line, and a third, $\frac{5}{8}$ in. above the second; these locate the dado for the top of the box. Lay out a similar dado on the opposite side as shown, and a $\frac{3}{8}$ by $\frac{1}{4}$ in. dado on the inner side near the bottom where indicated.


Make a cardboard pattern for the upper end by dividing a 4 by $14\frac{1}{2}$ -in. strip into 1-in. squares. On these squares mark the outline intersections and draw smooth

curves through the points. Cut out the pattern and trace the outline on the stock. Saw out the profile and cut away the waste material along the lower side of the dado, making a $3\frac{1}{8}$ -in. offset. Cut the rail notch, rip $\frac{1}{2}$ in. off the back edge up to the dado; then dado the outside $\frac{1}{4}$ in. deep, and the inside face, $\frac{1}{8}$ in. The piece should be well smoothed and sanded. The other end can be traced directly from the first, but must be dadoed so as to make a pair, one right-hand and one left-hand.

For the top, surface to $\frac{5}{8}$ -in. thickness a piece of stock 1 by 8 by 17 in.; then square it carefully to $7\frac{1}{2}$ in. by 1 ft. $4\frac{7}{8}$ in. Make a $\frac{1}{8}$ by $\frac{1}{8}$ -in. rabbet in the underside on the front edge and both ends, and round the edges to an elliptical profile as shown in the detail drawing of the top. On the underside, $1\frac{1}{8}$ in. from each end, gauge a line, and gauge another $\frac{5}{8}$ in. from the front edge. Rabbet the back edge $\frac{3}{8}$ by $\frac{3}{8}$ in. to within 1 in. of each end. Make four $\frac{1}{8}$ by $\frac{1}{2}$ -in. strips $5\frac{3}{4}$ in. long. Glue these to the top, and nail with brads—one near each end, the outer edge guiding on the line, and a pair $\frac{1}{2}$ in. apart at the center. Glue a similar strip to butt [\(Continued on page 96\)](#)



Front Elevation




A front view of the assembled dressing mirror, a sectional end view (drawers omitted), and face and edge views of the two ends

Pocketknife Scotties



SANDY

Sandy and his two pals, Rob and Mac, are shown in individual photographs, and all six dogs appear in the drawings. The view at the right shows how Sandy's body is rounded



*How to Whittle
Six Decorative Little Dogs,
All Variations of
One Simple Pose*

By
E. J. TANGERMAN



ROB

MEET Mac, Sandy, Rob, Tam, Jock, and Lad, a double three-some of the bonniest Scotties that ever romped the heather. They're braw dogs every one, and so, lads and lassies, here's how to whittle them in miniature from wood. It'll be easier than you think because they're all variations of one simple pose.

All you'll need is a good-sized piece of 1-in. softwood, preferably white pine or basswood, planed on both sides so its actual thickness is about $\frac{3}{4}$ in. Mac takes a block of this 2 by $2\frac{1}{8}$ in.; Rob 2 by $2\frac{1}{4}$, Sandy 2 by $2\frac{1}{2}$, and Tam, Jock, and Lad 2 by $2\frac{1}{8}$ each. Select blocks that are straight grained and without knots, and on one flat face draw $\frac{1}{4}$ -in. squares. On these checkerboards lay out the patterns of Fig. 1. My preference is to let the grain run lengthwise from nose to tail, but beginners may find the other way better since the tips of the ears are less likely to break.

With either knife or scroll saw, cut away the block along the lines of the pattern. Stop and study the photographs of the finished dogs, then begin to round off roughly the sharp lines of the back, stomach, and legs, and thin and round the tail. (One photograph shows this rounding operation being performed on Sandy.) Separate the ears and round them in back (see Fig. 3B), and cut along the line of the lower jaw and up the front of the leg to take out a V and thus form the neck.

Now you're ready to carve the face by the steps shown in Fig. 2. Study the sketch marked B, then cut in the forehead and take off the beveled strip of wood on each side of the head to form the upper part of the nose, and take out the wedge of wood between eyebrow and ear. To form the dewlaps or prominent lower lips and chin whiskers which Mac sports, hollow out the lower jaw as at C. This figure also shows the formation of the nostrils by a cut straight in from the side and a long bevel up from the bottom of the chin.

Next hollow out the ears slightly and hollow out from the inside of each dewlap toward the front of Mac's nose, as you can see at B and D.


The pup will now look quite a bit like the Scotties you see running around town, but a few careful knife cuts are needed to take out the V's of wood that give Mac his appearance of rough coat and whiskers. Study Fig. 3A for the position of these cuts. Three sprout on each side from the base of the tail, three run parallel below the base of the ears, and a couple just ahead of the hind leg and just back of the foreleg accentuate the curve of Mac's belly.

A couple of V's, one cut along the front line of the foreleg and the other along

M A C



V-CUTS GIVE "MAC" HIS SHAGGY APPEARANCE
FIG. 3A



"MAC" FROM THE FRONT
FIG. 3B
"MAC" WITH HIS HEAD AT AN ANGLE
FIG. 4





FIG. 2




THE ART OF MAKING Lifelike

MARIONETTE bodies may be made in several ways for use with heads of the type described last month (P. S. M., Jan. '36, p. 57):


1. Sewed and stuffed with kapok or cotton, and weighted.
2. Papier-mâché shell bodies, filled and weighted.
3. Of wood (scrap pieces and dowel sticks) whittled to shape.
4. Best of all, carved from softwood, but this takes more knowledge and artistry than the others and therefore should follow experiments with one of the simpler methods.

In this article the third method will be described. It is a practical way to make the average puppet, but, of course, not all puppets. Every puppet is an individual problem and should be regarded as such. Give it the characteristics called for in its part in the play. Consider the proportions, weight, and gestures. Do not be too realistic, however; poor imitation is not art. Elimination of nonessentials is important. Simplify everything.

For the normal figure, puppets are about six heads tall. The body is two heads long, and from hips to feet is three heads. This one-two-three proportion is easily remembered. The hips divide the figure in half. Hands and feet are equal to the length of



Front and side views of a typical marionette body. The puppet at right is Woggle Bug from "Wizard of Oz"



Duchess and baby from Mrs. Drake's set of marionettes representing characters in "Alice in Wonderland." The heads are modeled from newspaper pulp as described in an article published last month. The body construction is as illustrated by the sketches

Marionette Bodies

Materials and tools . . . Various types of joints . . . Costuming . . . How to string puppets . . . Hints on their manipulation

By Florence Fetherston Drake

the face from the hair line on the forehead to the chin. Legs are divided into three parts: thigh, leg, foot. Leg and thigh are about the same length—one and a half heads long. Upper arm and forearm are practically similar. The width of the hips is more than the width of the shoulders in women's figures; less in men's figures. In making a lean figure, exaggerate the thinness; in a fat one, exaggerate the width. A glance at any group of Tony Sarg's figures will show what is meant.


Since all properties and stage settings must be made to the same scale as that used for the puppets, it is important to adhere to a certain scale. If an 18-in. puppet is used to represent a figure 6 ft. tall, the scale is, obviously, 3 in. equals 1 ft. If the puppet is 15 in., the scale is 2½ in. equals 1 ft.; if 12 in., the scale is 2 in. equals 1 ft.

The size of a puppet depends upon where it is to be shown. One third the height of the proscenium is good. From 15 to 24 in. is the average height. When puppets are larger, much of the illusion is lost and they become difficult and awkward to operate.

Make a rough sketch of the fi-



In the spotlight are figures of Thomas Jefferson and Benjamin Franklin. The puppet at the left—William's son from "Alice in Wonderland"—requires a controller like that shown just below it



gure you intend to copy—front and side views. No matter how crude this may be, it will help.

Soft white pine is the wood to use. At almost any lumberyard you can buy, for a dime or two, odds and ends of wood that serve the purpose admirably. You will also need ¾- and ⅜-in. dowels; small and medium tacks, brads, and nails; very small and medium screw eyes, commonly designated as 217½ and 215½; fine and medium sandpaper; a sharpening stone or emery for keeping a keen edge on your knife; adhesive tape; narrow tape for the back of knee joints to prevent the legs from bending forward; spools of No. 20 copper and No. 16 tinned wire; small pieces of thin tin or brass for hinges; muslin for joining hip and shoulder pieces and legs to hip piece; and sheet lead, dress weights, or sinkers to weight figures.

The essential tools are: coping or fret saw, small and medium size hammers, pocketknife, chisel, awl, small gimlet or hand drill, flat and round-nosed pliers, flat and round files, razor blade and holder, scissors, ruler, vise, and clamps.

The wooden parts need not be finished too carefully except in cases where the arms, calves of legs, or perhaps the neck are exposed. All parts should have the edges rounded and be sandpapered to prevent cutting through the costume and to assure smooth action. Tack a piece of sandpaper around the end of a block of wood about 1 by 2 by 8 in., and another piece around a portion of an old broom handle; these will be helpful in finishing your work. Hold

(Continued on page 109)

Five Most Novel


H A N D P I C K E D



PINE HANGING CABINET FOR CHINAWARE DESIGNED IN EARLY AMERICAN STYLE

THIS decorative pine hanging cabinet for cherished pieces of glass and china-ware was modeled after an old-time corner cabinet, which was built in place with a cupboard below. It may be constructed in the same way, as indicated in a sectional plan view given on the drawing, or it may be made up as a plain hanging wall cabinet, as shown in the other details. The deeply scalloped shelves are a feature of the corner-cabinet variation, while the flat cabinet has, of necessity, shallower indentations. The height from the floor should be from 24 to 30 in.

While pine is suggested as an appropriate wood, it would be entirely in keeping to use maple for the shelves and sides because of its greater strength, and to line the back with knotty pine. A piece of $\frac{1}{2}$ -in. thick five-ply fir plywood makes an ideal back to which the rest of the parts may be screwed. However, if the knotty pine is not obtainable in thin stock or plywood, the back may be built up from $\frac{3}{4}$ -



Working drawings for the hanging cabinet. Note the extra view that shows how to adapt the design for building a corner cabinet

in. pine boards, well joined and glued.

Where the heads of the screws used in fastening the parts together would be visible, they are countersunk and concealed with flush plugs. The cornice molding is a stock shape.—DONALD A. PRICE.

STEEL BASE SUPPORTS MODERN STAND

IN THE modern stand, illustrated at the right, is combined an interesting variety of inexpensive materials. The base is a short section of channel shape taken from an old automobile. A piece of wide pressed-steel auto frame is easily picked up in an auto wrecking yard, but a piece of regular structural steel of channel section could be used. An alternative would be to use a piece of wood $1\frac{3}{4}$ in. thick. If channel steel is used, cut it to length with a hack saw and file the ends smooth and square.

For the legs or curved uprights, of wrought iron preferably, cut wrought iron of the size given in the list of materials to the proper length and mark a point midway in its length. From this point mark off the points where the bends start. Grip the flat portion in the vise with one of these marks exactly at the end of the vise jaw. Then grip the part to be bent and swing it almost to a right angle. This should make the proper curve at the bend. If the curve has too much of a sweep, hammer it to a sharper (Continued on page 93)



The framework is painted metal; the top, a piece of plywood finished in another color

TINY SAILS FORM SHADES ON CANDLES

FOR a room with a nautical atmosphere, good-looking shades to fit electric or wax candles can easily be made in the likeness of a galleon's sprit topsail. A pair of candle-shade clips are needed; these can usually be found in a ten-cent store. Cut off all but the clip itself and about $\frac{3}{4}$ in. of the projecting


bar, to be inserted in the bowsprit.

Make the masts from a $\frac{3}{16}$ -in. dowel. They should be tapered from the point where the round tops are placed out to the end. In the lower end of each cut an oblong slot at a slant, and in these fit the end of a piece of dowel $1\frac{3}{8}$ in. long, to represent the end of the bowsprit. In the other end of the (Continued on page 85)



Craftwork Projects

FROM A HUNDRED SUGGESTIONS




BLOCK PUZZLE SHAPED LIKE BATTLE TANK

THE familiar Chinese cross puzzle appears in novel new guise in this little battle tank, which also originated in the Orient. It affords an opportunity to try your skill at whittling. There are fifteen units, most of them single pieces. The chassis, however, has four wheels on a single block, and the side plates *C* and *D* have a platform on the side, glued just below the slot. To facilitate cutting the rectangular slot, the side plates can be built up of two pieces glued together.

Soft pine is easy to work, but a more attractive puzzle can be made from some close-grained hardwood such as maple.

The drawings are lettered in the order in which the puzzle is taken apart, *A* and *B* being the key or locking pieces. In making the puzzle, it is better to begin with the chassis *O* and fit each piece to it as you go along. Note that most of the slots are $\frac{1}{4}$ in., $\frac{3}{8}$ in., or $\frac{3}{4}$ in. wide.


The chassis top *N* simply rests on top of the chassis until locked in place by successive members. It is a good idea to make only such slots or notches as are necessary



The assembled puzzle, the parts, and diagrams giving the shape of each piece



to fit one piece to that preceding as you go along, thus insuring tight joints. In side plates *C* and *D*, the transverse notches to represent a caterpillar tread can be cut with a three-cornered file.

Once the tank has been assembled to your satisfaction, it can be elaborated with extra guns and fittings, if you wish to make it more realistic.—K. K.



HOME WORKSHOP TABLE FOR INVALIDS

WHEN recovering from illness or injuries, many men would be much more contented if they could do a little light craftwork. This is possible if a suitable worktable is provided. The one illustrated was designed for an invalid who cannot be bolstered to a position greater than about thirty degrees and was presented to him as a Christmas



gift from a high school vocational carpentry class.

The dimensions or construction may be modified as desired to suit special cases. While the table is designed to be used astride a bed, it may also be used as an ordinary table or desk. Note how the hinged top and the front rail are cut out on a curve so the table will fit the bed closely.—CHARLES M. RICE.

Longer Service from Paintbrushes



well if properly used and cleaned.

If a brush has gathered a quantity of paint or other material in the "heel," soften it in a brush cleaner, benzine, gasoline, or naphtha, then wash it thoroughly with warm water and soap, comb the bristles straight with an ordinary five-cent comb or a discarded comb, and wrap it in a newspaper to absorb the moisture. Do the same every time you finish a painting job. This will, of course, be much easier to do while the paint is soft than after it has been allowed to harden in the brush.

When used from day to day on the same job, brushes may be allowed to remain in whatever material is being used, but they should then be suspended so that they are submerged only about half the length of the bristles. Under no circumstances should the ferrule be left submerged or the brush allowed to rest on the bristle ends. Bristles are very absorbent and if allowed to remain in any liquid for more than a reasonable period, they will swell. This is especially noticeable at the binding or ferrule. It is a good rule never to allow a brush to soak in water. This causes the bristles to flare and separate in bunches, making them bushy and flabby and sometimes ruining them entirely.

Don't draw a brush edgewise over the rim of a paint pot or make a practice of holding the brush edgewise for painting narrow surfaces and moldings. The brush is not intended to be used in that way, and the bristles will in time gather in bunches and cause what is called "fingering."

Brushes should not be used in fresh kalsomine or whitewash in which the lime is not completely slaked, or in other strong chemicals. The effect is the same as if the bristles had been drawn across a hot stove. The ingredients in cheap paints may also injure the bristles. Curling at the ends is an indication of this trouble. Bristles are also deformed by the habit of poking the brush into places that are difficult to paint and by allowing a brush to rest on the bristles.

A surface that has not been painted before, or a rough surface, will wear bristles down faster than a smooth surface. If, however, a brush wears unevenly in such a way as to give it a misshapen look, the fault lies in the method of brushing. It has been used habitually at too great an angle, edgewise, or on surfaces narrower than the brush. A general flaring of the bristles is, in the majority of cases, the result of allowing paint to work up into the heel of the brush close to the ferrule and dry there.

Before being used, a new brush should be shaken to remove any loose bristles that were not caught in the setting. After they are removed, the only bristles that will come out of a good brush are those which are broken off.

These difficulties are mentioned so that you will recognize their cause, but they are all quite unnecessary and can be avoided.—AARON LINZER.

COUNTLESS paintbrushes used in the home workshop and in keeping the home shipshape are discarded when they have given only a small part of the service of which they are capable. Occasionally an amateur painter will take a comparatively new brush back to the store and complain that it is no good. In almost every case, provided the brush was made by a reliable manufacturer, the trouble is due to abuse and negligence. Not that any home worker will purposely spoil a brush; he simply doesn't know how to look after it. Any good brush will wear


BOOK ENDS TURNED FROM SCRAPS OF HARDWOOD

IF YOU have a lathe and a few scraps of different hardwoods, you can quickly turn out attractive modern book ends like the one illustrated at the left. They are sufficiently heavy to hold the books in place without toppling over. Only six pieces required for each.



The two disks which, when combined, form the base, are first sawed to size, then smoothed on the faceplate of the lathe. A segment is sawed off each of these disks as shown. In turning the ball, a short dowel is left to fit a hole in the top of the largest cylinder.

To assemble the parts a countersunk screw may be passed up from the bottom into each of the cylinders, or a 1/2-in. hole may be drilled to receive a dowel. The wood is given a natural finish and left in a high polish to conform to the modern style. A piece of brown or gold felt is glued to the bottom.

Varieties of wood other than those indicated in the drawing may, of course, be used, but natural wood in pleasing color contrasts is preferable to stain or dye.—JOHN PATTERSON.



Each of these modern-looking book ends is turned from six scraps of wood. Maple, walnut, and mahogany were used in this case, but any combination of contrasting hardwoods will serve quite satisfactorily.



POKER CHIPS SERVE AS TAGS FOR SHOP USE

LEGIBLE, inexpensive, and durable tags are often required about a shop, especially if much repair work is done and numerous jobs have to be marked for identification while special parts are being made. Better than ordinary tags for this purpose are cheap composition playing-card chips. They are proof against oil and water, can easily be written on, and can be cleaned without difficulty. Simply drill a hole through each chip near the edge and loop a rubber band through it as shown above.

In one radio shop where a great many household devices are repaired, a red chip is used to indicate work that is unfinished and a white one for jobs that are completed.—FRANK W. BENTLEY, JR.

Colorful Modern Desk Set

MADE FROM A SINGLE SHEET OF
SYNTHETIC RESIN

HERE'S a modern desk set that any amateur craftsman can make with the simplest hand and motor-driven tools, yet it compares favorably in quality and beauty with expensive commercial products. The material used is one of the new cast-resin plastics, which can be obtained in a great variety of colors and mottles. That used in the original desk set closely resembles marble.


The design is remarkable in that only a single sheet or block of the cast-resin composition is required—a piece 1 in. thick by 6 by 16 in. In addition a sheet of stiff cardboard 18 by 24 in. is needed for backing the desk blotter, together with a blotter of equal size, a small piece of blotter of the same color for use on the rocker, some strips of felt, and a small quantity of cast-resin cement.

First cut the large sheet into two equal sections, each 6 by 8 in. Then make a transverse cut on one of the halves to obtain one piece measuring 8 by $4\frac{3}{4}$ in. for the base of the pen stand, and another 8 by $1\frac{1}{4}$ in. to form the upper part of the same stand. These cuts are most quickly and accurately made on a circular saw, using a 5-in. metal-cutting blade, but they may be made by hand with a hack saw or on a band saw. In the latter case, great care must be exercised to keep the saw blade from weaving out of line.


All rough edges left by the saw should be sanded smooth and true. The base of the pen stand should be sanded to a radius of about $\frac{1}{4}$ in. on its forward edge. If a flat sanding disk is used on a lathe, this operation can be quickly accomplished. If no sander is available, cut a sanding block with a concavity of the desired radius out of wood, and use this block with a medium fine sandpaper, finishing off with a very fine grade of paper. (Continued on page 106)

By
**ALBERT
Q.
MAISEL**

There are
five pieces
in the com-
plete set, all
of cast resin



The rocker blotter is left clamped for twelve hours for the cement to harden. In oval: How the curved bottom is sanded



The original uncut block (at top) and the various individual pieces laid approximately in the positions they occupied before being cut



SAYS:


DON'T use shopmade mixtures for lapping purposes, but specially prepared compounds. Cast-iron laps cut the fastest, but whitewood laps give the best finish.

Save discarded high-speed steel end mills and cut off the body to the neck. When ground to the required angle, they make excellent centers to be used with collets.

Don't confuse the terms "expansion" and "adjustable" when speaking of reamers. Expansion reamers are of solid construction and fitted with a tapered screw on the end, while adjustable reamers have removable blades.

Centrifugal force is something to bear in mind when using grinding wheels as it increases as the square of the velocity of the wheels. Remember this and stand aside before setting any grinding wheel into motion. Amateur mechanics in the home workshop should be equally cautious, even with their comparatively slow machines.

The best way to make a line reamer is to fit the blades with the least pressure and solder them to the body. This prevents jamming the assembly when resetting.




As it is swung around at the end of a string, the toy gives a combination of peculiar noises

NEW WHIRLING-HARP TOY GIVES WEIRD NOISES


WHEN swung around the head at the end of a cord, the whirling-harp toy illustrated above and at the left will produce a weird combination of sounds that resembles angry hornets, zooming airplanes, racing autos, and whining puppies.

This novelty consists simply of a heavy round backbone with a thick pasteboard fin and two cross arms upon which rubber bands are tightly stretched. Varying the tension of the bands gives different sound effects. It may be necessary to shorten the bands by tying knots in the rubber if they are not tight enough at first.—H. S.



The whirling harp consists of a round stick with two crosspieces over which rubber bands may be stretched. The stick is slotted to receive a thick pasteboard fin to steer the device

Decorative Porch Lamp of Marine Design Is Made of Brass




THIS attractive marine-type lamp, made of sheet brass and light brass rod, requires little experience in sheet-metal work. With a kerosene lamp type of electric bulb, if one can be obtained, and a suitable reflector, it is particularly effective and gives ample light.

Note that the bottom and back are made of one piece of sheet brass cut as shown in Fig. 3. The edges are bent over and soldered.

The front corner pieces are simply $\frac{3}{4}$ -in. strips of brass bent down the middle at right angles to form angle posts. A flat strip is soldered around the top, making the complete frame. Before the front corner pieces are set in, however, small retaining strips should be soldered inside.

The brass wire rods, which are about $\frac{1}{8}$ in. in diameter, are flattened, drilled at the ends, riveted with cut-off brass escutcheon pins, and soldered. These are for the horizontal bars in front of the glass. The vertical bars are soldered only to the horizontal ones.

For the cap, make a rectangular frame as illustrated in Fig. 2. This fits over, and is soldered to, a semicylindrical piece with open ends. A small turret is soldered on top of this. This top unit should be made a neat fit over the lamp frame, and, of course, it must be removable so the glass panes can be renewed in case of breakage.—DICK HIXON.



Front and side views and sketches showing method of construction. A lamp of this type is particularly effective if hung against a white wall

A Quick, Accurate Way to Make PICTURE FRAMES

By GUY A. RAFUSE



Sighting along the head of a combination square to set the guide block at 45 degrees to the disk


ONE of the many ways in which the home workshop may add to the income of its owner is the making of picture frames. By using the method outlined below, which involves the purchase of no extra equipment, the amateur woodworker can turn out a frame equal to the factory-made product and better than that usually offered by local picture framers.

There are three things that distinguish a well-made picture frame. First, the individual sides are accurately measured so that the frame will be a perfect rectangle when assembled. Second, the ends of the molding are cut at exactly 45 deg. so that the joints will show no V-shaped slots, the closing of which would tend to draw the frame out of shape. The cut is also perpendicular to the back of the molding, making the finished frame lie flat against the glass, and the surface of the cut is as smooth as possible to insure a close fit. Third, the corners are carefully joined and show no projecting edges along either end or the front of the joint.


The first requirement should give no trouble to the amateur woodworker, who is accustomed to making careful measurements, but it might be well to remind him that all measurements are made along the inside back edge of the molding. It is with the second and third conditions that this article is chiefly concerned.

The molding is first measured, then sawed slightly longer than the measured length and at an angle of about 45 deg. This may be done conveniently with a jig saw, but if one is not available any other fine-cutting saw may be used. The next step is to sand each end of the molding down to the mark showing the correct length, and at the same time give the end an accurate 45-deg. face. This is done on the lathe with the aid of a table rest fitted with a guide block, which is merely a small piece of hardwood cut to fit the table rest as shown in the illustrations.

The 45-deg. face of the guide block must be made at a perfect right angle to the surface of the table rest, which is best done by sanding before it is fastened to the table rest. The final adjustment is made by using as a standard any accurate 45-deg. angle, such as the head of a combination try- and miter-square. By holding one side against the face of the guide block and



How the guide block is shaped and attached to the table rest



With the aid of the guide block, the end of the molding is sanded to give a perfect joint

sighting along the other side and the face of the sanding disk, the guide block can be set very accurately and locked in place with a set screw on the table rest.

When this is done, it is a simple matter to hold the molding on the table rest against the face of the guide block and sand the end down to the marked length more accurately and with a finer finished surface than can be done with a saw.

One trouble that must be guarded against is the damaging of the finish on the molding near the edge of the cut. Some types of finish are quite sensitive to heat, and if overheated by sanding on a worn disk will show a crimped effect along the edge of the cut.


When working with dark molding, it is wise to blacken or stain the surface of the cut before assembling the frame, since even a very small fraction of an inch of

bare wood exposed at the joint would be quite conspicuous. Pressing the end of the molding on a well-inked stamp pad will do it quickly and satisfactorily.

The final operation of assembling requires an ordinary bench vise, the jaws of which are lined with cardboard to prevent marring the finish of the molding. The corner to be nailed is placed between the jaws of the vise, the two adjacent sides set so as to form a joint as nearly perfect as possible, and the vise tightened to hold them firmly in place. A small nail driven through each end of each side of the frame into the adjacent side will hold the frame together quite satisfactorily, but a stronger frame can be made by gluing the joints in addition to nailing them.

The sanding disk previously mentioned may be a commercially made one or, as in the illustrations, homemade. In either case it will be useful for many other purposes in addition to that mentioned here. The guide block, since it can be set at any desired angle, may also be used for other purposes.

Besides making frames for himself and his friends, the amateur woodworker may be able to make arrangements with a local department or novelty store to sell his frames or take orders for complete framing jobs.



An ordinary bench vise, its jaws lined with cardboard, holds the frame while being nailed

Making the MASTS, YARDS, and other SPARS for our

GREAT REPUBLIC MODEL

By Captain
E. Armitage McCann



Correctly proportioned spars are the first requirement in rigging the model successfully

OUR new model of the *Great Republic*—by far the finest and largest of all our clipper-ship models—is now practically complete in respect to the hull and deck fittings. Those who wish to build this magnificent model but have missed the two preceding installments, should look them up (P.S.M., Dec. '35, p. 59, and Jan. '36 p. 86).

The *Great Republic* as originally built was, I believe, more heavily rigged than any other merchant vessel. Her spars were large, even for her size; her main yard was 120 ft. long, as compared with the *Flying Cloud's* 82 ft. or the *Roanoke's* 92 ft. Her foretruck was 206 ft. from the deck; the *Roanoke's*, 180. The *Roanoke*, built in 1892, was the largest American vessel, but not an extreme clipper.

Although a fast ship, the *Great Republic* never got a fair trial with her full rig, because when rebuilt after the fire her rig was reduced about 15 percent. Her best records were 19 knots for 19 hours and New York to San Francisco in 92 days, including three days calm off the latter port.

The initiated will at once notice several unusual features on the rigging plan. As first rigged, she was one of the few ships that had Forbes' double topsails, with which the lower topsail yard hoisted on the head of the lowermast, requiring the topmast to be fidded abaft.

She had cap stays, three topmast and two topgallant backstays; otherwise she was much like other clipper ships. She was one of the first vessels to be rigged as a four-masted bark. What is now called the jigger mast was then called the spanker mast or sometimes the McKay mast.

First we must make a set of spars from birch dowel sticks or other straight-grained wood. The correct lengths and diameters are shown.

All of the spars will need some preparation before being shipped. These fittings are indicated by letters following the numbers of the spars on the tabulation at the end of the article marked "Key to Rigging Plans."

The bowsprit is round with a flattened top and tapers slightly. As it is a built-up spar (44 in. diameter), it requires hoops. I made all the hoops by gluing on two turns of 1/16-in. wide strips of writing paper. A cleat (*a*) is nailed on the 'sprit to hold the jib-boom end. The cap (*b*) is cut to lie at a right angle to the bowsprit; it has a square hole for the squared end of the 'sprit and above, a round hole to fit the jib boom, with its height so that the jib boom will parallel the 'sprit. Under this is an eyebolt for the dolphin striker; one on either side for the spreaders, and others above for the handropes. The caps can be made of 3/32-in. boxwood, celluloid, or fiber board. All eyebolts I make of 1/2-in. pins bent to shape with round-nosed pliers that have one point filed quite small. Heavier bolts are made in the same way from larger pins.

Butting up to the cap are the bees (*c*), which are merely wooden cleats with notches cut out for the stays to reeve through. All this is white. Underneath, two hearts are needed for the bobstay lanyards. These hearts I make of boxwood, triangular on the outside, with a

... A Game for MODEL MAKERS

HOW many parts of a ship's rigging can you identify by name? Here's a chance to find out by making a game of it. Just see how many of the numbered parts on the facing page you can name correctly, and compare your list with that on page 95. It doesn't matter in the least whether you are actually building a model of the *Great Republic*, because the same designations are used on all clipper ships and are standard nautical terms.




This unusual photograph shows three of the yards on Captain McCann's model, rigged as on a real ship


groove and one large hole. I seize them on with wire passed right through the 'sprit. Hearts are similarly fastened on each side for the bowsprit shrouds (*e*). There should also be a little cleat to retain the gammoning (*f*).

The bobstays (*d*) are chain nearly as large as the cables. They are wire-seized to the straps on the stem and have hearts in the upper ends, with lanyards which draw them tight. The bowsprit shrouds are of the same size chain, similarly set up from bolts nearly under the catheads.

A lowermast has bands as shown (*h*). On the fore side is the paunch (*i*); this is a wooden batten to take the chafe of the sail, so a piece of cardboard, cut to fit over the bands and glued on, will serve to represent it. The part marked *j* is a belaying-pin band; I made this by forming eyes in small pins, putting part of other pins through the eyes, and touching with solder.

The futtock-shroud band (*k*) has an eye on either side—eyes of wire passed right through the mast and twisted together. (Text continued on page 74)





Standard proportions and details of the various yards, tops, crosstrees, and bowsprit cap

The cheeks (*z*) are pieces of wood cut to shape and nailed fore-and-aft to the mast, which is there slightly flattened. Note that they extend abaft the mast. The truss band (*m*) is like the others but with a hole through it to take a No. 20 escutcheon pin.

The tops (*o*) are shown in detail. They consist of the trestletrees into which the crosstrees are half-lapped athwart; on this goes a flat floor piece, 1/16 in. or less thick, with the lubber hole cut out of the middle and a smaller hole for the hauling part of the topsail halyards to pass through. On either edge of the tops are four slots for the futtock-shroud straps. The tops should fit the lowermasts tightly and rest on the cheeks to lie horizontal. Nail through the trestletrees to the mast.

The futtock shrouds (*p*) are made of wire, with 1/8-in. dead-eyes turned in the ends. They then pass through the top and have their lower ends turned up and soldered to the eyes on the mast.

The bands above the top would have to be flush with the mast, so I indicated them with black paint between two knife cuts.

The caps (*q*) are as for the bowsprit, but be careful that the masts here, as elsewhere, are parallel. They need strong eyebolts on either side for the cap stays and backstays. I drove these well into the lowermast heads.

Underneath the cap is a cleat on one side (*n*) and an eyebolt on the other for the standing and hauling parts of the topsail-yard chain ties. The cleat will be to starboard at the fore and mizzen masts and to port at the main. Halyards reverse sides as they go higher and also reverse at each mast.

These masts may now be stepped. Where they meet the deck, there should be mast coats to keep the water out. One can represent these with wooden or fiber rings or build them with plastic material. If the hull is hollow, put two-pointed nails in the heels to steady them in position. One might now rig these masts, but let us prepare all the spars, so that they will be ready to use.

The topmasts are simple. They are very slightly tapered from the cap to the trestletrees and from there up are square, with a slightly smaller square for the cap to fit on. Athwart, near the end, is a hole to take a stiff wire, representing the fid, which lies on the crosstrees. At a point 1/4 in. above this is a hole and slot for the mast rope, to hoist the mast with; it goes aslant from the starboard foreside to the port afterside. There is a hole fore-and-aft under the crosstrees large enough to take the upper topsail halyard tie. The crosstrees and cap are shown in detail. The outriggers must be firmly fixed to the crosstrees because they are to spread the royal and skysail backstays, but make them as light as possible.

The topgallant, royal, and skysail masts are each one spar which is shipped to the foreside of the topmast. Each section is of even thickness, dipping to leave a shoulder at the mastheads, only the pole being tapered. They have holes similar to the topmast. The trucks are round balls drilled halfway through to take the ends of the poles. They should be gilded. It is best to leave them off until the flags are ready.

The jib boom tapers slightly from the cap, most of the thickness being reduced at the shoulders or stops. Vertical holes must be drilled for the stays to pass through. It is white to the cap, at the stops and the end; the rest is natural spar color.


The spanker mast has a belaying pin band and bands (*B*) for the boom and gaff goosenecks. These latter bands are of thin metal with eyes abaft. The gooseneck I made by splitting a piece of brass rod, drilling the lugs thus formed, and filing the other end to a long thin point, to go into the spar. The upright member is a bent pin, with a bolt (pin) set through both and soldered. For the futtock shrouds there are eyes on the upper gooseneck band. I then made an eye in a piece of wire, passed it through the crosstree, through the eye on the mast, up through the other crosstree, and there formed another eye.

The topmast and topgallant mast, in one, are made like the other topgallant masts, with sheave holes for the gaff topsail and gaff topgallant halyards.

The spanker boom and gaffs taper from a point one third from the mast to the ends.

Under the boom is a U-shaped runner for the boom sheet blocks. The upper gaff is fastened in position with a wire through the end and taken around the mast between the stay and backstays. Gaffs and boom are natural wood with white ends.


The martingale boom, frequently (Continued on page 94)



How the masts are constructed and painted. The actual diameters and lengths of each mast and yard are tabulated near the end of the article

Illuminated Indoor Dial

Shows Direction of Weather Vane



By
LEWIS J. PIERCE


IF YOU have finished the working parts of the electrical weather vane described last month (P. S. M., Jan. '36, p. 58), you are now ready to begin work on the illuminated dial.

Start by making a box of $\frac{7}{8}$ -in. stock, $7\frac{1}{2}$ in. square inside, with sides 2 in. high. Before screwing the parts together, locate the middle of the base by drawing two lines connecting the mid-points of the opposite edges, and with this as a center, describe a $4\frac{1}{2}$ -in. circle. Regarding the intersection of the circle and the lines as the four cardinal points, locate the other twelve points as in the case of the segment table.

The sockets for the light bulbs are spring-type wooden clothespins. These are fastened to the base of the box with screws through their springs at the intersection of the circle and the sixteen compass lines. Sixteen 6 to 8-volt bulbs are inserted in the clothespin sockets, and sixteen contact arms are made of brass as shown and screwed in the box so their ends touch the base of the lamps.

One wire from the current source goes to a switch near the dial, then up through the house directly to the control box. The other lead-in wire goes through a hole in the bottom edge of the box as it hangs on the wall and makes a complete circuit, connecting with each of the sixteen contact arms.


The sixteen wires of the cable are lead in through a hole in the middle of the base of the box; they are then fanned out and an inch of insulation is scraped off the end of each. Next is the task of connecting the right wires with the bulbs, which can best be done with an assistant. Knowing the position the control box will be placed



The partitions are inserted as a unit. To insure even spacing, the inner ends are soldered to a tin band, the outer ends to a wire

in and the direction of north, you can easily determine the north segment of the segment table. Have your assistant swing the vane around until the switch lies on the north segment, and then touch the wires in turn, one after the other, to the north bulb of the dial. When it lights, slip the end of the wire into the socket alongside the base of the bulb. In a similar manner connect all the remaining wires and remount the vane.


Each light is separated from the adjacent one by partitions cut from sheet metal $13/16$ in. wide. Eight of them are $2\frac{7}{8}$ in. long, and the rest $3\frac{1}{2}$ in. long. After inserting them in saw cuts made in a round wooden block as illustrated,



The letters are cut in the brass dial with a deep scroll-saw frame and jeweler's saw blade

solder a wire around the top of the outer edges flush with the surface of the box, to hold them evenly spaced. Glue velvet strips as needed to top and outer edges of the partitions to make light-tight joints with the box and dial face. Place this assembly in the box and screw it to the back, giving each light an equal compartment.

The face of the dial, which represents a ship's wheel, is (*Continued on page 101*)



Cabinets and Tool Racks Keep Shop in Order

THE unusually well-arranged home workshop illustrated is that of F. L. Sahlmann, of Erie, Pa. It is the outgrowth of his boyhood ambition to have a shop and represents the accumulation of tools and machines over a period of approximately ten years. Much of shop furniture and some of the accessories have been made by the owner.

When the photographs were taken, the belt and disk sander and the motor-driven grindstone were not available, but they are located as shown in the diagram. The fact that Mr. Sahlmann's house has automatic oil heat makes it possible to keep the shop in a spick-and-span condition; furthermore, the use of individual motor drive, in which he is a firm believer, makes it practical to take a machine to the work, if necessary, or to move it from one location to another.


Drawers, cabinets, and various containers are provided for practically all the tools. It is an ironclad rule to put everything away and clean up the machines and floor when work is finished in the evening.

Of general interest to home workshop owners is Mr. Sahlmann's method of rust prevention. He uses old-fashioned sperm oil, which can be obtained at certain drug stores. It is rubbed over the polished surfaces of tools with a clean rag, and the excess oil is then rubbed off with another rag. Tools treated in this manner are not sticky or gummy, yet a sufficient thickness of oil remains. He treats his tools in this way about once a year.


Old ginger-ale boxes and bonded whisky boxes are used as storage bins for odds and ends such as leather, scrap metal, felt, asbestos, and bakelite. One cabinet contains fifteen drawers made of these boxes. A shelf is provided under the workbenches for twelve more boxes of this kind, which have been fitted with covers and labels.

OLD SICKLE GUARD USED AS STAPLE PULLER


WHEN wire fencing has to be removed from wooden fence posts, a simple and effective tool for prying out the staples can be found in a discarded sickle guard such as is used on all mowing machines and binders. One of these can be found in almost any farm junk pile. The only necessary change is to grind a small flat place on the end of the guard where the hammer strikes it.—L. C. PELTIER.



Fencing staples are pried out quickly with an old sickle guard flattened at the end





General view of the shop. The machines all have individual motors. Note the variety of cabinets above the main bench




A clear space is kept open the length of the shop. At the far end of the main workbench are the grindstone, belt and disk sander, and a metal lathe and cabinet

Even the lumber storage rack is nearly arranged in this shop. In front of it can be seen the wood lathe and a portable paint-spray compressor outfit. Note the hooded gas plate beside chimney at right



"GET A LIFT WITH A CAMEL"



"I AM A STEEL WORKER on the Triborough Bridge," says Ben Parsons (*above*). "When tired, I get a 'lift' with a Camel. Camels have all the full flavor anybody could want."


TUNE IN! Camel Caravan, with Walter O'Keefe, Deane Janis, Ted Husing, Glen Gray and the Casa Loma Orchestra. Tuesday and Thursday—9 p.m. E. S. T., 8 p.m. C. S. T., 9.30 p.m. M. S. T., 8.30 p.m. P. S. T.—over WABC-Columbia Network.

THE TOWERS OF MANHATTAN from a new angle—New York's new Triborough Bridge, which is rapidly being completed. In the foreground: Howard Hougland, McClintic-Marshall engineer, wearing the picturesque engineers' "hard hat," a necessary protection on big jobs. "An engineer's life is packed with action," he says. "It calls for physical fitness and energy to stand the strain. When my pep is at low ebb, there's nothing like a Camel, for smoking a Camel chases away all signs of tiredness. I always get a 'lift' with a Camel. I also prefer Camel's good taste."



WINTER SPORTS TAKE ENERGY TOO. But to enjoy the fun you have to be fit. "That has a lot to do with why I prefer Camels," says Margaret Lynam (*left*). "I know that athletes approve of Camels, as they do not affect their wind or nerves. That goes for me too. And Camels renew my flow of energy."

- Camels are made from finer, MORE EXPENSIVE TOBACCOS — Turkish and Domestic — than any other popular brand.
(Signed) R. J. REYNOLDS TOBACCO COMPANY, Winston-Salem, N. C.






THOSE "B.O." STORIES
CAN'T SCARE ME.
I COULDN'T
OFFEND

OH YEAH! WELL, JUST
READ THIS TRUE
"B.O." CONFESSION



One day
a letter came
to the makers
of Lifebuoy.
It read—

ANOTHER YOUNG MAN AND I HAVE
ADJOINING APARTMENTS. WE SHARE THE
SAME BATHROOM. OFTEN HE'D DROP IN
FOR A CHAT AND TELL ME HIS TROUBLES



HE WAS A SALESMAN AND SHOULD HAVE
BEEN A CRACKERJACK FOR HE WORKED
HARD. BUT, INSTEAD, HIS SALES WERE
MISERABLE — AND I COULD GUESS WHY!



I DIDN'T HAVE THE NERVE TO COME
OUT AND TELL HIM. BUT I WAS
CAREFUL TO LEAVE MY CAKE OF
LIFEBUOY IN PLAIN SIGHT IN
THE BATHROOM



HE KNOCKED AT MY DOOR ONE
MORNING. "SAY," HE SAID, "I'VE BEEN USING
YOUR SOAP. SMELLED SO NICE AND CLEAN
I COULDN'T RESIST." "KEEP IT," I SAID,
"IT MAY BRING YOU LUCK"



"LIFEBUOY SURE HAS BROUGHT ME
LUCK," HE TOLD ME LATER. "MY SALES
HAVE BEEN BETTER EVER SINCE. I'M A
LIFEBUOY FAN FOR LIFE. MY TROUBLE
MUST HAVE BEEN 'B.O.'"




Yes, we get *thousands* of letters like the one pictured above

ONE LETTER might be disregarded. But you
can't laugh off *thousands*! They force us to
realize how common, how serious a fault "B.O."
(body odor) is. Don't risk it. Bathe regularly with
Lifebuoy. Its searching lather—abundant in
hardest water—purifies pores, stops "B. O."

Its own clean scent rinses away. Women find
Lifebuoy brings new complexion beauty. It's
deep-cleansing, yet gentle. "Patch" tests on the skins
of hundreds of women show it is more than
20% milder than many so-called "beauty soaps."

Approved by Good Housekeeping Bureau


*Stops
'B.O.'*



120 TO 150 SHAVES IN THE BIG RED TUBE


RAY, I CAN'T GO TO
THAT DANCE WITH
THESE WHISKERS.
AND I JUST CAN'T
SHAVE! MY TENDER
FACE IS ALL SORE
NOW—BEARD'S SO STIFF

I HAD THAT TROUBLE,
TOO, 'TILL I CHANGED TO
THIS NEW SHAVING
CREAM. NOW I SHAVE
AS OFTEN AS I WISH.
NEVER IRRITATES MY
FACE, EITHER



WELL, LET ME IN ON IT. WHAT IS THIS WONDER-
FUL NEW SHAVING CREAM? I'D LIKE TO TRY IT

LIFEBUOY, M'BOY. ITS LATHER HOLDS 52%
MORE MOISTURE. IT'LL SOAK THOSE
WHISKERS OF YOURS SO SOFT YOU'LL NEVER
FEEL THEM COMING OFF. GO TO IT




BY GEORGE, RAY, THIS
LATHER IS WONDERFUL.
EVERY WHISKER'S OFF
CLEAN AS A WHISTLE.
AND MY FACE
FEELS SWELL!

Send for a FREE Trial Tube


Try this mild, extra-moist lather. Get
the big red tube at your druggist's. Or
write Lever Brothers Co., Dept. A142,
Cambridge, Mass., for a free 12-day tube.

(This offer good in U. S. only)



TRY IT! SEND
FOR YOUR FREE
TUBE TODAY

Easily Built Dish-Drying Cabinet




THE task of wiping dishes dry may be eliminated and many steps saved by building a drying cabinet like that illustrated. It is especially adapted to small kitchens where there are no built-in cupboards or where the pantry is not easily accessible.

The dishes are washed in hot soapsuds, rinsed in clear hot water, and stacked in wire trays, which slide into the cabinet. The door is then closed and the fan plugged in for about five minutes. After being dried in this manner, the dishes may be left where they are until the next meal.

The dimensions given are for standard wire drainers 4 by 12 by 16 in. Two are sufficient to hold all the dishes and silverware necessary for a family of four or five. White pine or other softwood is used for the framework, and $\frac{1}{4}$ -in. fir plywood or composition board for the panels and back.

When washed and rinsed, the dishes are stacked in trays, placed in the cabinet, and dried by turning on the fan for a few minutes



The bottom of the side panels are sawed to the shape shown to make a neat finish. The rabbets in the front and rear corner pieces are coated with glue, preferably casein, the panels are slipped in, and each side assembly is laid aside until dry. Pieces of plywood $1\frac{1}{2}$ in. wide are then nailed on the sides with finishing nails to simulate a paneled effect. A piece of plywood $\frac{1}{4}$ by $30\frac{1}{2}$ by $19\frac{1}{2}$ in. is nailed to the back, and the top is a piece $19\frac{1}{2}$ by 14 in., set $\frac{3}{4}$ in. back from the front edge of the cabinet.

Before the top is attached, the hole for the fan blades and guard should be cut. The piece for the front at the top is shaped approximately as shown and nailed to the corner pieces. The bottom of the cabinet is left open for drainage.

The door frame is made as shown and attached with two butterfly surface hinges or ordinary butt hinges. A latch of any desired type completes the door hardware.

Tray holders $\frac{3}{4}$ by $1\frac{1}{2}$ in., or wide enough to support the edges of the wire baskets, are fastened from the outside at the points indicated with $1\frac{1}{2}$ -in. No. 8 flathead screws.

An inexpensive 8-in. electric fan, with base removed, is fastened in the hole previously cut in the top with a $\frac{1}{8}$ by $\frac{1}{2}$ -in. strip of flat iron or brass. This is fastened to the motor and the top of the cabinet with machine screws as shown in the drawings and in the photograph taken from above the cabinet.

Paint the cabinet inside and out with three coats any appropriate color. Attach the dish drier to the wall with four 2-in. No. 12 flathead screws.—STELLA BONNER and WILLIAM JACKSON.




POLISHING WITH ERASER

A FLAT typewriting eraser is an excellent substitute for a polishing wheel in cleaning up delicate metal parts of models and other small work. Such an eraser is soft and just gritty enough to polish without endangering the piece. The eraser is mounted on a wood screw, which in turn is held in the polishing-head chuck as shown above.—DANIEL REYNOLDS.


ORDINARY waxed paper, such as is sold for wrapping sandwiches and foodstuffs, is convenient for lubricating and protecting shop tools and the exposed surfaces of machines. It is rubbed over the steel and leaves a slight deposit of wax—sufficient to prevent rust, yet not enough to make the surface oily or gummy.

If a large sheet of waxed paper is crumpled up and rubbed over the surface of a saw table, particularly in the gage track, the gage will work much more smoothly and the top will be protected against rust.



Rubbing the surface of a saw table and the gage track with waxed paper to make the gage work smoothly and to protect against rust

HOMEMADE Photo Accessories



The clamp is dropped over the negative and held by a sliding catch. The parts shown at right are, in order, the covering plate, three spacers, large clamp, another spacer, and sliding catch

By IVAN C. LUCKMAN

PHOTOGRAPHIC accessories are not only great timesavers, but their convenience is often responsible for the amateur's continued interest in photography as a hobby. Unfortunately, many of them are expensive, and, being designed for the average user, do not always exactly fit the needs of the individual. In such cases it is usually possible to devise a homemade substitute.

In most darkrooms, particularly during the winter when the air is dry and dusty, it is very difficult to keep the cover glasses in the negative carrier of the enlarger free from lint and dust. A negative holder is illustrated above that does not use any glasses yet holds the negative flat. In addition, it does not retain the heat from the light as much as a glass carrier.

A piece of veneer is cut to fit the carrier, and in the veneer a hole is cut slightly smaller than the outside dimensions of the negative. Paint the wood white so that you can easily see to locate the negative over the opening. The device for clamping the negative in place is made from 3/32-in. thick brass, and its opening should be the exact size of the opening in the wood. This brass clamp is mounted by means of two hinges soldered to its legs. It is a good plan to remove the hinge pins from the two hinges and replace them with a single long wire pin that connects the two so there will be no trouble in aligning the hinges while they are being soldered. Be sure to put spacers between the hinges and the board when assembling. Small bits of scrap film will do for the spacers.




A sliding catch, movable by means of the two slotted holes shown, is then screwed in place at the bottom end of the frame. If carefully made, it should be very difficult to move the negative after the clamp has been locked.

Many exposures are either lost or ruined because of the (Continued on page 91)

Glassless negative holder for enlarging, collapsible lens hood, adjustable masks, focusing magnifier, and other timesavers




The lens hood shown above can be left permanently in place. A length of music wire is annealed, coiled into shape, stretched to the desired length, and hardened. This collapsible frame is covered with any dark cloth




The semicircular device shown in two views above helps in enlarging. The spacer of tubing should be just long enough so that the segment will clear the front of the lens by about 1/8 in.

An adjustable border mask made from a worn-out ferrotype plate is illustrated at the right. The two L-shaped pieces are held together by two sliding clamps made as in the smaller photo above



Exact focusing is made easy with this inexpensive magnifier, fitted with a clock-spring clamp. It goes on the camera as shown above



\$2500⁰⁰ for PICTURES AT NIGHT



A picture like one of these may win you \$350⁰⁰

89 Cash Awards monthly

during January, February, March, 1936:

2 awards of \$100 ea. • 3 awards of \$50 ea.
4 awards of \$25 ea. • 10 awards of \$10 ea.
20 awards of \$5 ea. • 50 awards of \$2 ea.

\$250 GRAND AWARD

A \$250 Grand Award will be given to one of the six winners of the \$100 award; hence, the grand award winner receives \$350 for a single picture.



KODAK "SS" FILM . . . indoors or out, day or night, this film steps up any camera's picture-making range. Ultra-sensitive to the rays of artificial light, it is ideal for night pictures.

Accept nothing but the film in the familiar yellow box.



HERE'S your chance to discover a fascinating, new indoor sport—and try for a valuable cash award as well. Do it tonight.

No special skill is required . . . there's no expensive equipment to buy. Just make a picture at night, indoors or out. It's easy to do with Mazda Photoflood or Photoflash lamps and Kodak "SS" or Kodak Verichrome Film. And you don't need any expensive equipment . . . your present camera will do, if it can be set for "time." Read the simple rules . . . try for an award—*tonight*. Eastman Kodak Company, Rochester, N. Y.

RULES


- 1 Any number of pictures made on or after January 1, 1936, may be entered. Entries must be postmarked not later than midnight of February 15, March 15, and April 15—the three closing dates. Contests are open to any amateur in the United States and Canada (except employees of Eastman Kodak Company and those engaged in the manufacture or sale of photo supplies).
- 2 Prizes will be awarded *only* for pictures made at night, either indoors or outdoors, by artificial light. Winners will be chosen solely on subject interest and appeal, not on technical excellence.
- 3 Each prize-winning picture with negative and sole rights for advertising, publication, and exhibition in any manner shall become the property of the Eastman Kodak Company. If winning picture is of a person or persons, their (or, if under 21, the parent's) written consent to use the picture must be furnished before prize can be awarded.
- 4 Each print must bear, on the back, your name, address, make of camera, kind of film, and lights. No prints can be returned. Be sure to keep the negatives.

Mail prints only to


Prize Contest Office, Eastman Kodak Company, Rochester, N. Y.

FREE — a booklet, all about Night Pictures

Write for your copy of this booklet, or get it from your dealer, today. It gives complete information about Night Pictures . . . what film to use . . . how to set your camera . . . where to place the lights . . . suggests subjects. Eastman Kodak Company, Rochester, N. Y.



Timely Hints FOR CAR OWNERS



Bent radiator-grille rods being straightened with clothesline

Fixing Radiator Grille


IN AN accident recently, the decorative radiator grille on my new car was bashed in. When a garage man told me what it would cost for a new unit, I decided to try and straighten the old one myself. First of all, I secured a piece of strong, small-diameter clothesline. Looping the rope around one of the damaged uprights, I pulled cautiously but firmly. Bit by bit, I coaxed the bent rod back into place and in less than an hour I had taken the kinks out of all the uprights and the grille was back in shape and as good as new again.—J. P. W.



Removing Tire Patches

OLD tire patches can be removed quickly by making use of the heat of your car's exhaust manifold. Simply hold the tube and patch against the hot surface of the pipe for several minutes. When the patch is thoroughly warmed, it can be peeled off easily without damaging the surface of the inner tube.—E. J. N.


Washers Keep Cable Bolts from Sticking




BECAUSE the bolts on most battery-cable terminals are set in recesses to prevent turning, they are difficult to loosen when they become corroded. To prevent this, place a thick washer under each bolthead the next time you change cables. They will hold the boltheads free of the recesses and allow the bolts to be turned and rocked.—E. T. G., Jr.

"Gooseneck" Trouble Light

WHILE extracting a loose bolt from the flywheel housing on a car recently, I devised the "gooseneck" trouble light shown. Selecting a 7/16-inch dash-light bulb, I first soldered a six-foot length of flexible insulated wire to the center base terminal. Then I soldered a length of soft iron wire to the outer shell of the base. Finally, to the ends of both wires I soldered spring



clips. The clip from the iron wire is attached to the car frame, while the insulated wire is clipped to the opposite battery terminal. Being pliable, the iron wire can be bent into almost any shape to fit into any size opening.—J. A. B.



At top, the wheels are being run onto the inclined ramps. Above, ramps in level position

Automatic Lifting Ramps

PORTABLE ramps that will lift a car automatically can be made from two pieces of heavy planking and a few scraps of two-by-four. To raise the car, the ramps are placed in front of the wheels as shown in the top photograph. As the car is driven forward under its own power, the wheels climb the ramps and, when the weight passes the center supports, tip them into a horizontal plane.—P. R. T.

Handy Portable "Dolly"


FROM a sheet of asbestos or wall board, the car owner can make a handy portable "dolly" to protect his clothes when making repairs under his car. It consists simply of five slats, each six inches wide, hinged together with strips of stout canvas or leather. By placing the hinges on alternate sides as shown below, the "dolly" can be folded.—J. L. M.




Folding "dolly" in use for roadside repair work

Sleetproofing a Wiper

BY ALTERING your regular windshield wiper slightly you can make it work effectively during the heaviest sleet and snow storms. Fold several thicknesses of soft cloth over the rubber wiper blade to form a pad, and fasten it in place with two rubber bands placed at the ends. Then soak the pad in glycerin. One application lasts for several storms.—K. M.



FORD FACTORY-RECONDITIONED GENERATORS




Every Ford factory-reconditioned generator is carefully rebuilt and tested—ready to give new-generator performance.

THE Ford plan of factory-reconditioning the engine and other units and making them available to all Ford car and truck owners at low cost is one of the big advantages of Ford ownership.

The same Ford methods used in building the new Fords are used to recondition these exchange units. In the River Rouge factory at Dearborn, complete facilities are available—production methods are used—experienced men do the work. The units get careful inspection and production tests. That's why the work is right and exchange prices are low.

The generator is one of more than a dozen units included in the Ford exchange plan. These generators



The electrified conveyor supplies current to operate these generators until they are removed at the end for output test.


are reconditioned in the Ford generator plant—the same plant where all Ford generators are built.

In the reconditioning, the exchange generators are completely torn down. The parts are washed, then carefully inspected. All parts that are worn or damaged are thrown out. That's why many of the parts in the rebuilt generators are new parts. After assembly, these generators must pass the same tests as new ones. That's why they give new-generator performance.

The cost to the owner is actually less than for replacing the armature and brushes alone. And since the exchange is made quickly, the owner also saves time. This exchange service can be had from every Ford dealer.

FORD MOTOR COMPANY • DEARBORN, MICHIGAN

These large presses insert the bushings in the generator end-plates and then bur-nish them to accurate size.





BUBBLE PICTURES SHOW WHY!



BEFORE SHAVING

MOST LATHERS are made of bubbles too big to get to the base of the beard! Air pockets keep the soap film from reaching the whiskers. So the beard is only half-wilted.



AFTER SHAVING

COLGATE RAPID-SHAVE CREAM makes tiny bubbles that get clear down to the skin-line. Its rich soap film soaks your beard soft at the base. Makes your shaves last longer.


3 DAYS LATER



COLGATE "SKIN-LINE" SHAVES
LAST HOURS LONGER



BUILD VALUABLE SHIP MODELS WITH OUR Construction Kits



KIT 4S—Materials for *Great Republic*

IF YOU have advanced beyond the simplified ship model stage, you will find it well worth while to begin work on one of our standard models. Eleven of these kits are available, the latest being one for the famous American clipper ship *Great Republic*.

These eleven standard models are the finest of the many scale models Capt. E. Armitage McCann has designed for this magazine. Their value, when finished, is from twenty-five to several hundred dollars each, according to the workmanship. Each of them requires a number of different kinds of hard-to-get materials, and if you go out shopping for the individual items yourself, you will waste at least half a day's time and will have to buy much larger quantities than you have any need for. Besides, you will probably have to take some substitutes that will not give entirely satisfactory results in the finished model.

Our kits, on the other hand, are complete assortments of carefully selected raw materials. The blocks or "lifts" for the hull are sawed to shape, and the various strips of wood are cut to the correct width and thickness. Wire, rigging cord, brass, fiber, celluloid, chain, tubing, and all the small supplies are of the right size and quality.

The following is a complete list of our construction kits. Each is accompanied by the necessary blueprints or instructions.

MODEL-OF-THE-MONTH KITS

M.	Aircraft carrier <i>Saratoga</i> , 18-in.....	1.00
N.	Four U.S. destroyers, each 6¼-in.....	.75
O.	Liner S. S. <i>St. Louis</i> , 11-in.....	1.00
R.	U. S. cruiser <i>Tuscaloosa</i> , 11¾-in....	1.00
U.	<i>Hispaniola</i> , the ship in "Treasure Island," 7-in.50
Z.	H.M.S. <i>Bounty</i> , 11½-in.....	1.50
1M.	Show boat, illuminated, 14-in.....	1.50
2M.	Ocean freighter, 14-in.....	1.50
3M.	Yacht <i>Nourmahal</i> , 8⅝-in.....	1.00

STANDARD SHIP MODEL KITS

A.	Whaling ship <i>Wanderer</i> , 20½-in.....	\$7.40*
D.	Spanish galleon, 24-in.....	6.95*
E.	Battleship U.S.S. <i>Texas</i> , 3-ft.....	7.45*
G.	Elizabethan galleon <i>Revenge</i> , 25-in.	7.25*
L.	Farragut's flagship <i>Hartford</i> , steam-and-sail sloop-of-war, 33½-in. hull.....	8.45*
Q.	Privateer <i>Swallow</i> , 12½-in. hull....	4.95†



KIT O—An 11-in. model of the S. S. *St. Louis*

V.	Clipper <i>Sovereign of the Seas</i> , 20½-in. hull	4.95†
Y.	Trading schooner, 17½-in. hull.....	4.90†
2S.	U. S. Destroyer <i>Preston</i> , 31½-in. hull	5.95*
3S.	<i>Constitution</i> ("Old Ironsides"), 21-in. hull	6.50*
4S.	Clipper ship <i>Great Republic</i> , 31½ in. hull	8.40*

SIMPLIFIED SHIP MODEL KITS

F.	Liner S.S. <i>Manhattan</i> , 12-in.....	1.00
H.	Cruiser U.S.S. <i>Indianapolis</i> , 12-in.	1.50
J.	Clipper ship <i>Sea Witch</i> , 13-in.....	1.50

MISCELLANEOUS

- No. 4. Solid mahogany book trough 22½ in. long, 9½ in. wide, and 24¾ in. high over all. Ready to assemble, with finishes..... 5.30*
- No. 5. Solid rock maple hanging wall rack with one drawer, 19½ in. wide, 33¾ in. high. Ready to assemble and stain included..... 5.75*
- No. 7. Whittling kit with two shaped blocks for making sea captain 5½ in. high..... 1.50
- No. 8. Whittling kit for six Scotties. Each dog is 2 by 2¼ in. and sawed to shape..... 1.00

NOTE: If you live west of the Mississippi River or in Canada, add 50 cents to all prices marked with an asterisk (*) and 25 cents to all prices marked with a dagger (†). Otherwise all prices are postpaid anywhere in the United States or Canada. The kits marked with an asterisk or dagger will be sent C.O.D. in the United States upon request, but the purchaser will have to pay 28 cents additional.



NO. 7
Whittling Kit



KIT Q
Swallow

Popular Science Monthly,
353 Fourth Avenue, New York, N. Y.

Please send me Kit.....for
which I inclose \$.....(or send C. O. D. ☐)

Name

Address

City..... State.....
(Print name very clearly.)

Remit by money order, check, or registered mail. No kits selling for less than \$4.00 can be sent C. O. D. This offer is made only in the United States.


MINIATURE SAILS SERVE AS CANDLE SHADES

(Continued from page 66)

short dowel, drill a hole into which the bar of the clip can be firmly fitted.

From a similar dowel make the yards as shown, 4 in. long. The tops are disks of wood of 1½-in. diameter, with holes to fit the masts tightly and other holes for the shrouds.

In the masts bore holes as shown to take two parts of cord above and to take three parts below. Reeve the tops on the masts; then reeve cord through the holes in the tops and the holes in the masts, with both ends passing through the lower holes. Draw them



How the sail and yard are made and set up, and a sketch showing shape of the mast top

tight, fasten off with glued pegs, and cut close.

I made the sails of a scrap of rough, yellow silk, but any suitable material can be used. On them can be painted red crosses. They should be hemmed across the foot and down both sides, using the selvage for the head, if possible.

Now take pieces of thin wire about 12 in. long; reeve them through holes in the bowsprits and reeve each end up through the hems in the leeches (sides); drill holes through the yardarms and pass the ends *down* through these. The heads of the sails can be hitched or glued along the yards.

With pieces of wire fasten the yards to the masts. Hold the middle of the wire behind the mast, carry the ends over the yard and around them, then back around the mast underneath. Twist the ends together tightly. Now adjust the side wires so that the sails belly and the lower bights act as sheets to hold the corners out and back. Large beads will serve for trucks at the mastheads, or they can be turned.

The wooden parts are best stained brown. Do as much or as little antiquing as you like, and add suitable flagpoles and flags, if you wish.—P. O'N.

RESURFACING PULLEYS

BY A SIMPLE method I have discovered and frequently used, it is possible to improve a home workshop pulley that slips or even build up its face to a larger diameter for the purpose of changing the speed of a machine. The pulley to be resurfaced must be cleaned very thoroughly and roughened with a file or emery cloth. Then, to obtain a surface with the best nonslipping characteristics, prepare a mixture of three parts coarse sawdust to one part powdered asbestos and add sufficient water glass (sodium silicate) to make a cement. Spread this on the pulley with a flat blade. If a harder and more lasting surface is desired, use two parts of asbestos to one of sawdust. The asbestos is the type used to insulate house-heating boilers and commonly sold at hardware stores. The more of it is used, the harder the surface will be. If the mixture is kept in a pail set in warm water, the cement can be spread more easily. Also dip the blade frequently in warm water. Let the resurfaced pulley stand for at least twelve hours before being used. Allow more time if possible. What is of even greater importance is to make sure that the pulley is absolutely clean before starting.—W. PHAIR.

STEP UP, MEN, AND HEAR ABOUT THE FAIREST OFFER EVER MADE TO PIPE SMOKERS ANYWHERE



© 1935, R. J. Reynolds Tob. Co.

Unusual You-Must-Be-Pleased Plan Earns Instant Acceptance!

Here's the most attractive offer, we believe, that's been made to pipe smokers.

What you do—Simply go to your dealer and get Prince Albert. Smoke 20 pipefuls. If you don't say you've had the best pipe smokin' ever, the makers of Prince Albert will return full purchase price, plus postage, just as the offer says.

What to expect—We know that in Prince Albert we've got the quality—the taste and aroma—that men are

looking for. Men who have tried Prince Albert are satisfied with no other brand.

So now we ask that you, too, try Prince Albert under our positive you-must-be-pleased guarantee. Note the special "crimp cut." It makes Prince Albert cool, mild, and long-burning.

Prince Albert is packed right—in *tin*. And you are assured of your full money's worth in the big 2-ounce economy tin of Prince Albert... around 50 pipefuls. So start today to smoke Prince Albert.

OUR OFFER TO PIPE SMOKERS

Smoke 20 fragrant pipefuls of Prince Albert. If you don't find it the mellowest, tastiest pipe tobacco you ever smoked, return the tin with the rest of the tobacco in it to us at any time within a month from this date, and we will refund full purchase price, plus postage.

(Signed) R. J. Reynolds Tobacco Company, Winston-Salem, North Carolina.

50 pipefuls of fragrant tobacco in every 2-ounce tin of Prince Albert



PRINCE ALBERT *the national joy smoke!*

MAN, What Bargains!

Now every workshop can afford these
NEW LOW-PRICED
Black & Decker Electric Tools



NEW 6" Bench Grinder

EVEN the smallest shop can afford this power grinder. Just the thing for tool sharpening, light grinding, buffing, polishing, wire-brushing, etc. Equipped with tool rests, wheel guards, carrying handle and rubber feet which anchor it firmly without bolts. Fitted with "Compo" oil-less bearings. All moving parts carefully balanced. A great tool for only \$24.

NEW 1/4-INCH JUNIOR DRILL—a sturdy, practical tool which will handle a thousand and one jobs around the shop, home or garage. Drives twist drills up to 1/4-inch in metal; wood augers up to 1/2-inch. Also drives wheels for light grinding, buffing, wire-brushing, polishing, etc. Has big easy-grip handle; sliding thumb switch; powerful universal motor; 3-jaw keyed chuck. A sensation—for only \$19.50.

NEW 1/2-INCH JUNIOR DRILL (not shown) drills holes up to 1/2" in metal; 1 1/4" in wood; drives hole saws up to 3 1/2" in any material a hack saw will cut. A wonderful bargain—only \$35.

MAIL THE COUPON today for the name of nearest dealer where you can see these new B. & D. Tools and for free circular giving complete descriptions.



MAIL THIS COUPON NOW

The Black & Decker Mfg. Co.,
802 Pennsylvania Ave., Towson, Md.

Please send me Free Literature describing new low-priced Black & Decker Tools and the address of my nearest B. & D. dealer.

Name.....

Occupation.....


Address.....

City.....State.....

TURNED ROSETTES SERVE AS BOOK ENDS

LARGE rosettes, turned on the lathe, form the end blocks of the adjustable book rack illustrated in the drawings at the right. The rack itself is of a familiar type, with a bottom made of tongued-and-grooved members so that the ends may be moved in or out to suit the number and thickness of the books. Metal strips hold the ends of the slides from spreading and serve as stops.

The rosettes, after being turned to the design shown or to any other that appeals to the craftsman, are cut out as shown to fit over the end pieces and are attached with glue and screws driven from the inside. The original book ends were made of walnut and faced inside with velvet.—BIL GREDICK.



BLUEPRINTS FOR YOUR NEXT PROJECT

BEFORE you start a new project in your home workshop, make it a point to study our list of blueprints for suggestions. The following is a selected list, but many other plans are available. Send a self-addressed, stamped envelope for our complete list.

SHIP AND COACH MODELS

{ Construction kits are available for
some of these models. See page 84. }

Aircraft Carrier—U.S.S. <i>Saratoga</i> (18-in.) and flush deck destroyer (6 1/4-in.), 226-227-R.....	.75
Battleship—U. S. S. <i>Texas</i> (3-ft. hull), 197-198-199-200.....	1.00
Bottle, Clipper Ship in, 121-122.....	.50
Civil War Ships <i>Monitor</i> , <i>Merrimac</i> , and <i>Hartford</i> (3 1/2, 5 3/8, and 5 1/8 in. long respectively), 258.....	.25
Clipper Ship (20 1/2-in. hull), 51-52-53-R.....	1.00
Clipper Ship <i>Great Republic</i> (31 1/2-in. hull), 272-273-274.....	1.00
<i>Constitution</i> (21-in. hull), 57-58-59-R.....	1.00
Cruiser <i>Brooklyn</i> (8-in.), 236.....	.25
Cruiser <i>Tuscaloosa</i> (11 3/4-in.), 234.....	.25
Freighter, <i>Ocean</i> (14-in.), 271.....	.25
Galleon <i>Revenge</i> (25-in.), 206-207-208-209.....	1.00
<i>Hartford</i> , Farragut's Flagship (33 1/2-in. hull), special prints 221-222-R.....	1.50
H. M. S. <i>Bounty</i> (8 1/2-in. hull), 254.....	.25
<i>Mayflower</i> (17 1/2-in. hull), 83-84-85-R.....	1.00
Motor Boat, 29-in. Cruiser, 63-64-R.....	.75
Motor Boat, Working Model (20-in.), 196.....	.25
<i>Nourmahal</i> , power yacht (8 3/8-in.), 276.....	.25
Liner— <i>Aquitania</i> (9-in.), 225.....	.25
Liner— <i>California</i> (12 1/2-in.), 251.....	.25
Liner— <i>Normandie</i> (20 5/8-in.), 264-265.....	.50
Liner— <i>Manhattan</i> (12-in.), 204.....	.25
Liner— <i>St. Louis</i> (11-in.), 231.....	.25
Pirate <i>Felucca</i> (20-in.), 44-45-R.....	.75
Privateer of 1812— <i>Swallow</i> , a Baltimore clipper (13-in. hull), 228-229-230-R.....	1.00
Roman Galley (19-in.), 138-139-R.....	.75
<i>Santa Maria</i> (18-in. hull), 74-75-76-R.....	1.00
Show Boat, Illuminated (14-in.), 263.....	.25
Stagecoach with Horses, 144-145-146-R.....	1.00
Steamboat, <i>Mississippi</i> (19 1/2-in.), 94-95-96-R.....	1.00
Trading Schooner (17 1/2-in. hull), 252-253.....	.50
"Treasure Island" <i>Hispaniola</i> (7-in.), 237.....	.25
Viking Ship, (20 1/2-in.), 61-62-R.....	.75
Whaler— <i>Wanderer</i> (20 1/2-in.), 151 to 154.....	1.00
Yacht <i>Rainbow</i> (7 1/2-in. hull), 233.....	.25
Yacht <i>Sea Scout</i> (42-in. racing), 106-107-R.....	.75
Yacht (20-in. racing), 48-R.....	.50

RADIO SETS

All-Wave Portable (battery), 217-R.....	.50
Amateur Short Wave Receiver, 155.....	.25
Amateur Radio Transmitter, 183-184.....	.50
Five-Tube Short Wave (A.C. or D.C.), 223.....	.25
Full Electric Headphone Set, 130.....	.25
One Tube (battery operated), 103.....	.25
Screen-Grid Set, 109.....	.25
Short-Wave Converter Unit, 137.....	.25

FURNITURE

Chests, <i>Treasure</i> , 78.....	.25
Child's Costumer, 179A.....	.25
Coffee Table with Spiral Legs, 245A.....	.25
Double-Decker Bed for Boy's Room or Cabin, 277A.....	.25
End Table, <i>American Empire</i> , 241A.....	.25
Fireside Seats (wood and metal), 266A.....	.25
Floor Lamp with Tripod Base, 243A.....	.25
Lamps, <i>Three Modern</i> , 93.....	.25

Magazine Rack, Ladder-Back Style, 250A.....	.25
Mirror Frame, 20 by 30 in., 246A.....	.25
Pier Cabinet and Hanging Shelves, 77.....	.25
Screens, Modernistic Folding, 91.....	.25
Sewing Cabinet of 1812, 178A.....	.50
Sewing Cabinets, Two, 31.....	.25
Silverware Chest on Stand, 256A.....	.25
Smoking Stand, Modern, 238A.....	.25
Stool, Scoop-Seat, 242A.....	.25
Stool, Upholstered, 240A.....	.25
Table, Four-Leaf Card, 239A.....	.25
Tables, Tile-Top, 249A.....	.25
Tavern Table and Scroll Mirror, 105.....	.25
Treasure Chests, 78.....	.25
Welsh Dresser, 60.....	.25

BOATS

*Canoe, 16-ft. Canvas-Covered Kayak, with sail, etc., 192-193-194-R.....	1.00
*Duck Boat, Folding, 170-R.....	.50
High-Speed Boat for Small Outboard Motors (7 ft. 11 in. long), 257.....	.25
Installing Inboard Motors, 270.....	.25
*15 1/2-ft. Runabout or "Sportboat" (outboard or inboard motor), 175-176-177-R.....	1.00
*13-ft. Utility Rowboat (can be sailed or used with outboard motor), 224-R.....	.50
*13-ft. Racing Runabout, 261-262-R.....	.75

NOTE: Full-size patterns for any boat marked with an asterisk (*) will be drawn to order for \$1.50 extra.

TOYS

Doll's House, Colonial, 72.....	.25
Doll's House, Furniture, 73.....	.25
Projector for Photos and Pictures, 259A.....	.25
Toy Airplane Cockpit with Controls, 114.....	.25
Toy Birds and Animals, Jig-Sawed, 56.....	.25
Toy Drill Press, Lathe, Saw, etc., 113.....	.25
Toy Dump Truck, Fire Engine, etc., 101.....	.25

MISCELLANEOUS

Bird House, Log-Cabin, 244A.....	.25
Candleholders or Candelabra of Scroll Design, Wooden, 278A.....	.25
Drafting Table, 189A.....	.25
Hand Loom, Four-Treadle, 268A-269A.....	.75
Knitting Bag with Wooden Frame, Book Ends, and Collar Holder, 267A.....	.25
Microscope Kit, Portable, 220.....	.25
Night Lamp and Sewing Kit, 255A.....	.25
Perpetual Star Chart, 214.....	.25
Radiator Inclosures, 278A.....	.25
Six Simple Block Puzzles, 65.....	.25
Tie Rack, Extension Book Rack, and Turned Box, 247A.....	.25
Weather Vane, Ship Model Type, 66.....	.25

Popular Science Monthly
353 Fourth Avenue, New York

Send me the blueprint, or blueprints, numbered as follows:

I am inclosing.....dollars.....cents

Name.....

Street.....

City and State.....
Please print your name and address clearly.



STUDENTS BUSY AT WORK IN GREAT COYNE SHOPS

Learn ELECTRICITY

I'll Finance Your Training

Get training in 90 days, right here in the big Coyne Shops — not by correspondence — but on real electrical machinery. Mail the coupon below. If you are short of money I'll send you all details of my finance plan. If accepted, you won't have to start paying tuition back until **five months from the date you start school**, and then you'll have over a year to complete your payments.

Tremendous Developments Ahead in Electricity!

HERE is YOUR opportunity to cash in. Every day brings news of new developments in every branch of Electricity, including Diesel, with more opportunities, more jobs, and a greater future for the trained man than ever before. I consider the fellow who is ambitious enough to want to get ahead by taking my Training, worthy of my help. **MAIL THE COUPON BELOW** and you can prove to me that you are willing to spend just **THREE MONTHS** in the Coyne Training Shops Learning **ELECTRICITY**. Then, I'll tell you about my finance plan, which has enabled many to get complete Training and pay tuition back later.

Learn By Doing In 90 Days


Lack of experience or advanced education bars no one. I don't care if you don't know an armature from an air brake—I don't expect you to! It makes no difference! Don't let lack of money hold you back from getting all details of my amazing plan.

MANY EARN While LEARNING

If you need part-time work to help pay your living expenses and will tell us your problems we may be able to help you as we have thousands of others. Then in 12 brief weeks, in the great roaring shops of Coyne, we train you as you never dreamed you could be trained . . . on one of the greatest outlays of electrical apparatus ever assembled . . . real dynamos, engines, power plants, auto, switch-boards, transmitting stations . . . everything from doorbells to farm power and lighting . . . full-sized . . . in full operation every day!

TRAINING By Actual Work

No dull books . . . you get individual training . . . real actual work with only the theory you will need. Building real batteries . . . winding real armatures, operating real motors, dynamos and generators, wiring houses, etc. That's a glimpse of how we help to make you a master electrician, and fit you to qualify for jobs leading to the biggest pay.



Prepare For Jobs Like These

Here are a few of hundreds of positions in the electrical field. Our free employment bureau gives you a life-time employment service.

DIESEL OPERATOR
ARMATURE EXPERT . . . SUB-
STATION OPERATOR . . . AUTO
ELECTRICIAN . . . INVENTOR
MAINTENANCE ENGINEER
SERVICE STATION OWNER
RADIO EXPERT

Jobs-Pay-Future

"I owe my Electrical success to your 12 week shop course," says R. B. Umbarger of Tennessee. "Two weeks after leaving school I took a wiring job," reports E. O. Berndt of Illinois, "and the profits from this one job alone more than paid for the entire course." A. C. Hoehnle of Ohio says "Received several raises in pay, due to the training I received at Coyne." And I could quote from hundreds of letters of successful Coyne Trained Men. *What they have done, you should be able to do!*

DIESEL ENGINES Electric Refrigeration and Air Conditioning!
Included At No Extra Cost

Right now we are including our new courses in Diesel Electricity, Electric Refrigeration and Air Conditioning without extra cost. Thus, your training at Coyne will be complete and you will be qualified to get into these new, fast-growing fields.

GET THE FACTS

Coyne is your one great chance to get into electricity. This school is 37 years old—Coyne training is tested—proven beyond all doubt — endorsed by many large electrical concerns. You can find out everything absolutely free. Simply mail the coupon and let me send you the big, free Coyne book with photographs . . . facts . . . jobs . . . salaries . . . opportunities. Tells you how many earn expenses while training and how we assist our graduates in the field. This does not obligate you. So act at once.

**MAIL
Coupon
Today for
FREE!
BOOK!**



H. C. Lewis



Home of Coyne School

This is our fireproof, modern home wherein is installed thousands of dollars' worth of Electrical equipment of all kinds. Every comfort and convenience has been arranged to make you happy and contented during your training.

COYNE H. C. LEWIS, President Founded 1899
ELECTRICAL SCHOOL
500 South Paulina Street, Dept. 26-74, Chicago, Ill.

H. C. LEWIS, President
Coyne Electrical School, Dept. 26-74
500 S. Paulina St., Chicago, Ill.

Dear Mr. Lewis:—Without obligation send me your big free illustrated catalog, with all facts about Coyne Training and details of your "Pay-Tuition-After-Graduation" Plan.

Name _____ Age _____

Address _____

City _____ State _____



PLASTIC WOOD

FASTENS CASTERS and DRAWER PULLS

Now . . . end those irritating nuisances around the house—repair them quickly and permanently for only a few cents with Genuine Plastic Wood—reset loose drawer pulls, loose casters, loose bathroom fixtures, loose tiles—fill cracks in baseboards, floors, shelving, window frames, toilet seats—fix broken furniture, broken moulding—just press this putty-like preparation into place and it dries quickly to hard wood.

USE THE GENUINE

Genuine Plastic Wood is actual wood in putty form, when dry it is hard wood that can be sanded, sawed or carved—will hold nails and screws perfectly—will adhere to any clean, dry surface—wood, metal, porcelain or plaster—can be painted, varnished or lacquered—is waterproof, weatherproof and greaseproof.

Ask for the Genuine Plastic Wood—sold at all leading Paint, Hardware and Variety stores.




Plastic Wood also comes in white which is ideal for bathroom repairs.

CANS AND TUBES IN 9 COLORS


PLASTIC WOOD

TROLLEY SYSTEM FOR MODEL RAILWAY




HERE is a suggestion for model-railway fans who find the purchase of third-rail track a strain on their finances. For about four cents a foot, you can electrify ordinary mechanical track with a portable overhead system. Built in sections, it is well adapted to block signals or other control methods. And by equipping third-rail track with the system, you may operate two trains under separate control, or use the added circuit for any number of interesting remote-control schemes.

Your locomotive must be provided with either the simple bow collector of Fig. 1, or



Bow Type Collector
Fig. 1

Pantograph
Fig. 2



Details of Pantograph Shown in Fig. 2





Fig. 3

preferably with a pantograph like that in Fig. 2. The latter is assembled from narrow strips of sheet brass, loosely riveted together with tiny aluminum or copper rivets.

Figure 3 shows the overhead details for O-gauge track. Trolley poles consist of 1/2-in. hardwood dowels, cut about 1 1/4 in. longer than the height of the pantograph shoe above the track. Slots at the top receive the cross arms, which are plywood strips. The poles are screwed to plywood bases in which two parallel saw cuts have been made, 1/2 in. apart and 1 3/4 in. long, to accommodate the metal ties of the track. Place the poles at the middle tie of every other section of track, bending the sides of these ties parallel so they will slide snugly into the saw cuts.

Each section of trolley wire consists of a 25-in. length of No. 12 wire, either hard-drawn copper, brass, or copper-clad iron. The latter is recommended for its stiffness, which is useful on the curves. One end of each section is firmly anchored to the cross arm by forcing it through holes in the wood and bending the end over. The other end of the




Close-up of pantograph and cross arm of pole

section is gripped in a Fahnestock clip at the next cross arm. At each pole the wires overlap for an inch or so.


Ordinarily, the sections will be connected by a "jumper" at each cross arm, and the power transformer wired direct to trolley wire and track. For a permanent layout, you may wish to replace about every third jumper by a switch leading to a feeder wire. This method allows several trains to be operated at one time. The sections may also be connected to a feeder wire through low-resistance magnets which operate semaphores.

If third-rail track has been used, the trolley wire and third rail should be supplied through separate rheostats or transformers. One train then draws its power from the trolley, the other from the third rail, and they are under independent control. The third-rail circuit could also be used for remote control of the locomotive bell, couplers, or reversing relay. And, as a final suggestion, why not have part of your system third rail and part overhead trolley?—CHARLES D. SAVAGE.



The first diagram shows how to operate two trains independently on the same track; the second, a block-signal circuit for electrified mechanical track; the third, a section of third rail for operating a warning signal

IMPROVING EFFICIENCY OF CIRCULAR SAWS




Touching up the teeth occasionally with a slip stone helps keep a saw in good condition

NO MATTER how carefully a circular saw is filed, it begins to grow dull before it has been used an hour on hardwood. The interval between filings may be prolonged considerably by going over the teeth with a slip stone, tapering the rounded edges back to needle-sharp points. One or two quick strokes are all that are needed unless the saw is very dull. This treatment is especially recommended when working with brittle cabinet woods.

Commercial plants use beeswax or paraffin to lubricate circular saw blades. This enables them to slide through narrow cuts without binding, prevents overheating, and lessens the tendency to gum when cutting wood with a high pitch content. Many a home workshop planer saw has been ruined because it has been forced to cut hardwood when running hot. Keep a candle on hand, and apply it generously every time you use the saw. Press the candle against the saw and rotate the arbor. The heat of operation will distribute the melted wax.

Wash your saws with kerosene or gasoline periodically, and never put them away without first coating them with vaseline or cup grease. The same treatment given to all of your edged tools will prevent microscopic rust.—ALEXANDER MAXWELL.



To lubricate the blade, a candle is pressed against it while the arbor is turned by hand

IMPROVISED RUBBER RIM FOR SMALL BAND SAW

HERE is a kink to aid operators of small band saws ranging from 10 to 16 in. in wheel diameters: A cross section of an inner tube, I have found, will serve very well in an emergency as a substitute rubber rim on the wheels. The rubber band should be cut considerably wider than the width of the wheel because it is narrowed a good deal when stretched over the wheel. It will hold by itself, but may be fastened with cement if desired.—LAWRENCE E. LANGHAM.



My adventure with the invisible

by Lowell Thomas, *World Traveler—Radio Commentator*

MACHINES chattered around me, a bewildering complexity of mechanism endowed with superhuman faculties of precision. They had cost millions of dollars—years of thought and research. As I stood on the fifth floor of the Gillette factory in Boston I reflected: "Imagine this prodigious assembling of technological perfection, just to make a blade."

My guide corrected me, saying: "That isn't what we are turning out here. We are all collaborating here to produce a perfect edge. And that, actually and positively, is a thing that you *cannot see*."

I was to learn he was right. My guide took me upstairs and introduced me to a technician who presided over an amazing instrument. The pet gadget of the blond young modern Merlin from M. I. T. is a "sharpness comparer." Within its mysterious interior an adaptation of the weird usefulness of the photo-electric eye detects to an uncanny degree of accuracy whether that precious edge comes up to Gillette standards of sharpness.

There I realized that what my guide had told me was true. The perfect edge is perfectly invisible. It can be measured only with light-waves!

In my wanderings around the globe this is just about the most

astounding spectacle I have observed in modern industry. I mean all this mighty, elaborately mechanized organization engaged in producing the unseeable.

Electric furnaces in which coils of steel are hardened and tempered, furnaces that look like long, miniature tunnels. Inside they are 1500 degrees hot, outside they are so cool you can rest your hands upon them. Diamonds from the fields of Kimberley or Brazil that play their part in the testing machines. Microscopes with a 3000-power magnifying capacity. Cathode ray oscillographs that far outstrip man's poor faculties of perception or accuracy.

And all for what? To turn out something too fine for the human eye to perceive—to produce a shaving edge of incomparable keenness. The doctors of physics, the draughtsmen in the designing room, the toolmakers in the machine shop are constantly experimenting, to produce an even sharper, smoother-shaving edge—and it's difficult for me to imagine that today's Gillette blade could be improved upon. I know—I've tried them all—in all parts of the world.

So in view of what I've seen and experienced, I can't imagine how any shaver could select a blade other than Gillette.



Here are the facts about razor blades. Why let anyone deprive you of shaving comfort by selling you a substitute! Ask for Gillette Blades and be sure to get them.

GILLETTE SAFETY RAZOR COMPANY, BOSTON, MASS.

SAVE DAYS AND DOLLARS
WHEN YOU DECORATE—

One-Day Painting

WITH WALLHIDE, WATERSPAR, FLORHIDE
AND OTHER PITTSBURGH PAINT PRODUCTS

NO MORE NEED to move out when painters move in! One-Day Painting, introduced only a year ago, has banished redecorating muss-and-fuss, and cut the cost way down.

Now painters come in the morning and turn your rooms back to you by evening with everything in place. Walls, floors and woodwork are fresh and new—thanks to Pittsburgh's quick-drying Famous Four—Wallhide, Florhide Enamel, Waterspar Enamel, Waterspar Varnishes.

It's spring! Time to brighten up and freshen up. Try One-Day Painting—in your living-room, for example. You'll find it's real "parlor magic"! . . . To locate the nearest Pittsburgh Paint dealer, look under "Paints" in your classified telephone directory. Book on home decoration, "Designs for Living," on request. Also full information on the Pittsburgh Time Payment Plan.

WALLHIDE: For walls and ceilings. The Vitolized Oil used in Wallhide gives controlled penetration of oil, keeps the paint film alive. 15 soft petal shades; 12 semi-gloss colors.

FLORHIDE ENAMEL: For both interior and exterior floors. Long-wearing, quick-drying. 10 practical colors.

WATERSPAR ENAMEL: The magic one-coat, quick-drying enamel for furniture and woodwork. Dries to a beautiful china-like gloss. Pleasant odor during application. 18 colors to harmonize with Wallhide. 12 special auto colors.

WATERSPAR VARNISHES: Clear and colors. For woodwork and floors. Varnishes and stains at same time. Dries in 4 hours.

For exterior painting—**Patton's SUN-PROOF PAINT:** The Field-Tested paint that withstands extremes of climate. Covers 25% more surface per gallon, lasts 1 to 3 years longer than poor paints. 24 attractive colors.


TUNE IN: Pittsburgh Symphony Orchestra, playing the music you love, every Thursday, 8:30 P.M. (E.S.T.), N.B.C. Blue Network and Associated Stations.



Paint **PITTSBURGH** Glass
PLATE GLASS COMPANY
PAINT DIVISION, PITTSBURGH, PA.

Makers of Wallhide Paint • Waterspar Enamel and Varnish • Florhide • Sun-Proof Paint • Gold Stripe Paint Brushes
Polished Plate Glass • Pennvernon Window Glass • Carrara Structural Glass • Mirrors • Duplate Safety Glass

RACK OVER WORKBENCH KEEPS TOOLS HANDY



THERE are tool racks and tool racks, but here is one that is especially handy because the tools are suspended directly over the bench, where the workman has only to reach up to get the right one. Small hooks are welded to a light metal strap, which is twisted and bent so that it may be fastened to each end of the bench.—JOSEPH C. COYLE.

HOMEMADE OSCILLOSCOPE

(Continued from page 59)

unit and the lamp house are lined up as shown in the illustrations, so that the vertical slit of light reflected by the vibrating mirror shines on the center of the scanning screen. The light beam should then travel parallel to the edge of the baseboard.

The focusing lens, taken from a ten-cent camera and cemented to a sheet-copper mount, is moved back and forth in the path of this beam of light till a sharp image of the slit on the lamp house appears on a piece of paper held against the condensing lens. The focusing lens is then cemented permanently.

When the paper is removed, the vertical slit should be focused directly on the condensing lens, whereupon a point of light will appear on the ground glass back of the lens. Any movement of the vibrating mirror causes a greatly magnified movement of this point.

Details of the sound recorder, which records sound waves on No. 120 roll film, are shown in a drawing and one of the photographs. The two dowels used must be covered with velvet as the sensitive side of the film passes over them. The recording drum was cut from the handle of a discarded broom.

The film replaces the ground glass of the scanning screen and also takes the place of the revolving mirror unit, which should be removed. The ground glass is removed and the scanning screen turned around, but take care that the slit of light is still sharply focused on the condensing lens. The recording unit should be located with $\frac{1}{8}$ -in. clearance between the condensing lens and the recording drum, before focusing. A focusing screw is added so that the spot of light may be focused accurately on the film.


To facilitate focusing, drill a $\frac{3}{8}$ -in. hole through the recording drum directly in back of the condensing lens. By threading a piece of discarded film through the recorder, the condensing lens can be slowly moved closer to the film by means of the focusing screw until the spot of light on the film, viewed through the hole in the drum, is as sharply focused on the film as possible.

The actual recording must be done in a photographic darkroom under a red light safe for film. Thread the end of the film through the recorder, after making the recorder light-tight as shown in the photograph. With the recorder connected to the radio, pull the film past the condensing lens quickly and evenly when the sound you wish to record occurs. Then develop the film as usual. Use ordinary film because it is not as sensitive to stray light as the faster types. The oscillograms illustrating speech and the a.-c. hum were made by this method.

PHOTO ACCESSORIES

(Continued from page 80)

lack of a lens hood. The hood illustrated is made from a length of annealed piano wire coiled into a spiral spring, hardened, and then soldered to the outside ring of a filter holder or a band made to fit the lens snugly. It is then covered with rather thick black cloth. The hood may be left permanently in place on the front of the camera as its spring construction permits it to fold up out of the way as the camera front is closed. If you use a filter holder, its usefulness will not be impaired because you can still unscrew the clamping ring and insert the filter glass. The filter glass itself, when not in use, can be carried conveniently in a small chamois




An accurate square or rectangular opening may be cut merely by folding the paper twice

pocket glued to the bed of the camera underneath the bellows.

Even a camera with a ground-glass back cannot produce wire-sharp negatives unless the focus is sharp. In poor light it is difficult to get the focus exactly right. A ten- or fifteen-cent magnifying glass with the handle sawed off and mounted by means of a clock-spring clamp to the hood covering the ground glass will make exact focusing easy even when the light is bad. Anneal the clock spring by heating it in the fire, bend it to the shape shown, and reheat and quench in water to restore the temper.

The semicircular gadget for the enlarger is also a great convenience. It is best made from a piece of heavy tin or light brass. This is pierced with three holes located on an arc that centers on the bolt hole, and each of the holes is of a diameter equal to the diameter of the enlarging lens. The front panel of the enlarger is drilled for a tight fit for a 1/4-in. stove bolt.

The first of the three holes is bisected with a piece of very thin metal or heavy paper about 3/16 in. wide. When this opening is placed in front of the lens, it acts as a check on the focus. If the lens is out of absolute focus, a double image is seen on the paper, and only when the lens is adjusted for absolute sharpness does the double image disappear. The center (Continued on page 92)




A few of the mask openings that can be cut with perfect uniformity by using a trimmer

Try a snapshot like this *tonight!*



Put a G-E MAZDA Photo-flood lamp in each A and B and one in C. Tilt shades to light subjects or use handy cardboard reflectors as shown. Use supersensitive film in a camera with F/6.3 lens. Open diaphragm to F/6.3 and click shutter at 1/25.




Easy with G-E MAZDA Photo lamps

What a picture! Think how *you* would treasure one like it!

You can snap scenes like this and pictures of parties and friends *at night* easily... with G-E MAZDA Photo lamps.


All you need is a camera with an F/6.3 (or faster) lens, supersensitive film and a few G-E MAZDA Photoflood lamps. They're good for dozens of pictures and cost only 25 cents list. Then follow the directions above.




Ask your dealer about the current \$2500 prize contest for night pictures

BOX CAMERA OWNERS and those with slow lens folding cameras can get good pictures with quick time exposures; or with G-E MAZDA Photoflash lamps. These lamps get the picture before subjects wink an eye. They operate in flashlight battery reflectors as well as on house current. Each lamp gets one picture. 15 cents list.


Get some lamps and film from your druggist or camera dealer and try a few snapshots tonight. General Electric Company, Nela Park, Cleveland, Ohio.

Look for this mark  when you buy photo lamps and you will be sure of dependable light for picture-taking.

GENERAL ELECTRIC MAZDA PHOTO LAMPS



But there is hope for Bill!



—clears the skin
by clearing skin irritants out of the blood

Copyright, 1936, Standard Brands Incorporated

Don't let Adolescent Pimples kill YOUR dates

DURING the years following the beginning of adolescence—from about 13 to 25, or even longer—important glands develop and final growth takes place. This causes disturbances throughout the body. The skin becomes oversensitive. Waste poisons in the blood irritate this sensitive skin and pimples break out.

Fleischmann's Yeast clears the blood of skin irritants. Pimples go! Eat 3 cakes a day until your skin clears. Start today!

PHOTO ACCESSORIES

(Continued from page 91)

opening is covered with a piece of red cellulose wrapping material and is used until the sensitive paper is properly arranged. The third opening is left clear for the exposure. A small split washer or a few turns of coil spring placed under the head of the stove bolt will provide sufficient friction to hold the required opening firmly in place.

A foolproof and easily operated border mask can be made by cutting two L-shaped pieces from thin tin such as a worn-out ferrotype plate. The two right angles are then joined by means of two adjustable sliding clamps that enable any size rectangle or square to be framed with the assurance that the sides will always be parallel. The legs of the angles as shown are $1\frac{1}{2}$ in. wide, but they can, of course, be made any width that will suit your purpose. The only precautions to be observed are the proper squaring of the angles before cutting the tin and the right-angle relation of the two sides of the clamps.

Few amateurs realize that a trimming board can be used to cut perfectly true masks of almost any regular shape. Simply fold the masking paper to give the desired shape and cut the mask with one or two cuts, as shown. It will not be a serious matter if you over-cut along any line because the pressure of the printing frame will close these cuts.

There are several methods of aftertreatment for prints, such as toning, as well as some methods of developing negatives that are likely to fail if the enamel lining of the tray used has any imperfections. Even invisible cracks may cause no end of trouble. There are, however, various ways to improvise trays. For an occasional experiment, an old inner tube will provide the rubber to line a cardboard box, or the rubber can be cemented into a wooden or metal tray for continuous use. Cut the corners of the rubber



A cardboard tray lined with rubber

so that they will lap and form a long joint, which must be firmly cemented.

Incidentally, there are many uses for an inner tube around the darkroom. Stretched over your developing table and tacked or cemented in place, it makes an indestructible and solutionproof covering. Split and threaded at one end with a piece of tape or cord, it makes a fine waterproof apron.

Ferrotype tins will not stick to the prints if they are washed with a good grade of laundry soap to remove the invisible scum. Use boiling water for this washing, then rinse them with more scalding water. Wash each plate a second time with pure Castile soap and moderately hot water, and rinse with water of the same temperature. Then polish to a high finish with a very soft cloth. They will need no further attention for at least a month if they are used regularly. If you use chromium ferrotype plates, clean them occasionally with a little moist household cleanser of a strictly nonscratching type to remove the scum and watermarks.

STEEL BASE SUPPORTS MODERN STAND

(Continued from page 66)

bend. The long curve of the uprights can be hammered to shape by pounding it on the flatter part of the neck of an anvil. When the curves have been made symmetrical, mark the point for the square turn at the upper end, on which the top slab rests. Prepare the other wrought-iron legs in the same way so that the curves match. Drill the flat portion for three $\frac{1}{4}$ -in. rivets, and drill holes for the screws which fasten the top in place with a $\frac{3}{16}$ -in. drill. Lay out and drill the base.

Now cut the top to size. In the original stand, the top was made of plywood. If nar-

List of Materials

Top—1 pc. $\frac{3}{4}$ -in. fir plywood $12\frac{1}{2}$ by $20\frac{1}{2}$ in., or birch or maple strips glued together.

Uprights—2 pc. wrought iron or mild steel $\frac{1}{4}$ by 1 by $42\frac{1}{2}$ in.

Base—1 section of auto frame at least 7 in. wide and 16 in. long, or 1 pc. 7- or 8-in. channel steel 16 in. long, or 1 pc. white pine $1\frac{3}{4}$ by $7\frac{1}{2}$ by 16 in.

Fastenings—6 roundhead rivets $\frac{3}{4}$ by $\frac{1}{4}$ in.; 8 roundhead screws, $\frac{7}{8}$ -in. No. 10.

row strips are glued together, select the wood carefully and see that the annular growth rings are reversed in adjacent pieces. This will reduce the factor of warping.

Rivet the wrought-iron pieces to the base with the round heads up. Use a rivet set and hammer the rivets on the underside of the base until they hold the wrought-iron pieces firmly. If a wooden base has been used, fasten the wrought iron to the wood with $1\frac{1}{2}$ -in. No. 12 roundhead screws. Turn the base assembly upside down on the underside of the top. By careful spotting and measuring, locate the marks for drilling the top for screws. Use a $\frac{1}{8}$ -in. drill, being cautious so that the drill does not penetrate the top. Fasten the top to the base with the $\frac{7}{8}$ -in. No. 10 roundhead screws.

Finish the piece with gloss enamels. If the iron and steel parts are the least bit rough, they should be made smooth with a file and emery cloth. Wipe off all filings and dust with gasoline or turpentine. Two contrasting colors should be used, the top of one solid color and the base assembly of another. The top, for example, could be a rich red or brown with black understructure. Two coats are usually necessary to cover thoroughly, with a slight rubbing with fine or worn sandpaper between coats.—H. W. ANDERSON.

IMPROVISED HOLDER FOR CUT FILMS AND PLATES

AMATEUR photographers who own a film-pack camera but have no plate holders, can improvise a plate holder or cut-film holder when necessary from an empty film-pack container and a few pieces of cardboard. Take the container apart and bend the springs to make them stronger. Go into your darkroom, lay the plate or cut film inside the front part of the container, emulsion side down, and place sufficient cardboard fillers on the plate, before laying in the black shield and springs. Now reassemble the container, put it in the film-pack adapter in the customary way, and close the latter.—ROBERT YOUNG.

PLAIN HYPO SOLUTION CLEANS TARNISHED SILVERWARE


ORDINARY photographers' hypo solution, if made up without acid, is excellent for cleaning tarnished silver without wearing away the surfaces as abrasive polishes are likely to do unless cautiously applied.—E. V. B.

HEARD THE NEWS? *It's a Boy!*

EDGEWORTH Jr. *for pipes and cigarettes*



A blessed event from the makers of Edgeworth



WRAPPED IN MOISTURE-PROOF CELLOPHANE

THE MAKERS of Edgeworth proudly announce a new addition to the family—*Edgeworth Junior*, designed especially for those who want Edgeworth quality in a tobacco for both pipe and cigarettes.

For those who want a tobacco made *exclusively for pipes*, there will always be the regular tins of Edgeworth Ready-Rubbed and Edgeworth Plug Slice—unchanged. The new *Edgeworth Junior* will appeal to those who are now using a tobacco suitable for *both pipe and cigarettes*. It is their opportunity to get Edgeworth mildness and flavor in their favorite form of tobacco.

Try *Edgeworth Junior*—the new, light, free-burning, twofold tobacco. It may be the tobacco you're looking for. Larus & Brother Co., Richmond, Va. Tobacconists since 1877.

CORN COB PIPE CLUB OF VIRGINIA
Back on the air... Crossroads fun, frolic and old-time music. Every Saturday Night at 10:30 (Eastern Standard Time) over coast-to-coast NBC Red Network, direct from Richmond, Va.



● Atkins 400—the elite of all fine hand saws—the very best that money, brains, experience and the skill of experts can make. Home crafters and carpenters know it actually is a “Lifetime” Saw—its lasting quality is in the blade.

SILVER STEEL, No. 400 skew back, 4 gauges taper-ground for easy sawing clearance, uniform temper extra sharp teeth hold their edge. Mirror polish. Choice, selected Rosewood handle, Improved Perfection Pattern, prevents wrist strain—will not slip with moist hands. 3 nicked screws and medallion. Regular width or ship point pattern. 24" or 26" individually boxed. No. 401 straight back pattern also \$5.50. Atkins No. 53 skew back or No. 65 straight back, **SILVER STEEL** applewood handle, Perfection Pattern 24" or 26" \$3.00.

E. C. ATKINS & COMPANY
428 S. Illinois St., Indianapolis, Ind.

ATKINS
Silver Steel
SAWS



Send 10c for HOW-TO-DO-IT Book, shop layouts, furniture, making wood joints, where to get 525 plans, and illustrated home workshop saw catalog.

E. C. Atkins & Co., 428 S. Illinois Street, Indianapolis, Ind.

Enclosed 10c. Send HOW-TO-DO-IT Book to—

Name

Address

I am also interested in saws for

SPARS FOR THE GREAT REPUBLIC MODEL

(Continued from page 74)

called the dolphin striker, tapers from the middle to the ends. It has an eye above to engage that in the cap, and cleats for the stays. The latter are made of flattened wire, pushed through and bent down. The arrowhead at the end is a piece of brass. It is well to bind the ends of this and the spanker boom and gaffs with fine wire to prevent splitting.

The spreaders for the jib-boom guys are of similar shape, but thinner. They hook to bolts in the sides of the cap, and each has two little wire eyes for the guys to reeve through.

The three upper yards need spider bands at the yardarms, with eyes above and abaft, except at the mizzen where they are above and before. The yards below also have eyes underneath. I made these of twisted wire.


All the yards require jackstays. I made the bolts for these of tiny wire staples, through which I rove straight wires. The yards also need bolts amidships for the halyards, and they have to be fitted with footropes. The jackstays and footropes are all of the same size material, but other parts must be in proportion to the size of the yards.

My practice is to make footropes and stirrups of black, silk-covered magnet wire, No. 32, because cord will not hang in position. A stirrup is made by twisting the wire around another piece of wire to form an eye; next measure and bend the other end, slip it under the jackstay, and give it a twist. Then reeve the footrope through and twist the ends to the lower eyebolts or jackstay, as shown. The length of the stirrups will vary from 1/2 in. on the lower yards to 5/16 in. on the skysail, hanging the footropes 1/4 in. below the center of their yards. The footropes of the larger yards are divided and cross, but on the smaller yards are continuous from end to end.

The skysail, royal, and topgallant yards have wooden saddles bolted to them, with strip-metal parrels to go around the masts. The latter are nailed to the saddles with pinheads.

The upper topsail yard has to extend from the mast so that its sail will set right, so I gave it a truss like that for a lower yard, but smaller and with a parrel abaft. This parrel I made of metal strip, pinching a lug on one side, soldering it to the truss, and leaving long lugs on the other side, to be soldered together when I put it in position around the mast.

For the lower-yard trusses I bent to shape a piece of No. 18 copper wire, hammered it flat vertically in the middle and horizontally at the ends; these ends



Diagrams showing actual thickness of cords and sizes of blocks and deadeyes

I then soldered between the ends of bands to fit around the yards. It should be made to allow the yard to turn horizontally and vertically, but I just drilled it in the middle and nailed it to the mast with a No. 20 escutcheon pin, with a little brass sleeve between truss and mast.

The lower topsail yards need iron sheaves amidships for the chain ties. These I made from a dumb-bell-shaped piece of brass and a brass disk (see drawing of the yard). The pin is soldered in position after nailing the shell of the block to the yard.

Under the lower topsail and lower yards I put the blocks for the chain topsail sheets, as these are permanent fittings. They are made like those just described, but wooden sheaves cemented in will serve.

Before putting anything else on the yards, I gave them bands like those on the masts, where the halyard bolts and topsail sheet blocks go.

The actual rigging of the ship will be taken up in the next article of this series.

KEY TO RIGGING PLANS

To save space the following abbreviations are used:

F	fore	P	port	TM	topmast
hal	halyards	R	royal	TS	topsail
L	lower	S	starboard	TG	topgallant
M	main	Sp	spanker	U	upper
Mz	mizzen	T	top		

The parts are numbered as nearly as possible in the order of application to the model. The letters below a part are details to be applied to that part before installation. The sizes of cords and blocks are indicated by small letters following the name of the part. Cord a is equivalent to No. 20 (B. & S.) gauge wire; b to No. 24 wire; c to No. 30; d to No. 34; e to No. 70 sewing cotton. Blocks f are 3/16 in.; g 5/32 in.; h, 1/8 in.; j, 3/32 in. Deadeyes k are 3/16 in.; l, 1/8 in.; m, 3/32 in.

(Continued on page 95)

Nº OF PART	DIAM.	LENGTH
★ 1	○	3"
★ 2 - 3	○	9"
★ 4	○	8 5/16"
★ 121	○	7"
22 - 27	○	7 1/16"
31	○	6 1/2"
124	○	5 9/16"
45	○	7"
53	○	5 5/8"

Full-size diameters and lengths of all spars. The lengths of the masts marked with an asterisk (*) are how far they project from hull

Nº OF PART	DIAM.	LENGTH
105	○	10 5/16"
117	○	11 1/4"
101 - 144	○	8 3/8"
113	○	8 5/8"
97-109-140	○	7 1/8"
81-93-136	○	5 3/4"
69-77-89	○	4 3/4"
65-73-85	○	3 3/4"
61	○	2 3/4"
17	○	8 3/16"
129	○	3 7/8"
132	○	3 5/16"
135	○	1 5/8"

KEY TO RIGGING PLANS

(Continued from page 94)

- | | |
|------------------------|------------------------|
| 1 Bowsprit | 62 Mz skysail lift d |
| a jib-boom cleat | 63 Mz skysail hal dh |
| b cap | 64 Mz skysail braces |
| c bees (P & S) | ej |
| dbobstays (hearts) | 65 Mz royal yard |
| e bowsprit shrouds | 66 Mz royal lift d |
| (hearts) | 67 Mz royal hal ceh |
| f gammoning | 68 Mz royal braces ej |
| g handropes and | 69 MzTG yard |
| staysail net | 70 MzTG lift c |
| 2 Fore lowermast | 71 MzTG hal cdh |
| h bands | 72 MzTG braces ef |
| i paunch | 73 Main skysail yard |
| j belaying-pin | 74 M skysail lift d |
| band | 75 Main skysail |
| k futtock band | hal deh |
| mtruss band | 76 Main skysail |
| n cleat and bolt | braces ej |
| for TS hal | 77 Main royal yard |
| o top | 78 Main royal lift d |
| p futtock shrouds | 79 Main royal halcdh |
| q cap | 80 M royal braces dj |
| z cheeks (P & S) | 81 MTG yard |
| 3 Mainmast | 82 MTG lift c |
| (parts as for 2) | 83 MTG hal cdg |
| 4 Mizzenmast | 84 MTG braces dh |
| (parts as for 2) | 85 Fore-skysail yard |
| 5 F stay a | 86 Fore-skysail lift d |
| 6 M stay a | 87 Fore-skysail hal |
| 7 Mz stay a | dch |
| 8 F shrouds a | 88 Fore-skysail |
| 9 M shrouds a | braces ej |
| 10 Mz shrouds b | 89 FR yard |
| 11-13-15 Cap stays a | 90 FR lift d |
| 12-14-16 Cap back- | 91 FR hal cdh |
| stays a | 92 FR braces dj |
| 17 Jib boom | 93 FTG yard |
| r boom footropes | 94 FTG lift e |
| 17a Spreaders | 95 FTG hal cdg |
| 18 Martingale boom- | 96 FTG braces dh |
| 19 Martingales | 97 FUTS yard |
| 20 Backropes (P & S) | 98 FUTS lift b |
| 21 Boom guys b | 99 FUTS hal acf |
| 22 Fore-topmast | 100 FUTS braces dg |
| s crossrees | 101 FLTS yard |
| q cap | 102 FLTS lift b |
| 23 FTM shrouds bl | 103 FLTS hal cf |
| 24 FTM backstaysak | 104 FLTS braces dg |
| 25 FTM stay a | 105 Foreyard |
| 26 Inner jib stay a | 106 Foreyard slings |
| 27 Main topmast | 107 Foreyard lifts dh |
| (parts as for 22) | 108 Foreyard braces cf |
| 28 MTM shrouds bl | 109 Main UTS yard |
| 29 MTM backstaysak | 110 Main UTS lift b |
| 30 MTM stay a | 111 Main UTS hal acf |
| 31 Mizzen topmast | 112 MUTS braces dg |
| (parts as for 22) | 113 Main LTS yard |
| 32 MzTM shrouds bl | 114 Main LTS lifts b |
| 33 MzTM backstays | 115 Main LTS hal cf |
| ak | 116 MLTS braces dg |
| 34 MzTM stay a | 117 Main yard |
| 35 Fore TGR skysail | 118 Main yard slings |
| 36-37 FTG stays b | 119 Main yard lifts dh |
| 38 FTG shrouds b | 120 M yard braces cf |
| 39 FTG backstays bl | 121 Spanker mast |
| 40 F. R. stay c | 122 Spanker mast |
| 41 FR backstay cm | shrouds bl |
| 42 Skysail stay d | 123 Spanker mast |
| 43 Skysail backstays d | stay b |
| 44 Jacob's ladder (at | 124 Sp topmast |
| FMMz masts) | 125 SpTM stay b |
| 45 Main topgallant | 126 SpTM backstay |
| mast | cm |
| 46 MTG stay b | 127 SpTGM stay d |
| 47 MTG shrouds b | 128 SpTGM backstay |
| 48 MTG backstays bl | dm |
| 49 MR stay c | 129 Sp boom |
| 50 MR backstays cm | 130 Sp boom topping |
| 51 Skysail stay d | lift ch |
| 52 Skysail backstays | 131 Sp boom sheet bg |
| d | 132 Sp gaff |
| 53 Mizzen topgallant | 133 Sp gaff span |
| mast | 134 Sp gaff vangs eh |
| 54 MzTG stay b | 135 SpU gaff |
| 55 MzTG shrouds b | 136 MzUTS yard |
| 56 MzTG backstays | 137 MzUTS lifts c |
| bl | 138 MzUTS hal bdg |
| 57 MzR stay c | 139 MzUTS braces dg |
| 58 MzR backstays | 140 MzLTS yard |
| cm | 141 MzLTS lifts c |
| 59 Mz skysail stay d | 142 MzLTS hal dg |
| 60 Mz skysail back- | 143 MzLTS braces dg |
| stays d | 144 Mz yard |
| 61 Mz skysail yard | 145 Mz yard slings |
| All yards have | 146 Mz yard lifts dh |
| following parts | 147 Mz yard braces dh |
| u parrels | 148 U gaff span d |
| v jackstays | 149 U gaff vangs d |
| w footropes | |
| x eyebands | |

Note: Offside halyards not shown abaft masts.

WHAT DELTA QUALITY MEANS in motor-driven tools

"Quality" applied to Delta Tools is more than an adjective. It is something real, something you can get hold of—an actual fact recognized by tens of thousands of users of motor-driven tools all over the world. Delta tools represent real economy because they offer:

1. BUILT-IN QUALITY—Even where it cannot be seen, there is quality in Delta workmanship and materials that means longer and better service. For example: The Delta scroll saw will handle finer blades without breakage than any other scroll saw we have ever seen—because of the care used in the design and manufacture of the chucks and head mechanism reducing the effect of inertia to the minimum.

2. ACCURACY—Careful, consistent adherence to rigid standards of accuracy in construction is characteristic of all Delta Tools. For example: The wheels on the new Delta grinders are balanced to 1/100 inch-ounce. This is unusual and expensive but makes possible new standards of accuracy in grinding.

3. CONVENIENCE—Every Delta tool is designed from the point of view of the user, to afford the utmost in convenience and ease of operation. For example: The patented Delta Jointer Fence with its Dual Control Handle offers convenience not found even in the expensive heavy, so-called production tools.

4. DESIGN—In the field of improved tool design, in scores of instances Delta has pioneered the way, and in some cases revolutionized existing tools. For example: The Delta Scroll Saw, universally copied but never equalled, and embodying many new basic principles, introduced a new era in Scroll Saw design.

5. SAFETY—Guards that actually guard are furnished for Delta Tools—guards that meet the rigid requirements of the Wisconsin Industrial Commission. In addition every effort is made to make dangerous operations safe. For example: The new Delta Tenoning attachment eliminates all risk from dangerous tenoning.

6. SERVICE AFTER SALE—Complete carefully prepared instructions have always been furnished with all Delta Tools. Satisfaction after purchase is guaranteed and given! Delta tool owners are constantly informed as to new uses for their tools. For example: Delta tool users receive regularly without charge a complete magazine showing new projects, shop notes, new kinks, and enlarging the field of usefulness of Delta Tools!

send for
1936
CATALOG

It is crowded with photographs and information about the new line of 1936 Delta tools. It contains much valuable information that every man interested in motor-driven tools should have. Mail coupon without delay. Enclose only 10 cents at same time for Book No. 2 of Practical Delta Projects, 32 pages of new and novel things to make, with numerous blue prints, working drawings, photographs and illustrations—and complete directions.

DELTA MFG. CO.
600-634 E. VIENNA AVE.
MILWAUKEE WIS.

A Complete Line of Motor-Driven Tools



**New
Shaper
Unit**


One of the many new Delta Tools that every woodworker should have. Has many new basic features including extra large table, interchangeable spindles, completely adjustable fence, complete guarding system, high speed (30,000 cuts per minute), complete range of sash and cabinet cutters.




A complete line of advanced improved grinders; basically better than any ever offered! Belt-driven, motor-driven and pedestal models.

10 inch and 14 inch Band Saws of radically improved design. Special model for metal cutting. Numerous advantages and special features.

A full line of high speed and "slo-speed" drill presses, bench and floor type models, for metal and wood drilling. Delta Drill Presses offer you more than your money's worth.



A Delta Scroll Saw that revolutionized Scroll Saw design.



New 10-Inch Circular Saw

Sets new standards of Circular Saw efficiency. Embodies all the features that made the Delta 8-inch saw famous but in addition has greater capacity, larger, heavier table and numerous added conveniences. For full details write for 1936 Delta Catalog and Special Bulletin on 10-inch Circular Saw.

DELTA MANUFACTURING COMPANY,
600-634 E. VIENNA AVE., Dept. B236
MILWAUKEE, WISCONSIN

I enclose 10c (stamps or coin), for which please send me one copy of Book No. 2 "Practical Delta Projects." Also place me on your mailing list to receive 1936 Delta catalog of quality motor-driven wood-working tools.

Name.....

Address.....

City.....

State.....

☐ Check here if you are a Delta user now.



**"THEY WON'T
PULL THAT AGAIN"**

Gentlemen:

We started out on a fast 10,085 mile trip with a full crankcase of "just as good" oil, and in 1700 miles burned up 9 quarts of oil. We re-filled with another "just as good" oil, but had to add on an average of every 190 miles.

At Seattle, we changed to Quaker State, and after driving another 2400 miles found that we had added but 3 quarts or about 800 miles to the quart. Refilled with Quaker State and drove home to Miami in five days...adding a quart every 700 miles, until along the road we again refilled with another oil which made it necessary to add every 200 miles.

The foregoing is ample evidence to us that Quaker State will stand up from two to three times as long as any other oil even under severe high-speed driving conditions.

Very sincerely yours,

W G Simmons





"First choice of Experience"

QUAKER STATE WINTER OILS

Retail Price . . . 35c per quart
Quaker State Oil Refining Co., Oil City, Pa.

PLANS FOR A DAINTY DRESSING MIRROR

(Continued from page 62)






against the ends of the four, guiding on the line parallel to the front edge, and notch out, as detailed, to fit the space between the center strips.

Rabbet a piece $\frac{3}{4}$ by $\frac{3}{4}$ -in. stock $5\frac{3}{4}$ in. long as shown for the upper guide, and nail and glue it between the center slides on the top to serve as a center guide for the drawers. Saw notches in the top $3\frac{3}{4}$ in. long (measured from the back edge) between lines squared $\frac{7}{8}$ and $1\frac{1}{4}$ in. respectively from the ends, as shown in the top detail. This finishes the top.

The muntin is like the upper center guide except that the rabbets are $\frac{1}{4}$ in. deep, and a tenon $\frac{1}{8}$ in. long and $\frac{1}{2}$ in. thick, rising between the rabbets, is made on one end to fit into the notch of the upper rail, already glued to the underside of the top. The total length is $4\frac{1}{2}$ in.

For the lower rail, make a half-pattern on a 1½ by 8-in. strip of cardboard ruled with ½-in. squares, giving the piece a total length



Perspective showing method of construction. The other drawings give dimensions of parts

of 1 ft. $3\frac{5}{8}$ in. Before shaping the lower edge, rabbet the upper edge $\frac{3}{8}$ by $\frac{1}{2}$ in.


Make the bottom of $\frac{3}{8}$ -in. three-ply panel veneer, $6\frac{1}{4}$ in. by 1 ft. $25\frac{5}{8}$ in., and the back, $5\frac{1}{2}$ in. by 1 ft. $27\frac{7}{8}$ in.

Assemble the ends and bottom with glue. Slide the top into place in the end dados, and toenail 1-in. brads into the underside through the end pieces, where the legs will cover the heads. Put the muntin in place, springing the bottom down sufficiently to clear the tenon, and nail the lower end through the bottom. Then add the lower rail, gluing all joints and nailing the front edge of the bottom into its rail rabbet with $\frac{3}{4}$ -in. brads. Put a $\frac{1}{2}$ by $\frac{3}{4}$ -in. lower center guide on the bottom, applying it as shown in the broken-away perspective drawing of the case.

The two front legs are made of stock $1\frac{1}{2}$ in. square and $7\frac{1}{4}$ in. long. For a length of $5\frac{1}{4}$ in., rabbet each $\frac{3}{4}$ by $\frac{3}{4}$ in.; then lay out and cut the curved parts from a pattern made on a piece of cardboard with squares. The side pattern, when bent around the shaped curve, gives a true profile for cutting the other sides. Carve out the curved surfaces until they blend smoothly into the straight parts, round off the two rabbet corners as shown, and glue the legs to the box.


The back legs are profiled in only one direction, the front faces being curved back to give the necessary thinness. The back face of each is rabbeted $\frac{1}{2}$ by $\frac{3}{4}$ by $5\frac{1}{4}$ in. to fit over the back edge of the end pieces, and has a $\frac{3}{8}$ by $\frac{3}{8}$ -in. rabbet to receive the end of the back.

For the upper mirror rail, cut a piece of 1 by 3 by 16-in. stock and make a mortise $\frac{1}{4}$ by $\frac{3}{4}$ by $\frac{3}{4}$ in., centering on the face edge and 6 in. from a center line squared across the face side. Between the two mortises, rabbet the edge $\frac{1}{2}$ in. wide and $\frac{1}{4}$ in. deep. Make a half-pattern and (Continued on page 97)




A DRESSING MIRROR

(Continued from page 96)



Mirror Stile
(MAKE TWO)



Half Lower Rail

shape the upper edge in the way shown.

The lower rail is $\frac{3}{4}$ by $1\frac{1}{4}$ in. by 1 ft. 2 in., rabbeted full length on one edge. Miter both ends as shown, and notch them $\frac{1}{4}$ in. wide and 1 in. deep, to receive the tenons on the stiles.

The stiles are made in much the same way, except that the upper ends have $\frac{1}{4}$ by $\frac{3}{4}$ by $\frac{3}{4}$ -in. tenons centered on the stock, and the lower ends, which are mitered, have triangular tenons that mate with the lower rail. The total length is 1 ft. $5\frac{1}{2}$ in.

After trying the parts to see that they fit, assemble the rails and stiles and reinforce the joints by driving brads into them from the backs. Round off the inner corners of the frame to a radius of $\frac{1}{4}$ in. Slip the mirror into the rabbet from behind, cover the back with cardboard, and secure it with a $\frac{1}{4}$ by $\frac{1}{4}$ -in. molding nailed inside the rabbet. Hang the mirror on the end supports with pivots screwed to the back.

Make the drawers carefully to fit. The front should be made of $\frac{1}{2}$ -in. stock, and it will be about $4\frac{3}{8}$ by $6\frac{13}{16}$ in. It is rabbeted $\frac{13}{32}$ by $\frac{5}{16}$ in. at each end to take the $\frac{1}{4}$ -in. thick sides and leave the necessary overhang. It is also grooved $\frac{1}{4}$ by $\frac{1}{4}$ in. inside at a distance of $\frac{1}{4}$ in. from the lower edge to take the bottom. The sides are $\frac{1}{4}$ by $4\frac{3}{8}$ by $6\frac{3}{16}$ in., grooved $\frac{1}{4}$ by $\frac{1}{8}$ in. for the bottom and rabbeted on the back ends $\frac{1}{8}$ by $\frac{1}{4}$ in. for the back. The back is $\frac{1}{4}$ by 4 by $6\frac{1}{4}$ in., and the bottom $\frac{1}{4}$ by $6\frac{1}{4}$ by $6\frac{1}{8}$ in. Verify all dimensions from the assembled cabinet.

In assembling the drawers, nail the sides to the front rabbets with 1-in. brads, and the back to the side rabbets with $\frac{3}{4}$ -in. brads. Slip the bottoms into the grooves, square up, and nail the bottoms. So made, the drawers should have a side and a back clearance of about $\frac{1}{16}$ in.

To correspond with the stops on the muntin, glue $\frac{1}{8}$ by $\frac{1}{2}$ -in. stops against the end pieces of the cabinet, and glue similar pieces horizontally as side guides, both at top and bottom. Slip the drawers in place, note the fit of the fronts, and make necessary corrections. By working accurately and beveling slightly the edges and ends of the front, the joint can be made very narrow without the drawer's binding. Note that the fronts slide $\frac{1}{16}$ in. behind the rail and muntin faces.

Sandpaper the wood to glasslike smoothness, finish as desired, line the drawers with velvet, and put on the drawer pulls.

SUBSCRIBERS are requested to notify us of change of address four weeks in advance of the next publication date. Please be sure to give both old and new address.

The only DIRECT DRIVE COMPLETE WORKSHOP at a popular price . . and

it's a **GENERAL ELECTRIC!**


HERE, for the first time, is a direct drive motorized complete home workshop at a popular price! The new, improved General Electric has become a sensation almost overnight. It has no belts, no pulleys, no gears. All units are instantly interchangeable. Every unit is driven directly from the sturdy General Electric motor. Frictional power losses and vibration are cut to an absolute minimum. Ample turning capacity is assured by motor's powerful torque and inertia of armature and fly-wheel. Current consumption is lower than any machine of similar capacity.

PENNIES WILL PAY FOR IT

On the easy G-E Step-By-Step Purchase Plan you can start a General Electric Workshop with any one of the 6 individual units and add the others from time to time. A few pennies a day are all it takes.

SEE IT AT YOUR G-E DEALER'S

—or mail the coupon today for free illustrated catalog and details of the G-E Step-By-Step plan of easy ownership.




CIRCULAR SAW—

Complete with motor, saw blade, ripping fence, miter gauge, guards, tilting table. Makes bevel cuts up to 45°. Rips or cross-cuts wood up to $1\frac{1}{4}$ " thick.

SANDING, GRINDING, DRILLING ATTACHMENTS—

with industrial type drill chuck, 9 twist drills, sanding disk, $\frac{1}{2}$ " grinding arbor and sanding table.




(left) SCROLL AND SABER
SAW UNIT—with table
and complete set of
blades—assembled
with Circular Saw unit.



WOOD LATHE—Swings work
up to 9" diameter, with
extension up to 30".



QUICK CHANGE ATTACHMENT
CLAMP makes attachment
of sanding table, scroll
saw and tool rest a
matter of a few seconds.



FREE
BOOK

GENERAL ELECTRIC COMPANY

Appliance and Merchandise Dept., Sec. PS-2
Nela Park, Cleveland, Ohio

Send FREE book on the G-E Workshop.

Name _____


Address _____

City _____ State _____



Posed by professional models

TODAY



Compare His Measurements With Yours

H'T. . 5 FT. 10 In.
W'GHT . 170 Lbs.
NECK . 15½ In.
CHEST . 41 In.
ARM . 13¼ In.
WAIST . 31¼ In.
THIGH . 22¼ In.
CALF . 15 In.

NEW "7-POWER" ALE YEAST ADDS 5 TO 15 LBS. QUICK

Richest imported ale yeast now concentrated 7 times with three special kinds of iron in pleasant tablets

AN AMAZING new "7-power" yeast discovery is putting pounds of solid, normally attractive flesh on thousands of "skinny," run-down people who never could gain an ounce before.

Doctors now know that the real reason why great numbers of people find it hard to gain weight is that they don't get enough Vitamin B and iron in their daily food. Now scientists have discovered that the richest known source of health-building Vitamin B is cultured ale yeast. By a new process the finest imported cultured ale yeast is now concentrated 7 times, making it 7 times more powerful. Then it is combined with 3 kinds of blood-enriching iron in pleasant little tablets called Ironized Yeast tablets.

If you, too, are one of the many who need these vital health-building elements, get these new "7-power" Ironized Yeast tablets from your druggist at once. Day after day, as you take them, watch flat chest develop and skinny limbs round out to normal attractiveness. Indigestion and constipation from the same source quickly vanish, skin clears to normal beauty, new health comes — you're an entirely new person.

Results guaranteed

No matter how skinny and run-down you may be, try this wonderful new "7-power" Ironized Yeast for just a few short weeks. If you're not delighted with the results of the very first package, your money will be instantly refunded.

Only don't be deceived by the many cheaply prepared "Yeast and Iron" tablets sold in imitation of Ironized Yeast. These cheap counterfeits usually contain only the lowest grade of ordinary yeast and iron, and cannot possibly give the same results as the scientific Ironized Yeast formula. Be sure you get the genuine. Look for "IY" stamped on each tablet.


Special FREE offer!

To start you building up your health right away, we make this absolutely FREE offer. Purchase a package of Ironized Yeast tablets at once, cut out the seal on the box and mail it to us with a clipping of this paragraph. We will send you a fascinating new book on health, "New Facts About Your Body." Remember, results guaranteed with the very first package—or money refunded. At all druggists. Ironized Yeast Co., Inc., Dept. 452, Atlanta, Ga.

SAFE STEERING DEVICE FOR BOBSLED

THE steering apparatus is the most important part of any bobsled and only too often it is inexpertly made, thereby endangering the safety of the crew. A practically perfect steering mechanism, however, can be constructed from the steering wheel of a model-T Ford with a minimum of expense and trouble.

Measure the distance from the deck of the bob to the underside of the front sled and add the desired height above deck. The total



Front end of bob. The deck plate is in two pieces, but one solid block is really better

should not be over 16 or 18 in., as a bob which hugs the road is less likely to upset. The shaft will have to reach through this distance when the wheel is attached, and another 2 to 2¼ in. will have to be added to hold the crank and nut. Cut the shaft at the indicated length and take it to a machine shop to be retapered, threaded, a new key slot cut, and a hole drilled for a cotter pin to hold the castellated nut permanently in place. The expense of this work will be slight.


The crank is a drop forging and can be bent, when red hot, to the shape indicated.

Only 2 or 3 in. of the steering column project above deck, but enough of the column should be left to permit tabs 1½ in. long to be turned back for fastening beneath the deck block. Make the deck block of hardwood about 1 in. thick and of generous outside dimensions, recessing the undersurface to take the tabs and cutting a hole for the steering column to pass through. Slide the column in place, bend back the tabs, drill and countersink them, and screw firmly into the recesses provided. Bolt the deck block to the deck, countersinking the nuts in the underside of the deck. The hole through the deck for the steering shaft should not fit too closely. Neither should the hole running down through the lifts which give the bob necessary height,

these lifts being bolted securely to the deck.

The lower lift and the opposed part of the sled are faced with pieces of sheet steel or iron, held in place with carefully countersunk screws. Facings of galvanized iron will suffice if renewed occasionally.

Run the shaft through the hole in the sled, set the key, drive home the crank, tighten the nut, and place the cotter pin. With 3/16-in. bolts, five to a side, fasten pieces of 1½-in. angle iron about 6 in. long to the underside of the sled, one each side of the crank and snugly against it, holding it in a fore-and-aft position. Over the end of the crank, bolt a strap of 1½ by ½-in. cold-rolled steel.





Underside showing crank gripped between the L's and the strap for holding it in position

Peen the ends of all bolts to prevent loosening.

This arrangement proves its worth on a twisting hill because the gearing within the shaft head is almost three to one, making steering an easy matter. To facilitate matters further, the shaft should be placed about 2 in. forward of the center of the bearing of the front sled, thus creating a tendency to hold a straight course and to return to a straight course when pressure on the wheel is relieved. Sufficient play is allowed in the sled to accommodate any but the roughest ground, and still a firm connection is assured. Play in the wheel itself can be eliminated only by putting in new gear wheels, something which should be done at once if the wheel can be moved more than an inch without turning the sled.—JACK HAZZARD.

Instructions for making a bobsled to which this type of steering mechanism could easily be fitted were published in a previous issue (P. S. M., Feb. '35, p. 67).



POCKETKNIFE SCOTTIES IN SIX VARIATIONS

(Continued from page 63)

the bottom line of the chin, will help define the throat, and a series of parallel V's along Mac's lower jaw give him his whiskers. Now put a V or two toward the center of Mac's side, as indicated, and a notch or two where his toes are hidden by hair, and he's about ready. These V's all help to do one thing—to break up any remaining plane surfaces and to give the pup's coat a rough appearance.

Mac's eyes are set just below the ridge of his nose. You can simulate them by cutting in small but deep pyramidal notches, but I've found it better to use instead the little shiny black roundheaded pins women use for veils or corsages. (You can get the pins at the ten-cent store or use a black bead with a straight pin through it.) The pin end is cut off up to within about $\frac{1}{4}$ in. of the head, then pushed into a hole drilled for it. This gives Mac's eyes the necessary sparkle.

YOU'LL probably want to paint Mac black—he'll look more realistic that way. India ink or black water color is suitable because it gives a very dull finish.

Mac's sidekicks are made just as he is. The same head design is used in each case, but is placed in a little different position. You can make a dozen or two more poses simply by studying your own dog—I would have myself, but I ran out of Scotch names for them. If you want Mac's head cocked on one side as he would so often cock it if he were alive, take a thicker block. Mark out on it Mac's body and cut that out, then form a $\frac{3}{4}$ by 1 by $1\frac{1}{4}$ -in. block on the neck with the long dimension in the direction in which you want Mac's nose to point. On the side of this block, draw your checkerboard and Mac's head, as in Fig. 4.

Whittle him out, and there you are!

The ball that Jock is playing with can be cut out of the same block or can be a small bead glued in place. You'll have to watch Lad's legs so that you get the correct stepping motion. Hollow his right feet to half depth. Tam will probably have to be glued to some sort of base to keep his hind legs in the air, unless you drill and weight his forelegs. Sandy is, of course, drawn on his stomach in Fig. 1 so that the grain goes in the proper direction; you'll have to set him up after he's finished.

THESE little Scotties have dozens of uses besides just decorating the mantel, coffee table, or dresser. You can use them to top cigarette boxes, on ash trays, to decorate inkstands, book ends, picture frames, and so on. If the size isn't exactly right, simply take a block of the size you want to use and lay out on it a checkerboard with as many squares as required by the particular pattern you plan to use. If each square is $\frac{1}{2}$ in. in size, your dog will be twice as big; if $\frac{1}{8}$ in., half as big. You can also make the Scotties in mahogany or walnut for special jobs.

If you'd prefer other breeds of dogs, get the silhouette from a photograph or drawing and copy it on a checkerboard. That's your base pattern, and slight rearrangements of head and legs will give you endless other poses. And if you want to change from dogs to people, try Skipper Sam'l (P.S.M., July '35, p. 63) or Mère Marthe (P.S.M., Dec. '35, p. 68), both of which are simple figures to whittle.

HINGES FOR MOUNTING PHOTOS

SNAPSHOTS that have notations or data of any kind written on the back can be mounted for convenient reference in an album by means of flexible hinges made of adhesive tape. Black the back of the hinges with ink.—K. M.

FLYING BALL—A NEW, EASILY MADE GAME

(Continued from page 57)


one wood screw so that the mechanism can be moved or swung as necessary for the various shots. The $\frac{1}{4}$ -in. hole in the side limits the travel and prevents the overanxious player from aiming at a point beyond the target.

About midway in the bottom of the box, place the hurdle that the ball must strike and leap before it can reach the pockets. The hurdle is made from a 1-in. square block about 5 in. long. Plane a 45-deg. bevel on the block. The exact location of this hurdle with relation to the pockets should be determined after a few experimental shots at the targets, because the size of the spring used and the diameter or weight of the balls will influence its position. It should be placed so that the full force of the spring will easily carry the balls to the highest pockets.

The wire for the net at the top of the game can also be obtained from a coat hanger. This frame is not at all essential to the game, but occasionally while shooting at the highest pockets the ball will carom off the panel and into the room. The net will keep the balls in the game at all times. Many articles have been published in this magazine describing various methods of weaving and tying cord, any one of which may be employed. The net is made as wide as the game and 3 in. high. Its two legs go into two holes drilled in the top of the game.

A wire brace is provided to hold the cover upright. When you make the holes for this brace, be careful to drill into the edge of the panel so that the wire will not obstruct the passage of the ball.

Each player gets three chances at the target for each turn, and an extra turn for each ball placed in the pockets counting ten or fifteen.



1 WILTS WHISKERS SOFTER FOR EASIER SHAVING.


2 SMOOTHS THE SKIN SO THE RAZOR CUTS CLOSE.

3 COOLS THE SHAVE; BANISHES AFTER-STING AND RAWNESS.



3 reasons why Ingram's shaves are quicker, cleaner, cooler

FOR THE BETTER SHAVES YOU GET WITH INGRAM'S, THANK THE THREE SPECIAL INGREDIENTS WHICH THIS SHAVING CREAM CONTAINS!



Every time you shave they give you this help—

1st, wilt whiskers at the skin-line, so you need not hack and hoe to get them off. 2nd, smooth the skin to prevent scuffing razor strokes. 3rd, cool your face while you shave, and keep it cool when you've finished.

Any man may get top-notch shaves once in a while. But Ingram's shavers get them every day. And at less cost. Ingram's is concentrated. It goes further. Three months of cool shaves in every tube or jar.

And if you are a "bluebeard"—a twice-a-day shaver—Ingram's will be your special friend. It conditions your skin—so you can shave as close and often as you like, without irritation. When you try Ingram's, you'll be one of the world's best shavers!



TRY THE WORLD'S COOLEST SHAVE *free*

BRISTOL-MYERS CO., Dept. J-26,
636 Fifth Ave., New York City

Cool shaves sound good to me. Send me that free 10-shave tube of Ingram's, right away.

Name

Street

City..... State.....

INGRAM'S SHAVING CREAM

Yours for only
10¢

Things to make in your
HOMEWORKSHOP

16
complete plans
10¢

16
new plans
to make

Furniture, work-bench, toy, model airplanes, many other interesting and useful articles

If you have a home workshop, you'll enjoy making the articles for which these plans are the guide. If you haven't a shop, this book of plans, giving full directions, measurements, and tools required, offers you a fine opportunity to start an interesting pastime. Clear, concise, easy to follow.

Send 10 cents in coin or stamps to

STANLEY TOOLS

106 Elm St. New Britain, Conn.

WHAT?

only \$1⁰⁰ per week to OWN A CORONA?

Yes—it's a fact! Our new Finance Plan makes it just that easy. Brand-new up-to-date portables, including carrying case.

Do this. First send coupon for descriptive booklet. Then go to a dealer's and see which one of the five CORONA models you like best. Try it... free. Then buy it, on these amazingly liberal terms. Here's the coupon.



-----MAIL COUPON TODAY-----
L. C. Smith & Corona Typewriters, Desk 2
721 E. Washington St., Syracuse, N. Y.
Please send Corona booklet, also tell me where I can arrange free trial.

Name _____
Street _____
City _____ State _____

WORLD'S GREATEST DAM MAKES ELECTRIC EDEN

(Continued from page 13)

below the dam, and a "bucket" to divert the flow from the bed rock.

Working against time, so as to be able to "put the squeeze" on the river for the greatest possible number of days during low water this winter, thirty steam hammers hurled themselves into the fray to build the west cofferdam, and 1,500 men toiled night and day for three and a half months. In this period, as much material was put into the temporary bulwark as went into the entire Wilson Dam at Muscle Shoals, Ala.—450,000 cubic yards of concrete and 250,000 cubic yards of dirt.

On opposite banks of the river rose Mason City, the all-electric model town housing the workers, and "engineers' town," with its spacious administrative buildings, near the foot of the Government railroad grade.

MASON CITY, intended to be a temporary town, is built of assembled houses, every one of which is heated and serviced completely by electric current supplied by the contractors for three tenths of a cent—a kilowatt hour. Bills for complete heating, cooking, and other uses ran about eight dollars a month last winter.

The town is being used as a huge experimental field laboratory for testing out electrical service for domestic use. Under supervision of scientists from the State College of Washington it is now, for the second winter, being made the scene of experiments in off-peak storage of electrically generated heat for use during the twenty four hours of the day.

Except in the very largest buildings, such as the hospital, department store, and recreation hall, there is no provision for any but electrical heating in Mason City. Long before the dam is completed, the Columbia Basin Commission expects to prove that the ultimate settlers in this great, reclaimed region cannot do otherwise than use electricity for every task to which it can be applied. Feed grinders, machine shops, and every domestic appliance will be serviced, and it is planned to price this power at less than a cent a kilowatt hour.

Admittedly, experiments in adapting off-peak loads for heat storage are still in their infancy. The State College of Washington experts last winter devised a storage oven, filled with boulders and insulated with mineral wool, with suitable dead-air spaces. Into these they "shot the juice" until a working temperature of from 500 to 600 degrees was found to be about right for providing a steady, comfortable temperature in winter.

All of this apparatus, including the heat-storage oven in the basement of a selected home, a complete conduit system, and thermostat controls, is being refined and partly redesigned this winter, as complicated instruments register the relations between current input, cost, thermal output, air conditioning, and the scores of other factors that must be considered in making leashed "lightning" serve faithfully the home of tomorrow.

THE oven consists of a four-inch interior wall of brick laid up with mortar, outside of which, at a distance of three inches, is a four-inch wall of hollow tile. The space between is filled with insulating material. Diatomaceous earth mixed with Portland cement and water to give a solid heat insulation, is employed to reduce heat loss through the floor. Boulders used in filling the oven, range in weight from three to sixty pounds.

Man is turning back the Columbia 300,000 years, into that ancient bed where it fretted for an age or two while a glacial dam held it away from the old "Big Bend." From the Big Bend to which the river returned, he is patiently swerving its course once more, to serve him and his children for ages to come.

HANDEE TOOL OF 1001 USES!

Quicker, Better Jobs . . . Does away with slow hand work. Grinds, routs, drills, carves, saws, sharpens, cuts, polishes, engraves . . . Uses 200 different accessories. For use at home, in shop or take to job. Weight 1 lb., 13,000 r. p. m. 110 volts, AC or DC. \$10.75 and up. (3 Accessories Free.)

Plug in any light socket

NEW DeLuxe MODEL!

Revolutionary Performance

For constant service . . . nothing else like this easy-to-handle production tool for saving time and labor. Fastest, smoothest, most powerful tool for its type and weight (12 oz.) 6" long, 1 5/8" diameter. 25,000 r. p. m.

\$18.50. (6 Accessories Free.)

Five Days' Trial!
Order either Model today, postpaid in U. S. A. Satisfaction guaranteed.

Chicago Wheel & Mfg. Co.
115 S. Aberdeen St.
CHICAGO, ILL.

SEND FOR Free BOOKLET

CLAMPS

Pony 500 Fittings
go on ordinary pipe. Make clamps of any length. Send \$3.00 plus postage (6 lb.) for Pony 500 Fittings for 2 clamps.

Jorgensen Hand Screws
grip at all angles. Will not slip, spring or split. Send \$2.80 plus postage (6 lb.) for two No. 1 Hand Screws (10" jaws, open 6").

Pony Miniature Clamps
tiny clamps with a thousand uses. Premier Assortment (4 Pony Miniatures) 60c postpaid.

Have Reliable Clamps
that assure perfect joints—that will not slip, split, that grip true . . . Clamps with extra strength for emergencies and the handiness of finetools, clamps of quality that give lifetime service. Standardize on Jorgensen—the standard in industry. CATALOG FREE.

Adjustable Clamp Co.
"The Clamp Folks"
408 N. Ashland Ave., Chicago, U.S.A.

SHIP MODEL FITTINGS

Build the Great Republic

Construction sets, fittings and blueprints for all popular models. We manufacture the largest and finest line of fittings for sailing ships, battleships, destroyers, whaling ships, motor boats, Marblehead (50-800) and Class A racing yachts. Send 15c today for our illustrated catalog.

A. J. FISHER
1002-2 Etowah Ave. Royal Oak, Mich.

WEAVING MATERIALS

Reed, Rattan, Bamboo, Colored Raffia, China Grass, Chair Caning, Chair Frames, Basketry, Furniture, Leathercraft, Cotton, Yarn, Wool, Looms.

Send 10c for Catalog. Instructions free.

AMERICAN REEDCRAFT CORPORATION
Dept. H. 130 Beekman Street, New York City

FREE CENTRAL'S PHOTOGRAPHIC ALMANAC AND BARGAIN BOOK

Explains all the latest developments and methods in Photography and Home Movie Making. Offers hundreds of amazing Bargains in still and movie Cameras, Lenses, Microscopes, Binoculars, Weather Instruments, etc. Used equipment accepted in trade. Satisfaction guaranteed.

Your Free Copy is Ready Now!
CENTRAL CAMERA COMPANY, Est. 1899
230 S. Wabash Ave. Dept. S-2 Chicago, Ill.

SHARP TOOLS

New bench power grinder duplicates, on a small scale, equipment and technique used by fine tool makers. Nova Scotia stone 14" x 2", patented tool jig, copper water pot. Price, without motor, \$18. f. o. b. Boston.

Send us check with order for immediate shipment, if your local dealer cannot supply. Or send dealer's name and ask for descriptive folder.

LOMBARD & CO., Inc.
125 Middlesex Ave., Somerville, Mass.


ILLUMINATED DIAL FOR WEATHER VANE

(Continued from page 75)

cut from a piece of 1/64-in. brass, 13 in. in diameter.

Lay out on a sheet of paper the inside dimensions of the box and outlines of the partitions. Following the drawing of the dial, mark the position of the letters so they are well inside the partition lines, and describe a circle 13 in. in diameter. Cut out the circular piece of paper and lay it on the brass. With a pencil or prick punch, mark through all the intersecting points of the important lines so that when the paper is removed, lines can be drawn connecting the points, thus giving the outlines on the brass.

Draw the letters carefully on paper, transfer to light cardboard, and cut out. You may de-



The cable enters through a hole in middle of base, and the wires fan out to the lamps

sign your own or follow the style illustrated. Place these in their proper positions on the dial face and trace around them with a sharp instrument, as pencil marks rub off too easily.

Cutting out the letters is best done with a jeweler's saw blade in a large U-frame. Insert the blade with the teeth down. Drill a hole in one end of the letters for starting the saw, but be careful the hole doesn't exceed the width of the finished letter. Place the brass face over the edge of a bench or table and saw with a continuous jig-saw motion, moving the brass rather than the saw. A drop of oil occasionally is a great help in cutting. When through sawing, file the edges of the letters smooth.

To finish the center of the face, cut out an eight-pointed aluminum star of about the size shown and also a *fleur-de-lis*, both similar to those found on compass cards. Paint half of each point of the star and *fleur-de-lis* black, giving the effect of depth. Glue these to the center of the face with a metal cement, or rivet or bolt them on, if you prefer.

The rim of the ship's wheel is cut from a piece of 5/8-in. plywood, 10 1/2-in. inside and 13 3/4-in. outside diameter. Round all the edges and sandpaper.

Turn the eight maple handles on a lathe to the correct size and mortise them to fit the rim. Glue them on evenly spaced, using one brad in each to hold them until the glue dries. Oil or stain the rim, handles, and box, as you prefer. Screw the dial face to the back of the wooden rim with eight 1/2-in. No. 4 brass screws in such a way that the large letters of the dial face correspond with the eight wooden handles.

Since it is not pleasing to have the light shine directly through the letters, paste two or more thicknesses of (Continued on page 102)

★ AN ANNOUNCEMENT ★

By the World's Largest
File Manufacturer of Scientific
Interest and Practical Value to
Every User of Tools



★
New Principle of Multiple
Tooth Construction Applied To
Nicholson, Black Diamond and
McCaftrey Files. Up To Three
Times As Many Cutting Edges
To Square Inch Now Found On
These Three Leading Brands

Here's a new development in file manufacturing that is real news to every one interested in *Popular Science Monthly* and of practical value to every tool user. The Nicholson File Company, after months of laboratory testing and experiment, announces new multiple tooth construction giving file users up to three times as many tooth points to the square inch.

Remarkable Increase in Capacity to Remove Metal

The Nicholson File Company's New Files — presented in Nicholson, Black Diamond and McCaftrey Brands — have demonstrated their ability under widely varying conditions to remove far more metal of all kinds — to remove it at greater speed.

Absolute Freedom From Side Slip

The New Tooth Construction of These Files, as you will see by using them in your workshop, eliminates entirely the old objectionable tendency of a file to slide off the line of work. These New Files cut straight and true.

New Cutting Edges Go To Work As Old Ones Wear Down

Another new feature — as the teeth of the New Files wear down other cutting edges in reserve automatically take their place, giving the files a new lease of life and lowering the cost to the user enormously.

Test The New Files At Your Own Tool Bench


Your hardware dealer now has these New Files at his store. Test them yourself on any type of metal — on every filing project. Nicholson File Company, Providence, R. I., U. S. A.

A File For Every Purpose

Made in the Following Brands

NICHOLSON • BLACK DIAMOND • McCAFTREY

NEW TOOTH CONSTRUCTION AND METHODS OF MANUFACTURE FULLY PROTECTED BY PATENTS PENDING



\$75.00

Less Motor Drive
EASY TERMS
As Low as **\$6.50** a month

Weight
310 lbs.
Crated

New 1936 Model 9 1/8" x 3' Workshop Lathe with Horizontal Countershaft, 1/4 H.P. Reversing Motor, Reversing Switch and Belting as shown. (\$24.00 Down, \$7.00 a month for 11 months) **\$98.25**

This new model 9" x 3' Workshop Bench Lathe is a genuine South Bend Precision Screw Cutting Lathe with back gears—the greatest value we have ever offered in 29 years of manufacturing lathes exclusively.

10 New Features: including, Twin Gear Reverse for Right and Left Hand Screw Threads and Automatic Longitudinal Feeds to carriage; Ball Bearing Thrust Collar on Headstock Spindle; New, Improved Tailstock.

38 Practical Attachments can be fitted to this lathe for special manufacturing or machine shop jobs.

Used by U. S. Government, Eastman Kodak Co., Bell Telephone and other leading industries. Especially recommended for auto service shops, electrical and repair shops—home shops and manufacturing plants—for all classes of fine, accurate work.

**Write FOR THIS
24-PAGE
BOOK FREE!**

Illustrates and describes in detail this new 1936 model Workshop Precision Lathe in 8 different drives and 4 bedlengths. Shows the 38 attachments for use with this lathe. Sent free, postpaid. Ask for Catalog 15-D.


30-Day Trial: Send down payment for 30-day trial; money back if not satisfied. Immediate shipment.

SOUTH BEND LATHE WORKS
831 E. Madison St., South Bend, Ind., U.S.A.



ILLUMINATED DIAL FOR WEATHER VANE

(Continued from page 101)



white or colored tissue paper over the backs of the letters. An attractive and appropriate effect worked out on the author's dial is as follows: North, white; east, light blue; south, light orange; west, brilliant red; northeast, southeast, southwest, and northwest, bright green; and the eight other small points, yellow.

Complete your instrument by screwing the dial face on the box with four 1/2-in. No. 4 roundhead brass screws, after carefully centering it. The dial face may be kept polished or allowed to tarnish and assume a bronze appearance.

The vane should be taken down at least once a year, the bearing cleaned and greased, the segment table and arm of switch filed clean, any cracks or holes soldered, and the whole assembly painted and remounted. Mounting is greatly facilitated by a rope and pulley hung on a hook screwed to the peak of the roof.

REALISTIC SMOKE FOR MODEL LOCOMOTIVES

MODEL railroad engines have progressed to the point where they have electric lights, "chuggers," and even sparks, but the most needed bit of realism of all has been neglected. That is a wisp of smoke coming from the stack.

Smoke is easy to make and quite safe. Bend to shape two shallow lead cups from lead foil, each one half the size of the inside of the smokestack on the engine. Bind them together with wire and fasten them inside the stack so that they will be just flush with the top. With an eye dropper, place a few drops of muriatic acid in one cup, and the same amount of strong ammonia in the other. Immediately white clouds will pour from the stack and continue for some time, until the chemicals are exhausted.

If you are fearful that the acid may spill and run down inside the stack, it is a simple matter to fit a glass tube or a lead-foil lining to catch any accidental overflow.—W. K.

EPSOM SALTS GIVE UNUSUAL FINISH TO GLASS VASES

GLASS vases for holding artificial flowers can be given an attractive and unusual appearance by painting the insides with a strong solution of epsom salts.—O. B.

To CONVERT a blueprint into a black-and-white drawing, draw over the white parts with India ink and bleach out the blue ground with a solution of washing soda.—G. S. G.

BUILDS MODEL COACH

Praises CASCO ability to withstand strain G. F. of Chicago Heights, Ill., writes:

"I've tried for some months to glue model coach wheels together so that when I rechuck them, they will hold. CASCO is the first glue that has done the job. Other glues broke when put under strain, but CASCO gave, then came back in place again."

SUPER-STRENGTH THE REASON

CASCO does all gluing jobs well—small and delicate, or heavy duty work—model coaches or automobile bodies.

Send for free sample of this amazing adhesive-cement. Learn for yourself at no cost how CASCO sets quickly by chemical action, like cement, and NOT slowly by evaporation like ordinary glue.



FREE! Generous test sample

Forty-three illustrations... dozens of ideas on building and repairing things easily, quickly and permanently. Write your name and address on a penny postcard. Say "Send free sample and copy of 'CASCO Gluing Guide.'"

Hardware, Paint, Lumber Dealers Sell CASCO. The CASEIN MFG. CO. OF AMERICA, Inc. 352 Madison Ave. Dept. P. S. 236 New York

Always mention POPULAR SCIENCE MONTHLY when answering advertisements in this magazine.

Moto-tool

for Shop... Home... School... Profession

The new DEMoto-tool grinds, drills, engraves, sharpens, routs, carves, polishes and does hundreds of jobs quicker, better and with greater precision. Handles easily as a pencil—weighs 7 oz. Powerful and sturdy as similar tools twice as heavy. 110 v. universal motor—20,000 R.P.M.—oilless, self-aligning, ball thrust bearings. Handy built-in switch. Easily replaceable brushes. Universal collet chuck. Bakelite housing. You must see and use it to appreciate its tremendous value.


10 Day TRIAL

Money refunded if not more than satisfied. Write TODAY for free illustrated booklet.

DREMEL MFG. CO.
Dept. 112 Racine, Wis.



STEAM-DRIVEN-LOCOMOTIVES



Electric heater. Direct drive to wheels. Walschaert Valve Gear. Hand reverse real steam exhausts from smokestacks with thrilling and realistic effect. Fuse protects heater if water boils dry. Double boiler increases efficiency and makes exposed parts cooler.

SE No. 3 Standard Gauge\$34.00
SE No. 2 "O" Gauge\$22.00
SE No. 1 with Alcohol Burner\$10.50

Steam Electric Company, Bloomfield, New Jersey

Convert your electric locomotive into steam-driven type. Send 25¢ for a booklet with illustrations of locomotives and complete list of parts. Or send \$1.00 for booklet and 24 x 18 drawings showing assemblies and complete details for making all necessary parts. We can supply raw materials for about \$3.00. Special 300-watt transformer required which we will furnish for \$5.00.

AVERAGE HOME WORKSHOP OWNER NOW REVEALED

(Continued from page 60)

lows: wood lathes, circular saws, jig saws, tool grinders, polishing heads, drill presses, sanders, jointers, band saws, shapers, routers, portable electric drills, mortisers, and metal lathes.

The list of hand tools contains seventy-two separate items. Most of the shops have an assortment of the more familiar tools, but there are also a large number of machinist's tools, sets of wood-carving tools, micrometers, veneer presses, bolt clippers, dowel jigs, combination planes, and other less common tools.

The estimated value of individual shop equipment runs all the way from \$10 to \$3,000. The average investment for machines is \$100, for hand tools \$90.

Annual Expenditures. The amount spent each year for wood, tools, hardware, paint, metal, and miscellaneous supplies varies from \$10 to \$2,050 for these shops owners, the average being \$128. For wood, from \$5 to \$500, with an average of \$32. For tools, from \$5 to \$400, the average being \$25. For hardware, from \$5 to \$500, average \$15. The estimates for paint vary from \$5 to \$110, with an average of \$12.50.

Projects. Almost every type of project that could be made in a home workshop is listed. Furniture ranks first; models of all types, second.

Reasons for Maintaining a Home Workshop. Thirty-eight reasons are mentioned altogether, but nearly all those replying gave recreation as one of the reasons. Next in order came home repairs, painting furniture, painting home interior, auto repairs, profit, and painting home exterior. To summarize, seventy percent of the shops are maintained for enjoyment, twenty-six percent partly for profit, and four percent mainly for profit.

Distribution of Leisure Time. The average man spends some part of four days each week in his workshop, and the average time is eleven and a half hours a week. The other principal leisure-time activities of the members are, in order of frequency, reading, listening to the radio, auto riding, movies, gardening, fishing, swimming, playing cards, camping, hunting, photography, boating, picnics, lectures, and golf. The fact that reading is the most popular leisure activity is also indicated by the number of magazines read. Every member reads at least one magazine, and some read five or six. POPULAR SCIENCE MONTHLY leads the list by a large margin.

Many interesting points are brought out in Mr. Powell's discussion of the facts revealed by the survey.

"If ranked with any similar group," he writes, "the education of these men would rank equal with or excel the average of the comparative group. Neither previous trade experience nor school work apparently had influenced the owner to set up his shop, but pure interest in the work and want of a leisure activity are responsible for the growth of the home workshop.

"Some of these home workshops have been in existence for a period of thirty to forty years. However, a majority have been in existence only about five years, with a great increase in the past two years.

"In almost every one of the replies received in this study there was an indication for the need of better fellowship. This was evident by the great number of suggestions for displays, competitive projects, local shops for the use of members, shop visiting and exchange of ideas, and meetings occurring at frequent intervals.

"Almost every member seems willing and wants to be able to take a short course in various different kinds of work. This is greatly in evidence among (Continued on page 104)

WORKSHOP FANS

There are hundreds of ways to use Abrasives



Get more fun out of your workshop

You use abrasives to sharpen tools, of course. But it is amazing the number of actual operations that can be done faster and better with only a few extra abrasive products that cost but little. Here are illustrated but three from over a hundred short cuts shown in the new book described below.



ABOVE Drilling hole in glass bottle with brass tube operating in a pool of turpentine containing No. 80 Carborundum grains.


RIGHT Removing projecting end of wood screw with mounted wheel without damaging surrounding wood surface



ABOVE Smoothing a hard metal welded joint with an Aloxite Brand Grinding Wheel. For soft metals a Carborundum Brand Wheel is used.

MAIL COUPON FOR BOOK AND FREE SHARPENING STONE

With your copy of the book you will be given free a handy pocket size Carborundum Brand Sharpening Stone in a leather case. Don't delay. Act now.



CARBORUNDUM BRAND ABRASIVE PRODUCTS

Send for 90-page Home Workshop Book

It describes in detail wood, metal and glass working with abrasives. Over 40 clear illustrations. It describes the right wheels, discs, cloths and abrasive sleeves to use in every operation. It shows how to sharpen every tool in your shop. It is a complete manual. Enclose twenty cents to partially cover cost of printing, packing and mailing.


(Carborundum and Aloxite are registered trade-marks of The Carborundum Company).

THE CARBORUNDUM COMPANY
Dept. P-2, Niagara Falls, N. Y.

I enclose 20c (coin or stamps). Please send me your new book, "Carborundum Brand Products for the Home Craftsman"; also FREE Pocket Sharpening Stone.

Name _____
Street _____
City _____
State _____

EVERYTHING IN RADIO



Send for the new 1936 ALLIED Radio Catalog. More than 10,000

quality radio items at lowest wholesale prices. Every latest radio invention and improvement. New Metal Tube radios, —battery, 32 volt and auto sets; dozens of new Set-Builders Kits; everything in Short Wave Amateur receiving and transmitting equipment; new Public Address Amplifiers and Systems; also thousands of exact duplicate and replacement parts, radio books, tools and latest test equipment. Everything you need in radio is in this FREE Catalog.

Build "Popular Science" Radio Circuits

Write to us for FREE Parts Lists covering such popular circuits as: 2 Tube Midget; Metal Tube Receiver; Portable S. W. Set; Beginners' All-Wave Set; All-Wave Electric Set, Portable Radiophone, Radio Burglar Alarm, etc. We can supply all parts for building any "Popular Science" radio circuit described in this or in any other issue. Use only approved ALLIED parts in kit form at lowest prices. Before you buy, write for our parts lists.

SEND FOR YOUR FREE RADIO CATALOG

Allied Radio CORPORATION
833 W. JACKSON BLVD., CHICAGO, ILL.

☐ Send me your FREE 1936 Radio Catalog.

Dept. C

Name

Address

City..... State.....



SEE 3 WAYS FOR SAFER DRIVING
See through Entire Windshield
Sensational new defroster—keeps ENTIRE windshield, also side windows, clear of steam, frost inside—sleet, ice outside. Uses heat from hot water heater. Heat stays in car. Not electric. No frame to obstruct vision. On or off in 10 sec. Dimensions folded 4x3x2 inches. Guaranteed. State make and year of car, also make of hot water heater. Send \$3 to: See-3-Ways Defroster Co., 311 Syracuse Bldg., Syracuse, N. Y.

SEE-3-WAYS DEFROSTER

CAST RESINS

Make a beautiful, marble-like desk set or your choice of hundreds of projects using new, easily worked, colorful Neville cast resins. No special tools or special skill needed.

SPECIALLY PRICED INTRODUCTORY KIT E. Builds complete desk set as described in this issue of Popular Science. Regular value—\$3.80. To those clipping this ad, only \$2.00. Send cash, check or money order for rush delivery. Many special shapes and kits available for your own projects. Write for details.

THE NEVILLE COMPANY
146 West 26th Street New York City

AVERAGE HOME WORKSHOP OWNER NOW REVEALED

(Continued from page 103)

the older members who had no opportunity to take shop courses while in school.

"There seems to be a need for shop classes in school that will start the boy toward the use of a home workshop. He many times is forced to take courses that will be of little value to him in the future, and he has little or no encouragement in the beginning of a hobby."

Mr. Powell also makes a number of recommendations from the educational standpoint and suggests various methods by which the schools can aid the development of the home workshop hobby.

"This study," he adds, "would have been impossible without the assistance of Mr. A. Wakeling, Home Workshop Editor of POPULAR SCIENCE MONTHLY. The writer is indebted to K. F. Perry, Professor of Industrial Arts, Colorado State College of Education, for his help and valuable assistance, and for his part in securing the cooperation of POPULAR SCIENCE MONTHLY and the Colorado State College of Education. The writer also wishes to express his appreciation to the members of the National Homeworkshop Guild who spent their time in filling out the question list."

HOME WORKSHOP CLUBS REPORT ACTIVITIES

Brunswick (Me.) Homeworkshop Club. In order to get the best possible photograph of the club group at a meeting, a prize was offered and all camera enthusiasts belonging to the club were invited to bring their cameras to one of the regular meetings in the Science Building of Bowdoin College. The club provided eight photo-flood bulbs to give the necessary illumination. . . . John F. Fraser, of Portland, Me., demonstrated the construction of several types of model airplanes. . . . J. Edward Pomeroy, of Bath High School, talked on blueprint reading.


Bay State Homeworkshop Club, Roxbury, Mass. At the organization meeting of this new club, the following officers were elected: R. H. Fox, president; Constant Albrecht, treasurer; John Parady, secretary.

Wood-Ridge (N. J.) Homeworkshop Club. A demonstration of building a ship model in a bottle was given at a recent meeting by Charles V. Nielsen, of Hasbrouck Heights, N. J. Mr. Nielsen, who is the leading authority on ship models in bottles, brought a completed clipper-ship model and an empty bottle with him and, after laying putty in the bottle to represent the water, he proceeded to fold up the model, insert it through the mouth of the bottle, and reconstruct it inside by means of long wire tools. He also displayed a number of examples of his work, ranging in size from bottles not more than a half inch in length up to a half-gallon bottle with a completely rigged model of the *Great Republic*. . . . Within two months the club members have witnessed two instructive demonstrations on the use of abrasives.

Capital Homecraft Club, Washington, D. C. E. W. Parks demonstrated the use of an electric router at a recent meeting held in the roomy and well-equipped shop of Frank H. Wildung.

Topeka (Kans.) Homeworkshop Club. The woodworking class meets every two weeks in the shop of William Lewis, who is the instructor. D. E. Elliott is the class secretary, and C. V. Carlson, the class director. The photography class holds its semimonthly sessions at the home of C. J. Boeger, the instructor. R. P. Daniels is the class secretary, and Steve Smith, (Continued on page 105)

New 1936 ATLAS High Precision Tools



Shown above, new 9" **\$54.75** less motor
bench lathe with automatic reversible power feeds complete with countershaft, belts, pulleys, tool rest, etc.

Other lathes from \$35.50 to \$105.50, including back geared lathes from \$82.50 up.

ATLAS DRILL PRESSES

\$14.45 to \$39.45

Four sizes of bench and floor presses. Enclosed quill protected from dirt and water. Extra large S. K. F. bearings. Precision built of finest materials. Will work in either wood or metal.



WOOD LATHES

Take work up to 37 inches long. Well and strongly built.
\$14.95 to \$21.75

Send for new 1936 Catalog Number 15 of all tools and fittings.

ATLAS PRESS COMPANY
1855 N. Pitcher St., Kalamazoo, Mich.
Complete display at ATLAS SALES CO., 35 E. Wacker Drive, Chicago

So Very Easy

... AND TO THINK YOU'VE HAD IT ONLY A WEEK ...
● Popularity! Step right into it with a P-A Sax. Play beautiful tunes first week. Learn quickly. Join a dance band in 90 days. Only P-A assures such rapid progress. Easiest blowing, fingering; beautiful tone. See your P-A Dealer, or write direct for beautiful literature. No obligation. Easy terms. You can do it. Write today.
1169
PAN-AMERICAN
204 P-A Bldg., Elkhart, Ind.

Moderate Price

Thompson BEATS the World on BOATS
Better Built Lower Prices
Canoes \$54 and up
Rowboats \$42 and up
Outboards \$42 and up
Very fast utility model

Only Boats With Full Length Spray Rails

Keep passengers perfectly dry—even at high speeds. Catalog also shows today's five most popular models of sailboats. Two big factories. Prompt shipment.

CATALOG FREE
Write for your copy. State kind of boat in which you are interested.

THOMPSON BROS. BOAT MFG. CO. (79)
219 Ann St., PESHIGO, WIS. (Write to either place)
119 Elm St., CORTLAND, N. Y.

100 Shot Repeater HAENEL AIR PISTOL \$4.75

No license, powder or pumping. For target practice, small game, rats, etc. Well made, strong, powerful, easy loading; heavy metal, wood stocks, 7 in. overall; wt. 1 lb. 500 steel BB's FREE. Heavy Leather Holster—75c. Extra shot, 35c per 500. \$2 Deposit on C. O. D.'s Bargain Catalog: Colts, S. & W., Rifles, Shotguns, Air Pistols and Rifles, Knives, etc. Send 3c stamp.
LEE SALES CO., Dept. 2P, 35 W. 32nd St., New York City

HOME WORKSHOP CLUBS REPORT ACTIVITIES

(Continued from page 104)

the class director. . . . The Y. M. C. A. has succeeded in providing benches and a tool cabinet for the use of the Junior Homeworkshop Club, and members of the men's club have been asked to supply any tools or accessories they can spare. When completed, the junior workshop will also be available to the Topeka Homeworkshop Club for demonstration purposes.

Mound Builders Homeworkshop Club, Newark, Ohio. Although a relatively small club, the members accomplished the noteworthy feat of making 300 toys for Christmas distribution. These consisted of 100 straddle horses, 100 walking ducks, and 100 doll beds, each complete with mattress, blankets, and a doll. . . . It is expected that the club will shortly reach double the membership it had when organized.

Peekskill (N. Y.) Homeworkshop Club. Thirty-four projects by members of the club were entered in the second annual exhibition and were on public view in a Depew Street store window for a week. Prizes were awarded as follows: furniture class, Vincent Donahue, for a table; model making, Reginald Hart, for a model of the whaling ship *Wanderer*; novelties and toys, Herman MacPeck, for two billiard cues; metal work, Thomas Dore, for an aluminum sugar and cream set; art, Theodore F. Bee, for a pastel of a vase of bitter-sweet. The judges gave Mr. Donahue the highest percentage and he was accordingly awarded the grand prize. All the prizes were in cash. Special recognition was given to the entries of Bartow B. Seymour, Dr. Willard H. Sweet, Jr., and Peter A. Anderson. . . . Harry L. Towers gave a demonstration on matching veneers at a recent meeting. He showed the various matched grain patterns with the aid of a reflectoscope, which projected an enlarged picture of the actual wood on a screen.

Premier Homeworkshop Club, Chicago, Ill. An exhibition was held at the River Park Field House and various demonstrations given on the use of home workshop machinery. . . . Officers elected for 1936 are Emil Cir, president; W. Anderson, vice president; Henry Wagner, secretary, and E. Brasholz, treasurer.

Lakeside Homeworkshop Club, Muskegon, Mich. At an organization meeting in the manual training room of the Bunker School, the following permanent officers were elected: Frank Pedler, president; Clarence Redman, vice president, and Floyd L. Lewis, secretary-treasurer. Eighteen members were present. The members meet biweekly on Tuesdays in the manual training shop of the Bunker Junior High School, but it is optional to hold the meetings at the homes of members or elsewhere, as desired. Mr. Lewis is the manual training teacher at the Bunker School.


Clarksburg (W. Va.) Homeworkshop Club. The club has adopted the motto, "Every project better than the last." At the end of its first six months, the membership had reached twenty-four. Max M. Rule is the president.

Inland Workshop Club, Spokane, Wash. A dual program of civic work and craft instruction has been adopted, starting with such projects as corner brackets and hanging wall shelves. Each member will make each project on the list in a given length of time and bring the completed item to a meeting, where an instructor will check the workmanship and give advice. The finished articles will then be donated to various children's homes and charitable institutions.

Billings (Mont.) Homeworkshop Club. The club completed another successful program for making toys for crippled and needy children. . . . Regular business meetings are held every two weeks, and on the alternate weeks the members gather at various shops or take trips to industrial plants.

Free!

PROJECT SERVICE for CASCO USERS



Nut Bowl and Hammer



Modern End Table

BIG NEWS FOR HOMECRAFTERS!

Now, the Casein Company, makers of the world famous heatproof and waterproof CASCO GLUE, gives a complete and absolutely free project service to homecrafters. No extras to buy. CASCO users receive complete plans and directions.

Choose from twenty projects. Ten prize winners from 1935...ten new projects for 1936. Three are pictured above. The others are listed. All are free in this CASCO PROJECT SERVICE.

How to Get Projects

Buy a 25c (or larger) size can of CASCO. Send the green slip you'll find in the can, checking one of the 20 projects you'd like to make now. You will receive by return mail, absolutely free:

- Complete instructions for building the project
- A clear construction print
- Bill of materials
- Suggested source of supply and cost of "hard-to-get" materials.

Only one project for each green slip—but you can send in as many green slips as you want.

Here they are—take your pick.

Inlaid Card Table	Veneered Tray
Dutch Windmill	Novelty Cigarette Box
Modern End Table	Turned Box
Wood Jewelry	Veneered Bookends
Useful Cabinet	Tile Top Table
Portable Canvas Boat	Waikiki Surfboard
Fruit Bowl; Candy Dish	Kayak
Colonial Desk	Modernistic Clock
Portable Refrigerator	Humidor
Nut Bowl and Hammer	Portable Bar

- Hardware, Paint and Lumber Dealers Sell CASCO •

Free!



Stick this coupon on a penny postcard. Mail it. You will receive an interesting folder that pictures and describes the 20 CASCO Projects. It tells about this free project service. Mail the coupon.

THE CASEIN MFG. COMPANY OF AMERICA, Inc.
350 Madison Avenue, Dept. P. S. 236, New York, N. Y.

Please send folder about Free Project Service

Name _____

Address _____

READY TO USE

Instantly!



THE ALL PURPOSE GLUE

No "time out" for mixing or fussing with messy glue pots when you use LePage's Liquid Glue—in this handy can. Why bother with a glue pot, when LePage's is ready to use—always!

LePage's is one of the handiest "tools" in thousands of wood-working shops. Experienced craftsmen will tell you that no other glue compares with LePage's for strength and durability. It keeps joints firm and compact. Holds up under the greatest strain.


You can get LePage's from your hardware dealer.



RUSSIA CEMENT COMPANY
Laboratories and Factory • Gloucester, Mass.

DRIVER Has The Most Complete Power Tool Line

THREE complete lines—comprising over 20 different models. Three price ranges—from \$10.50 to \$47.25—plus DRIVER quality—make Driver Power Tools the best buy for 1936.



Write for FREE 40 Page Catalog

WALKER-TURNER CO., INC.
226 Berckman St., Plainfield, N. J.

Name _____
Address _____

MODERN DESK SET OF SYNTHETIC RESIN

(Continued from page 69)

The upper or pen-holding block should likewise be sanded to a curve. The $1\frac{1}{4}$ -in. face of this block is its bottom and will be attached to the base. The curve, therefore, should be worked back from the 1-in. face along the top of the block until the desired shape has been obtained. After this, two holes should be drilled into the block, each $1\frac{3}{4}$ in. from the end and each at an angle of 45 deg. to the base of the block. In the set shown, these holes were $\frac{3}{8}$ in. in diameter and $\frac{3}{4}$ in. deep, but the size will vary with the size of the pens you intend to use.

THE two blocks can be attached to each other either by cementing or by means of screws. If screws are used, have them rise upward through the base into the upper part, countersinking the holes so that the screw heads will not protrude. If cement is used, it must be of the special type sold by cast-resin makers. Mix it in the proportions of 6 parts of hydrochloric acid to 100 parts of cement, and prepare no more than will be sufficient for the immediate operation.

Apply the cement to both surfaces that are to be joined, lock the pieces in position with two C-clamps, and set aside to dry for twelve hours. It is best to roughen slightly all joining surfaces with sandpaper before cementing. Drying can be hastened by setting the piece in a warm place, but take care that the heat does not exceed 200 deg. F. After the cement is completely dry, the entire piece can be polished as described later on.

Take the remaining half of the full sheet and make a transverse cut to obtain two pieces, each 3 in. wide. Cut one of these into two rectangles, one $4\frac{1}{2}$ in. long, the other $3\frac{1}{2}$ in. long. The smaller of these should be slit on the band saw into two pieces of $\frac{1}{2}$ -in. thickness. After being sanded and polished, these should be assembled to form the letter holder of the set. The larger piece is the base, and the two thinner pieces are set upright on this, $\frac{3}{4}$ in. apart. It will be best to join these pieces by means of screws, set as previously described for the pen-holding block. The screws should be at least $1\frac{3}{8}$ in. long.

NEXT, cut from the remaining rectangle of stock a section $4\frac{1}{2}$ in. long and 3 in. wide. Cut from one side of this, a piece $\frac{1}{4}$ by 1 by $4\frac{1}{2}$ in., and sand it to the shape of the paper knife. The remainder of the block should be cut into two curved sections with a motor- or hand-operated jig saw, each $4\frac{1}{2}$ by $1\frac{3}{8}$ by 1 in. These should be cemented side by side to form a 2-in. wide blotter rocker. After the cement is thoroughly dry, the block should be sanded to perfect roundness as illustrated.

From the remaining stock, cut a triangle with 3-in. sides, and resaw this carefully and accurately into four sections, each $\frac{1}{4}$ in. thick, on a band saw. These will form the corners of the blotter pad and, after being sanded and polished, should be attached to the cardboard base by gluing along the outer edges of the base. This will enable the blotter to be inserted under each corner.

From the remaining scraps cut a section $\frac{3}{8}$ by 1 by $1\frac{3}{4}$ in. and, using a round file, cut three grooves into this to a depth of about $\frac{1}{2}$ in. By slitting this in half and polishing, the two pencil-holding pieces are obtained. These should be cemented to the base itself before the final polishing.

Similarly, a piece $\frac{1}{2}$ by 1 by $1\frac{1}{2}$ in. should be cut from the scraps to form the handle of the blotter rocker. This also should be cemented in place, as shown, before the final polishing. To make the attachment of the blotter to the rocker in the easiest way, cut two small grooves with a hack saw at a

slightly downward angle on either side of the rocker just above the end of the curve. These should each be about $\frac{3}{8}$ in. deep. Cut the blotter to size and insert the ends in these grooves, using a touch of paste to hold it in place if necessary.

When all the pieces are assembled, polishing can be speedily accomplished by following the standard practice outlined in a previous article (P.S.M., Nov. '35, p. 60). The first step is pumice polishing, in which a muslin-disk wheel should be used with a mixture of pumice and water set below the wheel in a pan so that it just touches the bottom of the wheel. A bit of this mixture should be placed periodically on the wheel above the piece being polished. Follow this by waxing, using a special waxing compound (supplied by cast-resin makers) or carnauba wax or a clear, powdered floor wax. Follow this with a dry buffing on a clean wheel. In all cases, the higher the speed of the wheel, the higher the polish. A speed of 2,500 r.p.m. on a 6-in. muslin disk wheel is ideal.

To prevent scratching the desk or table, paste felt strips on the bottoms of the pen-holding block and the letter holder, and, if desired, on the bottom of the entire blotter pad.

HOW TO GET DIMENSIONS OF MACHINE PARTS

USUALLY when making sketches from assembled machines, it is quite a problem to get the necessary dimensions because of the inaccessibility of the parts or their irregular shape. Many of the measurements, however, may be obtained by means of paper rubbings. The contour of a cam, the center distances and layout of a group of bolt heads, the size and shape of gear teeth and other parts can be accurately measured and recorded by placing a sheet of paper on the more or less oily part and rubbing the opposite side with the fingers.

Diameters of round parts not otherwise measurable can be found by wrapping a narrow strip of paper around them, marking the lap, and afterward dividing the length by 3.1416. The same may be done with gears, when not in mesh, and the paper will record both the diameter and the number of teeth. Although strips of paper cannot be wrapped around gears that are in mesh, a rubbing of any large fraction of the surface at the sides will furnish a record from which, by means of dividers, the diameter and the number of teeth can be determined.

In the case of cylindrical parts having details such as holes, slots, or cam grooves on the surface, paper rubbings will give a complete and fairly accurate record from which the diameter and the location of all surface details may be obtained.—HARRY KAUFMAN.

PAPER FOR MODEL WORK

WHEN ordinary white paper is to be used in building parts of models, it can be made five or six times stronger by soaking it in strong nitric acid. This should be done in a china dish or enamel tray. After soaking the paper for five minutes, rinse it thoroughly for half an hour in running water, then dry. Be careful that the acid does not come into contact with the hands or clothing.—A.Y.

DENTS and cuts in britannia metal, of which prize cups are made, can be filled with an amalgam of pure tin and mercury. After the amalgam has set, polish it down evenly. This takes the place of soldering, which is always risky with soft metal alloys.—E. B.

THE WORLD IS MOVING



These Days It Takes a sprinter to keep up

- **CRASH** --- there goes a tradition.
- **BANG** --- it's the end of a regime.
- **BOOM** --- another fallacy passes.

You can't stand still today! Things are happening. OLD WAYS are losing out. NEW METHODS are coming in.

And this applies to you—and your job!

What are you doing about it . . . just standing still?

Wake up, get in action! Equip yourself today . . . in spare time . . . for the sprint that leads to success . . . to security . . . to a better job . . . to more money!

The race is on. Many of your competitors (they may be close friends, too, but they're earnest competitors, don't forget) are in serious training . . . they're devoting every possible moment to the mastery of International Correspondence Schools Courses. This is real training . . . it's not for slow-pokes and quitters! Only men who mean business in a fast-moving world need apply. The card is your application blank.

**MARK AND MAIL ONE OF THESE CARDS
HAND THE OTHER TO A FRIEND**

The Key to YOUR FUTURE

CHOOSE YOUR CAREER

- | | |
|--------------------------|---------------------------------|
| Architect | Woolen Manufacturing |
| Architectural Draftsman | Agriculture |
| Building Foreman | Surveying and Mapping |
| Concrete Construction | Bridge Engineer |
| Contractor and Builder | Gas Engine Operating |
| Structural Draftsman | Automobile Work |
| Structural Engineer | Fruit Growing |
| Structural Steel Worker | Poultry Farming |
| Electrical Engineer | Mathematics — Radio |
| Electric Wiring | Business Management |
| Electric Lighting | Office Management |
| Electric and Gas Welding | Industrial Management |
| Telegraph Engineer | Traffic Management |
| Telephone Work | R. R. Section Foreman |
| Mechanical Engineer | R. R. Bridge & Building Foreman |
| Mechanical Draftsman | R. R. Signaller |
| Machine Shop Practice | Accountancy |
| Reading Shop Blueprints | Cost Accounting |
| Toolmaker — Boilermaker | Certified Public Accountant |
| Heat Treatment of Metals | Bookkeeping — English |
| Inventing and Patenting | Private Secretary |
| Civil Engineer | Spanish — French |
| Aviation Engines | Salesmanship |
| Diesel Engines | Service Station Salesmanship |
| Plumber and Steam Fitter | Advertising |
| Plumbing Inspector | Business Correspondence |
| Heating and Ventilation | Show-Card Lettering |
| Air-Conditioning | Sign Lettering |
| Sheet Metal Worker | Stenography and Typing |
| Steam Engineer | Civil Service |
| Steam-Electric Engineer | Railway Mail Clerk |
| Marine Engineer | Mail Carrier |
| Refrigeration | Grade School Subjects |
| Highway Engineer | High School Subjects |
| Petroleum Refining Plant | First Year College |
| Chemistry — Pharmacy | Cartooning — Illustrating |
| Coal Mining — Navigation | Lumber Dealer |
| Textile Designing | |
| Cotton Manufacturing | |

Send for **FREE Booklet**

Name _____ Age _____
Street and No. _____
City _____ State _____
Occupation _____
Employed by _____

58494

PRINTED IN U.S.A.

The Key to YOUR FUTURE

CHOOSE YOUR CAREER

- | | |
|--------------------------|---------------------------------|
| Architect | Woolen Manufacturing |
| Architectural Draftsman | Agriculture |
| Building Foreman | Surveying and Mapping |
| Concrete Construction | Bridge Engineer |
| Contractor and Builder | Gas Engine Operating |
| Structural Draftsman | Automobile Work |
| Structural Engineer | Fruit Growing |
| Structural Steel Worker | Poultry Farming |
| Electrical Engineer | Mathematics — Radio |
| Electric Wiring | Business Management |
| Electric Lighting | Office Management |
| Electric and Gas Welding | Industrial Management |
| Telegraph Engineer | Traffic Management |
| Telephone Work | R. R. Section Foreman |
| Mechanical Engineer | R. R. Bridge & Building Foreman |
| Mechanical Draftsman | R. R. Signaller |
| Machine Shop Practice | Accountancy |
| Reading Shop Blueprints | Cost Accounting |
| Toolmaker — Boilermaker | Certified Public Accountant |
| Heat Treatment of Metals | Bookkeeping — English |
| Inventing and Patenting | Private Secretary |
| Civil Engineer | Spanish — French |
| Aviation Engines | Salesmanship |
| Diesel Engines | Service Station Salesmanship |
| Plumber and Steam Fitter | Advertising |
| Plumbing Inspector | Business Correspondence |
| Heating and Ventilation | Show-Card Lettering |
| Air-Conditioning | Sign Lettering |
| Sheet Metal Worker | Stenography and Typing |
| Steam Engineer | Civil Service |
| Steam-Electric Engineer | Railway Mail Clerk |
| Marine Engineer | Mail Carrier |
| Refrigeration | Grade School Subjects |
| Highway Engineer | High School Subjects |
| Petroleum Refining Plant | First Year College |
| Chemistry — Pharmacy | Cartooning — Illustrating |
| Coal Mining — Navigation | Lumber Dealer |
| Textile Designing | |
| Cotton Manufacturing | |

Send for **FREE Booklet**

Name _____ Age _____
Street and No. _____
City _____ State _____
Occupation _____
Employed by _____

58494

PRINTED IN U.S.A.

What Will You
Be Doing
One Year
FROM TODAY?



Three hundred and sixty-five days from now . . . what? Will you still be struggling along in the same old job at the same old salary . . . worried about the future . . . never quite able to make both ends meet?

One year from today will you still be putting off your start toward success . . . thrilled with ambition one moment and then cold the next . . . delaying, waiting, fiddling away the precious hours that will never come again?


Don't do it, man . . . don't do it.

There is no greater tragedy in the world than that of a man who stays in the rut all his life, when with just a little effort he could advance.

Make up your mind today that you're going to train yourself to do some one thing well. Choose the work you like best on the card attached, mark an X beside it, and without cost or obligation, at least get the full story of what the I. C. S. can do for you.

**INTERESTING
FACTS**

**About The World's
Largest Educational
Institution**



FIRST STUDENT ENROLLED OCTOBER 16, 1891
TOTAL ENROLMENTS

December 31, 1891	115
December 31, 1895	10,105
December 31, 1900	251,310
December 31, 1920	2,271,193
December 31, 1935	4,119,000

25,000 pieces of mail leave the I.C.S. daily for all parts of the world.
Average daily postage bill on outgoing mail \$600.



Nearly \$5,000,000 has been expended in preparing and improving I.C.S. textbooks.
More than 50,000,000 pages of printed study text are issued to students each year.
More than 600 colleges, universities and other resident schools have purchased and are using I.C.S. textbooks.
303 railroad companies and 2,403 commercial and industrial establishments have made agreements with the I.C.S. for educating employees.

**MARK AND MAIL ONE OF THESE CARDS
HAND THE OTHER TO A FRIEND**

Postage
Will Be Paid
by
Addressee

No
Postage Stamp
Necessary
If Mailed in the
United States

Postage
Will Be Paid
by
Addressee

No
Postage Stamp
Necessary
If Mailed in the
United States

BUSINESS REPLY CARD
First Class Permit No. 1000, Sec. 510 P. L. & R., Scranton, Pa.

INTERNATIONAL

CORRESPONDENCE SCHOOLS

Box 7669H

SCRANTON, PA.



BUSINESS REPLY CARD
First Class Permit No. 1000, Sec. 510 P. L. & R., Scranton, Pa.

INTERNATIONAL

CORRESPONDENCE SCHOOLS

Box 7669H

SCRANTON, PA.



HOW TO MAKE LIFELIKE MARIONETTE BODIES

(Continued from page 65)

the wooden parts firmly in the vise while working on them. You will accomplish more in a shorter time and with less exertion than if you try to hold the parts.

Shoulders. Whittle this piece from a block as wide as the shoulders and as thick as the body through the chest. It should extend slightly below the armpits. Slope the shoulders and cut quite a hollow for the neck, leaving it high in the back but sloping well down on the chest (Fig. 2). In the middle toward the back, drill hole through which the wire may be drawn. Leave a loop at the top to which the head is attached. Bend the ends of the wire back and tack firmly (Fig. 3). Length of neck should accord with character of figure.

Hip Piece. Whittle according to your sketch as to depth and width (Fig. 4). Use muslin or the ribbed top of a stocking to join chest and hip pieces, tacking it as necessary (Fig. 5). It is sometimes advisable to weight the hip piece as in Fig. 6. A puppet so weighted will sit better.

Legs. Cut $\frac{3}{4}$ -in. dowel to length and whittle roughly to shape, tapering toward ankle. Choose from Fig. 7 the hinge you prefer to use. All hinges need a tape strip in back. The thigh is formed from a short piece of dowel around which is tacked a piece of muslin about 1 in. wide and 3 in. deep. The end of the muslin is tacked to underside of hip piece (Fig. 8).

The feet may be modeled on the leg with paper pulp as in Fig. 9 or whittled from wood like Fig. 10. If modeled, it is necessary to cut thin wooden soles and nail them to the lower leg dowels. When dry, boots or shoes may be simulated by pasting on paper, cloth, or leather, or by painting. Feet of wood are excellent, especially if hardwood is used, as it weights the parts. Be sure to get them large enough. The drawings show different ways of joining them to the legs. An ankle joint is not always necessary (see A, Fig. 7). Women's figures rarely need them; and if long skirts are worn, even leg strings are omitted.

Arms. Only the forearm need be stiff. The upper arm is a hollow tube of muslin, slightly stuffed (Fig. 11). Hands modeled of paper pulp are satisfactory. If the character is to wield a tool or weapon of any kind, a hole is left through which handle can be thrust (Fig. 12). Hands should be expressive in shape as well as in action. A hand can do marvelous things when controlled by a clever manipulator. It can show shaky old age, nervous excitement, calm repose, strength or weakness. It can fence, spar, draw a sword, swing a hammer on an anvil. A rhythmic song sung at the same time helps the action.

Hands may also be shaped in fine wire as in Fig. 13 and wrapped with adhesive tape, muslin, or crêpe paper, later being painted and shellacked. A piece of $\frac{3}{8}$ -in. tape about 4 ft. long may be used to wrap each hand, fingers, and arm, leaving a loop of wire exposed at the elbow for connection. Instead of tape, hands may be wrapped with narrow strips of flesh-colored crêpe paper. Wind tightly and use paste whenever necessary (Fig. 14). Sew the forearm and hand to the upper arm, and tack this part to the shoulder. Finger tips should reach halfway between hips and knees.

Costumes. It is great fun looking up native costumes for your marionette actors. Make clothing of soft materials; thick or stiff fabrics hamper the puppet's work. Keep the clothing loose so that the puppet moves easily. Use gay colors where possible and characteristic caps and headaddresses. (Continued on page 110)

HOW JACK LEARNED THE SECRET OF BEING POPULAR

You can learn it too... **FREE**



JACK was lonesome. He was always left out of the parties and good times. Then he learned the secret of being popular—he became an expert harmonica player—and now Jack is the first one to be invited. Thousands of boys and girls all over the country have found the Harmonica a short cut to popularity. At school or play, at parties, or meetings, the harmonica player is the center of a group of swaying, singing boys and girls. Thousands of schools have harmonica bands, and are they popular!

Harmonica Is Easy To Learn

The harmonica is the simplest possible instrument to play, and now, without costing you a cent you can become a fine player in a short time. Mail the coupon below and our Illustrated Instruction Book "The Art of Playing the Harmonica" will be sent to you *absolutely free*. This book tells and shows you in pictures just what to do and how to do it. Just follow the simple instructions and in a short time you'll be amazing your friends with the way you can perform.



M. HOHNER, Inc., Dept. 994-B
351 Fourth Ave., New York City

Please send me without cost your free instruction book "The Art of Playing the Harmonica."

Name
PLEASE PRINT

Address

City State

Please address Canadian inquiries to Hough and Kohler, Ltd., 468 King St. West, Toronto, Canada.

Professional Players Use Hohner Harmonicas

Nearly all of the expert harmonica players you hear over the radio or on the stage use Hohner Harmonicas, because they are true in pitch, rich in tone, and perfect in construction. If you have heard Carl Freed and his famous Harmonica Harlequins, or other artist players over the radio or on the stage, you know what wonderful musical effects can be secured with Hohner Harmonicas. So if you want the *best*, be sure to ask your dealer for a Hohner. Accept no substitute. Look for the Hohner name on the instrument and on the box.

Send For Free Instruction Book

We want every boy and girl to know how quickly and easily they can learn to play a Hohner Harmonica. Fill in the coupon and we will send you absolutely free without any obligations our complete Instruction Book "The Art of Playing the Harmonica." Remember it's absolutely free, so mail the coupon today.

M. HOHNER, Inc.
351 Fourth Ave. New York City

FREE Illustrated Harmonica Instruction Book...



HOME OWNERS:- This was written for you and is sent



FREE
Get your copy!

DO your own simple home, auto and motor-boat repairing and be independent of outside repair men. You will avoid delays, save much money, and have the satisfaction of knowing that the work is well done.

The booklet contains clear diagrams and directions for correct procedure for hundreds of common jobs, and enables any home worker to get dependable results, *easily*, on any of the following:

Stopping leaks in pipes, heaters, boilers, tanks, radiators, air ducts, smoke pipes, pails, etc., at connections, seams, cracks, rivets or holes.

Tightening or anchoring loose hinges, locks, handles, screws, bolts, nuts, bases, stems, tops, casters, etc.



Tightening loose locks

Making waterproof joints at skylights, roof cracks and flashing.

Making wet cellars dry from the inside, making concrete floors hard, water and oil proof, and non-dusting, making masonry walls waterproof.

On the car:- Stopping leaks in the radiator, at hose connections, or in oil and gasoline lines, patching cracked water jackets, crank, gear and differential cases, tightening loose rivets, mud guards, lamp standards, hub caps and lubricator connections, loose moulding, screws, etc.

Smooth-On Iron cement with which this work is done is applied without heat, without special tools, and so easily and inexpensively that half a dollar to half a hundred dollars is saved in each instance.

Smooth-On has been widely used in industrial work for over 35 years and its use is standard practice by power plant engineers and repair men.

Get the booklet by mailing the coupon and buy Smooth-On No. 1 in 7 oz., 1 lb. or 5 lb. can from your hardware store or if necessary from us.



Do it with SMOOTH-ON

SMOOTH-ON MFG. CO., Dept. 58.
574 Communipaw Ave., Jersey City, N. J.

Please send the free Smooth-On Repair Book.

Name

Address

2-36.....

Automatic Oilstone



New device makes easy an accurate bevel, perfect edges. Aluminum and bronze, beautifully finished. Coarse and fine in one reversible oilstone; micrometer adjustment; ball bearing. \$5 postpaid. Send check for immediate shipment, and dealer's name if he cannot supply. Money back if not satisfied. Ask for descriptive folder.

LOMBARD & COMPANY, INC.
125 Middlesex Ave., Somerville, Mass.

HOW TO MAKE LIFELIKE MARIONETTE BODIES

(Continued from page 109)

Controllers. Experienced operators now often simplify them, preferring two sticks 9 in. long made of 1/2-in. dowels. To one is attached, by means of grooves or notches sawed near each end and in the middle, the two head strings and the string to center back. To the second stick the leg strings are tied near the ends, and 1 1/2 in. farther in, are tied the hand strings.

If a T-shaped controller is preferred, cut 3/4-in. wide strips from cigar-box wood, the main piece being the length of the operator's hand and the crosspiece equal to the span of the hand—approximately 7 by 9 in. An extra piece 8 in. long is needed for the leg strings. It requires a small hole in the center to slip over a wire nail or peg on the main piece. Cut a 1/4-in. wide strip from an old inner tube, and draw it through holes drilled in the crosspiece to form a loop for supporting the puppet. This leaves the operator's fingers free for manipulation. When not in use, the puppet is hung by this loop.

Stringing a Marionette. This is done after the puppet is dressed. When stringing, hang the puppet about 50 in. from the floor. The string is run taut to every place but the back and legs, which should be a bit slack so that the control may be slipped over a brad without disturbing the feet when they are to remain motionless or when the puppet is seated. Use heavy black linen thread or any strong waxed thread.

There are five screw eyes to be put on the body before the puppet is dressed, and two on the head, as follows: Two for the shoulder strings; one on the back, just above or just below the waist; one on each leg just above the knee joint; and one back of each ear. The screw eyes for the head are usually just above the ears, but they must be placed so that the greater weight of the head is in front. When the shoulder strings are pulled, the head then bends forward instead of back. For a pompous strutting character, place the screw eyes forward; for old age or a hunchback, set them far back. Between these two extremes is the normal place.


The strings are sewn through the clothes, never fastened directly to them. The hand strings are fastened between thumb and first finger.

The length of the strings depends on the height of the puppeteer's bridge above the puppet stage. About 50 in. is an average length from the control stick to the feet of the puppet. First suspend the controller at the exact height from the floor that the combined height of the marionette and the strings is to be. To find this distance, measure the puppeteer from waist to feet, and to that length add the elevation of the bridge from the stage floor, if it is raised.

Cut a piece of thread 3 in. longer than double the distance from the controller to the marionette's shoulder, as the marionette is held upright with its feet on the floor. Tie one end securely to the marionette's left shoulder and the other to the right shoulder. Cut the thread in half and attach these ends to their places on the controller. The marionette is now supported upright. Tie a thread to the screw eye in its head near the left ear; measure double the distance from this point to the controller, with the head erect; allow 3 in. extra and cut the thread. Tie the other end to the right ear loop, cut the thread in half, and fasten the ends to the controller.

The head is now supported. Be careful that the weight of the body hangs from the shoulder strings; if these are slack, the head strings are supporting the whole marionette and head movements will be stiff or impossible.

Next, tie a string (Continued on page 111)



GOLF. Overnight from New York. Restful English Manor House Atmosphere in Modern Country Club Setting. Famous Valley Brook Golf Course with grass greens adjoins—50 miles of estate bridle trails—Tennis and other outdoor sport facilities. Accommodations and meals as you expect them to be. Convenient stopover point for motorists on U. S. 29.

Write Louis D. Miller, Mgr., for information

SEDFIELD INN

GREENSBORO, N. C.

5 ft. Flying Scale Models \$1 EACH
plus 35c for Packing, Postage, Insurance. If express collect send only \$1.00

5 1/3 size of real planes

5 ft. Monocoupe (Illustrated)
5 ft. Stinson Reliant
5 ft. Heath Parasol

Build planes that are actually one-third the size of real passenger carrying planes! Send today for our new Giant Models—each a strong outdoor flyer—a \$10 value for only \$1. Everything is in the kit—including all liquids—nothing else to buy.

G. H. Q. MODEL AIRPLANE CO.
564 Southern Boulevard, Dept. S, New York, N. Y.



FORMS TO CAST LEAD SOLDIERS, INDIANS, TRAPPERS, Hunters, wild and Farm Animals. 244 Wonderful "True to Life" models. Easy and inexpensive to make. I furnish all necessary material. Send 6c Stamp for Illustrated Catalogue.

Henry C. Schiercke, Ghent, New York

MIDGET RACING

Get full details on this thrilling sport; facts for fans, builders and drivers; track sizes and regulations; car specifications, pictures and working drawings. This book also shows and tells all about Indianapolis cars, Miller-Fords and world's fastest car, Brand New AUTOMOBILE RACING, Fourth Edition, \$1 postpaid, \$1.12 C.O.D.; three cents tax if you live in Ohio.

Ray F. Kuns, Dept. D-13, Madisonville, Cincinnati, Ohio

18" SHIP MODELS

Kit includes all materials for building hull, rigging, fittings also clear postpaid full-sized drawings for your choice Flying Cloud, Constitution or Spanish Galleon. Order now. Catalog 15c.

ROY HANCOCK

Build a model like this. 323 S. Douglas Ave., Portsmouth, Va.

The Midget Slide Rule

equals a 12 in. straight slide rule in precision. Has A, B, C, D, CI, Log-Log, Binary, Add and Subtract scales. Gives Logs, Gives Trig. functions to 1 minute from 0 to 90 degrees. The Engine-divided scales are on white coated aluminum. Permanently accurate. The Midget is, undoubtedly, the most versatile calculator ever invented. Dia. 4 in. Price, with Fabrikoid case and Instruction Book, \$2.00, cash or C. O. D. Money back if not satisfactory. Circulars free.

Gilson Slide Rule Co., Stuart, Fla.
Slide Rule Makers since 1915

The NEW KINKADE GARDEN TRACTOR
and Power Lawnmower

A Practical, Power Plow and Cultivator for Gardeners, Fruit Growers, Truckers, Florists, Nurserymen, Suburbanites, Country Estates and Poultrymen.

Low Prices—Easy Terms


AMERICAN FARM MACHINE CO.
1072 33rd Ave. S. E. Minneapolis, Minn.

BENJAMIN AIR PISTOL

Powerful—Accurate—Economical—Practical—Adjustable—Shooting Force—Amazing Maximum Velocity—cal. 177 or 22 and BB—For Target and Small Game—the only Genuine Compressed Air Pistol on the market—Single shot with Bolt Action—Hammer Fire—Hair Trigger—Safety. Also 177 and 22 Single Shot Air Rifles \$7.50—Single Shot BB Air Rifle \$6.00—25 Shot BB Repeater Air Rifle \$7.50—at Dealer or Direct—No license required—Safe. Full Details—Targets—Free—Write Today

BENJAMIN AIR RIFLE CO., 653 N. Broadway, St. Louis, Mo.

Accuracy WITH BOICE-CRANE



A large table alone does not make a Saw modern nor accurate. Unless a table, and its extensions are LEVEL permanently—they are not convenient nor as usable as made to appear.

This Boice-Crane is a "Tilting-ARBOR" Saw—has needed LEVEL table—has extensions that are LEVEL—PERMANENTLY level. Now, all bevel cuts are handled same as simple square-cuts, materials always LEVEL. Boice-Crane's "Tilting-ARBOR" Saw is the most versatile, most rigid, most accurate. Most modern Power Saw built. "Tilting-ARBOR" Saws replacing tilt-tables in thousands of the best shops. Start right.



Bench and Floor Models

New DRILLS

—by Boice-Crane are superb. 5 Speeds and 15 inch swing. Ball-Bearing. Jacobs 1/2" Chuck. Extra large work tables.

Shown at Boice-Crane Dealers

SPECIAL!
... a new kind of power tool ready for craftsmen.
BELT SANDER
will save huge amounts of time and money. What you have long needed. 2 Sizes.

Free
1936
CATALOG

BOICE-CRANE

W. B. & J. E. BOICE DEPT. 402 TOLEDO, OHIO

Protect Prized Tools with

HOPPE'S

Specially Refined LUBRICATING OIL

KEEPS your fine power tools properly lubricated and free running. Keeps all drills, saw blades, cutting tools, free of rust. Right oil to lubricate small electric motors, fishing reels, firearms, etc. Light—pure—penetrating. Won't gum! Use to clean, polish and prevent rust. Ask your Dealer for HOPPE'S Lubricating Oil—in 1-oz. and 3-oz. cans. For trial can send 15c to Frank A. Hoppe, Inc., 2311 No. 8th St., Philadelphia, Pa.



MAXWELL HOUSE SHOWBOAT A MODEL WITH LIGHTS

Here's the most realistic model you ever saw. A small bulb and battery hidden in the pilot house lights up the entire interior of the boat with astonishing effect. Something entirely new in Ship Models. It's easy to build too. The complete Kit with all of the necessary wood, paint, glue, flag, bulb, battery, etc., will be sent postpaid upon receipt of \$1.50.

POPULAR SCIENCE MONTHLY
353 Fourth Avenue New York



MOTORISTS!

No More Fumbling!

Handy holder that carries full pack of cigarettes, box of matches and any watch. Fits on steering post back of wheel and can be installed in one minute. Durable Crackle finish that will last a life time. Special introductory price, \$1 postpaid. Agents wanted.

POWERS MFG. CO.

Box 56, Waterbury, Conn.

Build America's Great Clipper

FLYING CLOUD



Ready-to-assemble, finished, numbered parts of this 27-in. saltily realistic belly-sailed true model of the prettiest of all American sailing vessels, that broke record after record around the Horn. A richly prized mantel or radio ornament. Complete Kit, with full set of sails, only \$400

FREE—with each order, historic picture of "Flying Cloud" under full sail, and its thrilling story. Send 3c stamp for illust. catalog of Historic Ship and Coach Models.

MINIATURE SHIP MODELS
Dept. NA Perkasie, Pa.

ASK FOR
LEPAGE'S
CASEIN GLUE
A real CASEIN GLUE

HOW TO MAKE LIFELIKE MARIONETTE BODIES

(Continued from page 110)

to the left hand, measure up to the controller and back, and allow 3 in. extra, cut, pass the free end of the string through the proper controller hole, and tie to the right hand. This string or thread is continuous. Arms are raised by placing a finger under the string and lifting it. A ring may be slipped over the string at this point so that it may be lifted more conveniently.

Tie a thread to the back screw eye, using a needle to draw it through the clothing if necessary. Draw this thread up to the hole in the back of the main control bar; cut and tie securely. By lifting this string, which is slack, the puppet can be made to bow.

In the same manner, secure the strings to the knee screw eyes, and tie them to the extra crosspiece of the controller. Legs and arms should hang limp when not in use. To make the puppet walk, tip the leg rod of the controller up and down.

The marionette is now strung and ready to manipulate. For strings to work tricks or to control extra movements, extra holes may be drilled in the controller where required.

It is best to keep puppets hanging up. Never lay a puppet down without first winding the strings around the control to prevent tangling.

Manipulation. Hold the controller in the left hand by the stock, close to the crosspiece, if it is T-shaped. Tip and tilt the control, and also pull the shoulder strings with the first finger. In other words, learn to do all you can with the left hand before using the right hand at all. The right hand is used for the leg control (or walking stick) and for the hand strings. Manipulate all strings close to the controller; never reach down under. The puppet who is supposed to be speaking should be in movement while doing so; the others must be still.

Puppets are limited in action. If they are overtaxed, they soon become ridiculous. There are certain things they do well, flying, for instance. They grieve and die with heartrending realism. Their head and arms make the most expressive movements. They should all kneel and sit well.

Avoid long speeches; they are rarely successful. Fairy tales, no matter how worn out the plot may be, take on new life when acted by puppets. Better have but few characters in the play, as only two or three can be well managed on the stage at one time.

Due to the difficulty of restringing, it is necessary to make two puppets alike if it happens that the costume must be changed.

Try to have nothing on the stage in which the strings will become entangled, and don't forget to keep everything as simple as possible. Strings that get tangled, stage properties that fall or move about, back drops too detailed in treatment, all these distract attention from the characters.

The curtain should rise and fall many times. Have puppets enter and leave often. A puppet can leap twice his height in the air when surprised. Let another go out dancing a hornpipe. In a two-man show, an animal, creeping up behind another figure, is always pleasing (see P.S.M., Dec. '35, p. 67).

An article on marionette stages by Mrs. Drake is scheduled for early publication.

FLAGPOLE ORNAMENTS

It is often difficult to obtain a ball or spread-eagle flagpole ornament of the required size and at a reasonable price. This happened in my own case, but after some searching I happened upon a stock of radiator-cap ornaments. These are made in great variety and are easily fastened to either the pipe cap of a metal pole or to a wooden pole.—J. KRAUS.



How 10c a day
has raised marks
as much as 14%

Authoritative tests prove that children take a new interest in school work when provided with typewriters. Reading, writing, science, history, all pick up quickly. Compositions are much longer. Work improves as much as 14% in all subjects!

Give your child this advantage at home now. For the first time, you can buy a genuine Remington Noiseless Portable for as little as 10c a day. And it's easy to learn to type with free touch method instructor. Mail coupon for details.

Now 10c a day
buys a
NOISELESS!



The greatest typewriter bargain in ten years — a genuine Remington Noiseless

Portable for only ten cents a day! Makes only a whisper of sound. Full size platen. Standard twelve-yard ribbon. Back spacer. Carrying case and easy course in typing included free. Ten-day free trial offer.

MAIL COUPON TODAY

Remington Rand Inc., Dept. 153-B
205 East 42nd Street, New York City

How can I get a real Remington Noiseless for only ten cents a day. Include details of ten-day free trial offer.

Name


Address

Circular Saw \$3

(Outside U. S. A. \$3.25)
4" Combination rip and cross-cut blade. Oilless bearings. 8" x 5 1/4" steel table adjustable so that pieces up to 1" thick may be cut (pieces up to 2" by turning stock). Base, saw support and table adjusting slide, heavy iron castings. Adjustable ripping fence.
Order now or send 3c stamp for catalog fully describing equally low-priced power tools including Jig Saw, Drill Press, Sander, Lathes, Shaper, etc.

J. & H. METAL PRODUCTS CO. 490 St. Paul St. Rochester, N. Y.

BUILD IT YOURSELF



Build your own vehicles with 10" x 2 3/4" Doenut Tires with cadmium plated ball bearing disc wheels. Their performance is amazing. This airplane type Doenut cord tire was invented by A. J. Musselman, who developed the original air-wheel for airplanes and motor vehicles. Doenut Tire patent No. 2015459. Requires only 12 to 15 lbs. of air to carry 200 lb. loads per tire. These Doenut tires are revolutionizing the tire industry. They take less power to propel, literally float over road bumps and are winners in coasting contests. You can build any of these vehicles in a few evenings' spare time at home. Send 25c for detail working blue prints for any vehicle shown above, or 50c for any three, except Derby racer blue print, which is \$1.00. Catalog of building sets, wheels and parts, FREE.

THE MUSSELMAN PRODUCTS CO., 6250-B St. Clair Ave., Cleveland, Ohio

MUSSELMAN DOENUT CORD



THESE STRANGE WORLDS

CHRISTMAS GIFT MONEY invested in a good microscope will give you years of pleasure. Be sure that the microscope you buy is a precision instrument, so that it will reveal the fine details essential to satisfactory microscopy. • Choose a Bausch & Lomb amateur microscope because it is made in the same factory by the same workmen who produce professional equipment for science, medicine and research, and is truly a precision instrument.


BAUSCH & LOMB OPTICAL CO.
At left, 75 to 300 power Model R Microscope, with 455-page book, \$21

SEND COUPON FOR
Free Folder

Bausch & Lomb Optical Co.,
172 Bausch Street,
Rochester, N. Y.

Please send me your folder on
amateur microscopy and micro-
scope equipment.

Name.....
Street.....
City.....State.....



SIMPLE SIMON


MET A PIEMAN
AND ORDERED THREE OR FOUR;
HE NOW EATS TUMS
WHEN HEARTBURN COMES...
DON'T SUFFER ANY MORE!

Stop SAYING "NO" TO FAVORITE FOODS!

IT isn't only pie that disagrees with some people. Many say that even milk gives them a gassy stomach. The very best foods may bring on acid indigestion, sour stomach, gas, heartburn. Millions have found that Tums bring quick relief. Munch 3 or 4 after meals or whenever smoking, hasty eating, last night's party, or some other cause brings on acid indigestion. Tums contain no harsh alkalies, which physicians have said may increase the tendency toward acid indigestion. You will like their minty taste. Only 10c at all drug stores.



FREE: Beautiful five-color 1938 Calendar-Thermometer. Also samples of Tums and NR. Send stamp for packing and postage to A. H. Lewis Co., Dept. 16B-50, St. Louis, Mo.



An electric lamp mounted in a tin can and surrounded by sand makes a handy heater

YOUR MICROSCOPE SHOWS BEAUTIES OF CRYSTALS

(Continued from page 45)

entire area of the drop. If you remove the source of heat as soon as the edge deposit appears, crystallization will proceed at a slower rate. Under the microscope, you will see that the edges of the area of solid material, formed while the slide was being heated, have a structure that differs from that of the central portion. Yet all the solidified material has crystallized according to an unvarying plan provided, of course, there is but one crystalline substance present.

Crystals exist abundantly in nature. Perhaps no more beautiful forms are to be found than the masses of crystals that fall to the earth as snowflakes. Snow crystals belong to the hexagonal or six-sided system. Perfect snowflakes always have six sides or rays or points. So endless are the possible ways in which the crystalline form can be varied, that no one ever has found two identical snowflakes. Some flakes consist entirely of thin plates, others of heaped-up prisms, and still others of combinations of these forms. The angles bounding these snowflake figures are always sixty or 120 degrees.

THE microscopic study of snowflakes requires certain conditions. The temperature must be low, from twenty-five degrees to zero F. being favorable. The microscope and all equipment must be at the same temperature. Generally, it is possible to work in a garage or on a sheltered porch, where temperature conditions are right. You can collect the flakes on a piece of black hard rubber, a painted board, or a piece of black cloth that has been outdoors long enough to acquire the temperature of the surrounding air.

Hold the collecting board where the flakes will fall on it. You can select the most promising flakes and transfer them to cold glass slides with the aid of feathers; or you can collect them on the slides in the first place, by laying clean slides on the board. Instead of standard slides, you could use thin one-by-three-inch pieces of hard rubber or wood painted black. Most of your observing will be by reflected light, so that you do not really need a transparent support.

A snowflake will not last very long because, even at a low temperature, the ice crystals evaporate. The only way to preserve the beauty of its form is to make a photomicrograph of it. In doing this, you cannot use artificial light sources because they produce too much heat. Try making pictures both by transmitted and by reflected daylight.

It is not a difficult matter to preserve indefinitely many of the crystalline wonders you create by evaporating solutions. Some materials, such as rhombic sulphur, will exist indefinitely in air, so that they can be mounted on a glass slide without an embedding medium. A convenient (Continued on page 113)

SHIP MODELS GREAT REPUBLIC

The quick and easy road to ship modeling is to get one of our accurate scale construction sets. With them you can concentrate on the interesting part of the model. Similar sets for models of Flying Cloud, Destroyer Preston, Constitution, U. S. S. Texas, Whaler Wanderer and many others. Also semi-finished hulls and all sorts of materials and fittings such as blocks, deadeyes, anchors, steering wheels, guns, lifeboats, etc. Large 64 page photographically illustrated booklet, describing the above sent postpaid upon receipt of 15c (coin). Many persons on receiving this booklet, have discovered how simple and enjoyable is ship model making. Be sure to get your booklet before starting your model.

Model Ship Supply Co., Dept. T, Mineola, N. Y.

LABORATORY APPARATUS



**Biological Supplies
Microscopes
Chemicals
Telescopes**



New, complete, illustrated catalog lists hundreds of items of interest to amateur and professional experimenters. Save money—Buy Direct from maker. Send 10c now (refundable) and also get Special 30-Day Offer.

J. H. WINN MFG. CO., Dept. 102, 124 W. 23 St., New York

BIG MONEY Assembling NEW MEAD KI-YAK at Home!

**MEAD
GLIDERS**

15 S. Market
Dept. D-2

CHICAGO

MEAD'S complete cut-to-fit KI-YAK Kit easily assembled for pleasure or profit! Can't sink. Portable. Seaworthy. Light... Fast. Highest quality. Low cost. Opens a new world of sport for you both in sailing, paddling. Rush 10c for illustrated folder. \$6 Paddle now given with Ki-Yak—hurry!

Always mention **POPULAR SCIENCE MONTHLY** when answering advertisements in this magazine.

HIGH POWERED TELESCOPE

Genuine Brownscope 15 Power Multiple Lens Long Range Telescope. This giant telescope is excellent for viewing distant objects, people, moon, stars, etc. 5 sections. Approx. 3 ft. long. Fine lenses. Brass bound. Only \$1.69 postpaid. C.O.D. 24c extra.

\$1.69 Special Super-Power 30X telescope. 30mm. objective, compound ocular. Similar to above but more powerful, guaranteed to see 900 times larger in surface and 30 times closer. 4 powerful lenses. Only \$1.98 postpaid. Address Dept. 62.

Catalog of Microscopes, Binoculars, etc., free.

BROWNSCOPE CO. 234 FIFTH AVE. NEW YORK

OBJECTIVES
Available for all standard amateur microscopes in both regular and supplementary types. Substituted for or slipped over present objective, serve to increase magnification and resolving power. SPECIAL INTRODUCTORY OFFER—to owners of Wollensak 100 power microscope. We will ship on pre-paid approval No. 246 set, consisting of three ULTRALENS supplementary objectives of 200, 400, and 600 powers. After 5 days' trial either return or remit purchase price of \$2.00. Send for catalog-handbook PS-2 of microscopes, and optical goods. Free novelty microscope included.

PFLEEGOR LABORATORIES. MILTON, PA.

NORMANDIE

32 1/2" Model
New Patented
Hull Design

Easy construction with shaped hull, turned wood parts, printed fibre patterns; 60 davits, 30 life boats, 16 winches, 24 stairways all cast metal; full size Plan, detailed instructions, everything in Complete Kit Postpaid. \$7.00


Send for Catalog of Model Boats and Planes—5c
IDEAL COMPANY, 28 West 19th Street, New York.

HULL AUTO COMPASS

Have you ever taken the wrong road and driven many miles before discovering your mistake? This new **AIRPLANE TYPE AUTO COMPASS** constantly tells you direction of travel. Sticks to windshield. Base 1 1/4" diameter. ONLY \$1.95 POSTPAID, including Compensator. **SATISFACTION GUARANTEED.** If your dealer cannot supply you, order direct.

Hull Mfg. Co., Box 246-E, Warren, Ohio

MODEL SUPPLIES
CLIPPER — MOTOR — SAILBOAT
Blueprints — Woods — Tools — And hundreds of Scale fittings in White Metal, Brass and Boxwood.
Send 15 cents (will be refunded) for this Catalogue to
GENE'S 510 EAST 11 STREET
Dept. P. S., New York City



Details of construction of electric resistance heater easily wound from nichrome wire

YOUR MICROSCOPE SHOWS BEAUTIES OF CRYSTALS

(Continued from page 112)

way of doing this is to cut a ring, from cardboard or other material, whose outside diameter is slightly greater than that of the cover glass you are going to use, and whose inside diameter is somewhat less. Soak this ring, if it is not of moisture-proof material, in thin shellac and let it dry. Cement it in the center of a clean one- by three-inch glass slide, with Canada balsam.

Over the bottom of the cell thus formed, spread a very thin layer of balsam and let the solvent evaporate. When the balsam film has hardened, arrange the crystals over it. Then gently warm the slide until the balsam becomes sticky enough to cause the crystals to adhere. If you cannot do this without damaging the specimens, put the crystals in place before the balsam has dried completely, or flow a little xylol over the hardened film. Finally, cement a clean cover glass over the cell, using balsam around its edges.

Many crystals, such as those of the double sulphate of copper and magnesium, must be preserved so that no water can get to them. When the crystallization has progressed as far as you want it to go, heat the slide gently to stop further crystal formation. Then apply a little pure balsam, and drop the cover glass into place. It is important that all of the crystalline area be covered with the balsam, so that no moisture can creep in.

Crystals can be mounted in castor oil. It is better to use the refined variety to avoid an odor, which is unpleasant to some people. Place a drop of oil over the crystals, then a cover glass, and your specimen will keep indefinitely, provided the oil or cover glass is not removed. Permanent slides, which will last for years with reasonable care, can be made by removing all excess oil with a piece of filter paper moistened with xylol, and ringing the cover glass with gold size. Place the slide in a horizontal position until the gold size hardens. Give it another application if necessary, and finish by ringing with asphalt varnish.

IN PREPARING specimens of crystals, and in doing a great many other things in microscopy, a source of heat is desirable. While the Bunsen burner and alcohol lamp have become standard pieces of equipment in laboratories the world over, there are times when a source of heat not involving a flame is desirable. A small electric heater fills the bill nicely.

One form of heater can be improvised from an empty tomato can, a lamp socket, asbestos-covered wire of the kind used for electric irons and toasters, connection plug, incandescent lamp, and some clean silica sand or "bird gravel." Mount the socket inside the can, on the bottom. Connect the wires to the terminals, and lead them out through a hole punched in the side of the can. Seal the wires in this hole by forcing about them some shredded asbestos or other material that will resist heat.

Screw the lamp into the socket, and pour sand around it until only the top is visible. The sand is to prevent heat from escaping in appreciable quantities except at the top. Cover the top of the can with a piece of copper screen wire, to act as a support for slides or containers. If (Continued on page 117)

THOUSANDS LEARN MUSIC WORLD'S EASIEST WAY

No Expensive Teachers....No Bothersome Scales....No Boring Exercises

BEGINNERS LEARN REAL MUSIC FROM THE START

Yes, literally thousands of men and women in all walks of life have learned music—have won new friends, become socially popular—this quick, modern, easy as A-B-C way.


You, too, can learn to play—to entertain others—to pep up any party—just as these thousands of others are doing. And you can do this without the expense of a private teacher—right in your own home. You don't need to be talented. You don't need previous musical training. You don't have to spend hours and hours playing monotonous scales and humdrum finger exercises. You start right in playing real little tunes. And sooner than you expected you find yourself entertaining your friends—having the best times you ever had.

Easy as A-B-C

LEARN TO PLAY BY NOTE

Piano Violin
Guitar Saxophone
Organ Ukulele
Tenor Banjo
Hawaiian Guitar
Piano Accordion
Or Any Other Instrument

The U. S. School method is literally as easy as A-B-C. First, it tells you how to do a thing. Then it shows you in pictures how to do it. Then you do it yourself and hear it. What could be simpler? And learning this way is like playing a game. Practicing becomes real fun instead of a bore as



it used to be with the old way. Prove to yourself without cost how easily and quickly you can learn to play. Send today for Free Demonstration Lesson and Explanatory Booklet. See the simple principles around which this method is built. If you really want to learn music—if you want to win new popularity—enjoy good times galore—mail the coupon below. Don't delay—act NOW. U. S. School of Music, 82 Brunswick Bldg., N. Y. C.

U. S. SCHOOL OF MUSIC

82 Brunswick Bldg., New York City

Send me your amazing free book, "How You Can Master Music in Your Own Home," with inspiring message by Dr. Frank Crane; also Free Demonstration Lesson. This does not put me under any obligation.

Name

Address

Instrument Have you Instrument?

ARE YOU A MODEL RAILROADER?

If you are, you need my 84 page hand book and catalog. It gives complete information on getting started, track laying, signalling, control, etc. Also prices all parts, track, signals, control units, etc. A cyclopedia of data; conversion tables, screw sizes, charts, etc. etc.

Price only 25c postpaid

W. K. WALTHERS

1570 W. Pierce St.

Milwaukee, Wisc.

PHOTO ENLARGEMENTS
Is Photography your hobby? Do you want a profitable easy business at home? Make **PHOTO ENLARGEMENTS** for yourself and others. Your cost 5c each and less. The Ideal Photo Enlarger is **AUTOMAT-IC**. No experience required. Also **COPIES** any picture. **\$5.94 COMPLETE** delivered. Interesting circular **FREE** **ANY SIZE**
IDEAL-X, 124 East 25th Street, NEW YORK

ENGINES
Enclosed, Self-Oiling, Roller Bearing
A reliable engine, using all fuels, for farm or factory. Cheapest power for pumping, sawing, separating or similar work. The best engine for the money. Put one to work and watch it pay for itself. **Sold Direct From Factory to YOU. Immediate Delivery.**
WITTE ENGINE WORKS
229B Mulberry St., HARRISBURG, PA.

Here is a dependable supply of **Rare & Beautiful Cabinet Woods**

Plywood Panels, Veneers, Inlays, Borders, Flexwood and Balsawood. Also Pine and Maple Bench tops. Concentrated stain and dye powders for wood. Finishing materials.

Price list sent on request.

MATHES & KLEINHANS

Suppliers of wood & wood products to the home-craft-man.
615 TIFFANY ST. NEW YORK CITY

MOST AMAZING BARGAIN METAL CUTTING LATHE
A PRECISION TOOL Reduced to \$6.95
Weight 25 pounds—20 inch bed—Same lathe furnished with 26-in. bed, \$1.00 extra. 12 inch between centers—5 inch swing—3 inch bronze bearing—Ball bearing thrust—Hollow spindles—Takes all No. 0 Morse taper accessories—Compound rest you could not buy for double the price you pay for this Lathe (All ways carefully machined to 50 degrees and gibbed for take up)—41-ch face plate—Two No. 0 Morse taper centers—Two step V pulley—Tool post. Bed is made of one solid piece of cast iron—Milled ways. **Send only \$2.00 with order.** Balance express C. O. D. 3 inch—4 jaw Chuck—\$3.50. 4 inch—4 jaw Chuck \$4.50.
Balco Elec. Motor & Supply Co., Dept. C, 12 S. Clinton St., Chicago

Have A Real Home Workshop Of Your Own DRIVER ADD-A-TOOL

A sensational new Driver development—a thoroughly practical workshop—which can be bought a unit at a time—performs a multitude of different operations—and requires only a small amount of space (approx. 6' x 5')—has been perfected. See this remarkable outfit at your local hardware dealer or write direct for folder.

OPERATIONS
• Wood Turning • Grooving
• Sawing • Sanding
• Dadoing • Polishing

Walker-Turner Co. Inc.
Dept. 226A, Plainfield, N. J.

Please send your Add-A-Tool folder.

Name

Address

City State

WALKER-TURNER CO. INC. Plainfield, N. J.
\$39.95 complete with lathe unit, bench saw unit, 1/2 H.P. motor, 12 speed motor bracket and illustrated book of instructions.
Make Toys, Novelties, Furniture for pleasure or for profit. It's easy to operate, quiet in operation, works from any light socket.

Secrets of Success

STORIES THAT WILL HELP YOU GET AHEAD



**HERE'S YOUR CHECK
YOUR DRAWING IS O.K.**

Some men make more money playing than others do working. They have been far-sighted enough to turn a hobby into a real source of money. Perhaps you've always liked to take a pencil and draw. Successful artists are simply men who have kept on drawing, studying and practicing, until they became expert. You may have just as much ability. It costs you nothing to find out—and it may be the most valuable discovery of your life.

The Federal Schools, affiliated with a large art, engraving and printing organization, has trained many young men and women now capable of earning \$1,000 to \$5,000 yearly as designers and illustrators. Its Home Study courses in Commercial Art, Illustrating and Cartooning, contain exclusive illustrated lessons by many famous artists. Practical instruction by experienced men is the reason for its many years of outstanding success. Courses sold on easy monthly payments.

Send today for Free Book, outlining present opportunities in Art, describing the training and showing reproductions of students' work. With it, you will receive our Free Vocational Art Test, which our artists will use to judge your ability. You may have real talent. Don't let it rust—it may bring you a good income and an easier, happier life. Just fill out and mail the coupon below.

FEDERAL SCHOOLS, Inc.

2146 Federal Schools Bldg.
Minneapolis, Minnesota

Send me your free Art Test and Book

Name.....

Address.....

Age..... Occupation.....

60 ART LESSONS Only 95¢ POST PAID

Become Talented Artist with Big Income! Thorough Course by Alexander Murray, famous Art School instructor makes it easy to learn art in spare time. Teaches commercial art, cartooning, lettering, anatomy, perspective, adv. layout, etc.—without bother or expense of corresponding. You get all 60 lessons at once—no waiting for next lesson. Over 815 instruction illustrations. 125 pages of drawing paper FREE. Send only \$1.95 for Complete Course postpaid—or pay postman plus postage. MONEY BACK if not delighted after inspecting. Start now turning your spare time into MONEY! Order from this Ad.

EDUCATIONAL SUPPLY CO., Dept. A 272-B, Racine, Wis.

MORE \$5 PRIZE WINNERS

Three prize winning letters in POPULAR SCIENCE MONTHLY'S new Secrets of Success contest—"What Home Study Has Meant to Me"—are printed below. Read these stories carefully because your own career may be just as interesting and inspiring to other readers. If you think so, put it down on paper and send it in. We will pay \$5 for every letter we publish.

CONTEST RULES

Only letters from bonafide home study school students will be considered and these must contain the name of the school and the name of the company, or companies, for whom you have worked since graduation. (Names, however, will be deleted from the letters when published.) We also want to know the kind of course you took and the type of position you have held. Your own identity will be kept anonymous, if desired.

We are interested in facts, not literary ability, but please write clearly, completely, and keep your letter within 500 words. We are not looking for "get-rich-quick" stories or freak adventures, and authors must be prepared to substantiate the truth of the statements. Manuscripts submitted and printed become the property of this magazine, and we are not responsible for the return of rejected stories unless sufficient postage is provided for this purpose. Address your contribution to Success Story Department, POPULAR SCIENCE MONTHLY, 353 Fourth Avenue, New York, N. Y.

THIS COURSE LED TO AUTHORSHIP

It probably would not be fair to say that the course I took in the ——— Correspondence School taught me how to write. I had high school, college and theological seminary back of me. And I had already done a great deal of writing. My difficulty was not in writing but in finding some market for the things I wrote. That is just where the correspondence school came in.

I was a minister, pastor of a village church, with time on my hands for literary work. Not securing a sufficient number of sales of my articles, I enrolled in the school and when the course in magazine writing was completed, I took a second, this time in short story writing. Some of the things I learned were studying the market, writing for the market and writing in a style which the market demanded.

I found that most editors desired information rather than finesse of style and that the average grammarian is stupid—in style—when it comes to competition with present day newspaper and magazine writers. I found also that there is little market for philosophic generalizations but a very wide market for specific informative material.

High School Course in 2 to 4 Years

You can now complete your High School education—in 2 to 4 years—by homestudy. Course prepares for college entrance and teacher's certificate examinations—and advancement in business and industry. Standard H. S. texts used. Diploma awarded. Credit for H. S. subjects already completed.

College Training Liberal Arts Course offers cultural advantages of college training at low cost, by home study. Uses standard texts, supplemented by special study outlines and helps. A real opportunity for H. S. graduates and you older people to overcome your handicap and enjoy the benefits of college training. Write TODAY for Free Bulletin, stating which course interests you. No obligation.

American School, Dept. H-246
Drexel at 58th, Chicago

Home Study Prepares You for the Better Job

REAL JOBS OPEN

For Trained Auto, Diesel, Ground Aviation Mechanics!

Tremendous expansion of Automotive Industry and quick development of Diesel Engines and Aviation offer new opportunities for trained men. Earn \$35.00 to \$75.00 a week. I train you in 8 weeks in largest schools of kind. New, short, intensive practical shop plan.

MONEY BACK GUARANTEE!

Learn with real tools on real equipment! No frills—all practical work! 18 years' success in training ambitious men to qualify for specialized jobs at good pay. Two complete schools. Write at once for Free Opportunity Book and Special Low Tuition Offer. Address school nearest you.

McSWEENEY TRADE SCHOOLS, Dept. 6-26
Cleveland, O., or Kansas City, Mo.

FREE BOOK

Get into AVIATION

as Licensed Airplane and Engine Mechanic

LINCOLN Approved Training

Qualifies You for successful Aviation career! Both Mechanic and Flight Course approved by Dept. of Commerce; give you the required training for Government Airplane and Engine Mechanic's License, or for Transport, Limited Commercial, Private or Amateur Pilot's License! Thoroughly equipped school with highest class instructors. You get actual, practical experience rebuilding modern types of aircraft engines and airplanes under standard factory conditions. **Government Approved School**, now in 25th year; 15 years teaching aviation. Write now for facts. State age.

LINCOLN AIRPLANE & FLYING SCHOOL
212-F Aircraft Bldg. Lincoln, Nebr.

Learn Advertising at Home

Make money in advertising. Prepare quickly during spare time. Also earn while you learn. No experience necessary. New easy method. Nothing else like it. Send at once for free booklet—"Win Success in Advertising", and full particulars. No obligation.

Page-Davis School of Advertising
3601 Michigan Ave., Dept. 1362, Chicago, U. S. A.

WANTED!

Men and women to become EXPERT PHOTOGRAPHERS

An interesting, artistic, money-making career awaits you in this fast growing field. Instruction by world famous experts in every branch of Professional and Amateur photography. Earn while learning. Personal Attendance and Home Study courses. 26th year. FREE booklet.

NEW YORK INSTITUTE OF PHOTOGRAPHY
10 West 33 Street (Dept. 5) New York

ENGINEERING DEGREE IN TWO YEARS

B.S. Degree in Electrical, Civil, Chemical, Radio, Mechanical or Aeronautical Engineering in two years. Located in an industrial center with that Engineering atmosphere. Earn board. Low tuition. Preparatory Department. Enter March, June, Sept., Dec. Catalog.

INDIANA TECHNICAL COLLEGE
243 East Washington St., Fort Wayne, Indiana

The Lost Word

THE KEY TO SECRET WISDOM

"Like a bolt from the heavens, the word was spoken and from the reverberations of its sacred syllables, came the creation of the Universe"—so relates an old, old legend. Through the ages men have searched in vain for this lost word. In its stead they found keys to a secret wisdom. They learned how to unlock the hidden possibilities slumbering within everyone . . . startling, unused powers that make for a greater life.


This Sealed Book—FREE

A sealed book by the Rosicrucians, reveals the plan whereby you may obtain this wealth of knowledge leading to the greater joys and rewards of living. For free copy without obligation, write Scribe D. D. M.

The ROSICRUCIANS
SAN JOSE [AMORC] CALIFORNIA
NOT a religious organization

NEW INDUSTRY NEEDS MEN

Is This YOUR Opportunity?



AIR CONDITIONING and ELECTRIC REFRIGERATION—two giant industries—have need for reliable and properly qualified men for servicing and installation work. . . . To meet this need, men who can meet requirements are being selected by the Utilities Engineering Institute and fully trained in spare time for the work involved. Many earn up to \$35 and \$75 a week. For **FREE BOOKLET** containing detailed information, write fully, giving age, experience, present occupation, etc.

UTILITIES ENGINEERING INSTITUTE
Box 326, 400-410 N. Wells St., CHICAGO, ILL.

HOME STUDY COURSE

Home-Study Course, leading to Degree in Arts and Sciences; Education; Writing; Psychology; Chemistry; Business and Commerce; Law; Theology; Agriculture; Engineering; also courses in Business Training; Accounting; Advertising; Sales Management; Public Speaking; Radio. Many others. Low Cost; Easy Terms.

McKINLEY-ROOSEVELT UNIVERSITY
4238 Clarendon Ave. Chicago

New Way to Improve YOUR ENGLISH



A command of effective English gives you added advantages and better opportunities. Poor English handicaps you more than you will ever realize. You can improve your English through Sherwin Cody's 100% self-correcting invention. If you are ever embarrassed by mistakes in grammar, spelling, punctuation, or pronunciation, this new free book "How You Can Master Good English in 15 Minutes a Day" will prove a revelation to you. Send for it now. It is free. Address

SHERWIN CODY SCHOOL OF ENGLISH
182 Searle Building Rochester, N. Y.

CIVIL SERVICE

Positions. Clerk Carriers, Rural Carriers, Railway Postal Clerks, Postmasters, Statistical Clerks, File Clerks, and many others. Splendid salaries, easy work, vacation with pay. Common school education required. Examinations often. Send for our Civil Service Catalog.

Columbian Correspondence College Washington, D. C.

Make Money in Spare Time

Be a representative of Popular Science Monthly. Taking subscriptions at the new low price is easy. And you can make good money at it. Write for particulars to Popular Science Monthly, Circulation Manager, 353 Fourth Avenue, New York.

CRIME DETECTION SECRET SERVICE BOOK FREE



For 30 Days Reading—No Money Down Actual Crime Cases—If You Act Quick! We will send you this stirring book on Crime Detection, Secret Service and Identification Work for 30 days free reading. Send no money. If you decide to keep it, then send me only \$1. If not, return it. WRITE TO—

T. G. Cooke, Dept. 13-62, 1920 Sunnyside Ave., Chicago, Ill.

Secrets of Success

Since then I have had articles in dozens of periodicals, ranging from Sunday School publications to nationally known magazines. At present I am editor of *Church Management*.

Would-be writers, more than anything else, should know that it is not sufficient to write. The technique of expression is but one thing. One must write from knowledge and experience. The thing about which you write must be interesting. Many who will not have an opportunity for a full time job as a writer will find training helpful for part time activity.—*W.H.L., Ohio.*

"WONDERFUL AID" IF YOU WANT TO LEARN

For the past twelve and a half years I have been connected with the Overhead Line Department of the ——— Street Railway and while I have not arrived at the top which I hope to reach some day, I feel that I have benefited from a correspondence school course and that it is certainly responsible—in part, at least—for what I have accomplished so far.

From my earliest recollection electricity and mechanics had always fascinated me and as I grew up I intended to study them. But unfortunately when I finished high school in 1922 I was unable to go on through college because of financial reasons. Instead, I went to work as a clerk in a grocery store.


My first week's salary, however, went for a down payment on a correspondence course and I was enrolled with the ——— School as a student in electrical engineering. During the next eleven months I worked as a clerk in several stores and studied at night, all the time trying to get a job in the electrical line.

Thanks to the efforts of a representative of the correspondence school, I finally obtained a job with the street railway as a laborer on a pole setting crew. After a few months I was put on the electric welding crew, or bonding crew as they were called. This crew tested and repaired all electrical connections to the track as well as miscellaneous jobs for the Overhead Line Department.

In January 1925 plans had been made to reconstruct the feeder system from a central station supply to supply from four sub-stations with accompanying changes in feeder and transmission lines. Some one was needed in the office of the Overhead Line Department to assist with estimates, blue prints, and construction records.

My employer, himself a student of the same correspondence school, had taken an interest in me and offered me a chance at this job and with it went a substantial increase in salary.

A few months later the local public utility company started a program of expansion extending its services to several small towns within the radius of twenty to fifty miles. My boss was put in charge of part of this work and I was able to secure a part time position assisting in laying out pole routes, estimating the size and location of transformers, and locating



Amazingly Easy Way to Get Into ELECTRICITY

Don't spend your life never sure of a job. Now . . . and forever . . . say good-bye to lay-offs and uncertainty. Let us teach you how to prepare for positions that lead to good salaries in Electricity—NOT by correspondence, but by an amazing way we teach right here in the great Coyne Shops that makes you a practical electrician in 90 days!

I'll Finance Your Training!

Mail the coupon below. If you are short of money I'll send you all details of my finance plan and consider your application. If accepted, you won't have to start paying back your tuition until five months from the date you start school, and then you'll have 18 months to complete your payments.

LEARN BY DOING—IN 90 DAYS

BY ACTUAL WORK—in the Great Coyne Shops

I don't care if you don't know an armature from an air brake—I don't expect you to! It makes no difference. Don't let lack of money hold you back from getting all details of my amazing plan.

MANY EARN WHILE LEARNING

If you need part time work to help pay your expenses, we may be able to help you if you will write and tell us your problems. When you graduate we'll give you lifetime employment service. And, in 12 brief weeks, in the great shops of Coyne, we train you as you never dreamed you could be trained . . . on one of the greatest outlays of electrical apparatus ever assembled . . . real dynamos, engines, power plants, autos, switchboards . . . everything from door bells to farm power and lighting . . . full sized . . . in full operation.

DIESEL ELECTRIC REFRIGERATION AND AIR CONDITIONING


Right now we are including our new courses in Diesel Electricity, Electric Refrigeration and Air Conditioning without extra cost so that your training will be complete and you can get into these marvelous, rapidly expanding fields.

GET THE FACTS

Coyne is your one great chance to get into Electricity. This school is 37 years old—Coyne training is tested—endorsed by large electrical concerns. You can find out everything absolutely free. Simply mail the coupon and let us send you the big, free Coyne book with photographs . . . facts . . . jobs . . . salaries . . . opportunities. Tells you how many earn expenses while training and how we assist our graduates in the field. No obligation to you. So act at once. Just mail coupon.

BIG FREE BOOK!

Send for my big book containing photographs and telling the complete story—absolutely FREE.

H.C. Lewis 

COYNE ELECTRICAL SCHOOL

500 S. PAULINA ST., Dept. 26-73, CHICAGO, ILL.
— MAIL THE COUPON TODAY —

H.C. Lewis, Pres., COYNE ELECTRICAL SCHOOL
500 S. Paulina Street, Dept. 26-73, Chicago, Illinois

Dear Mr. Lewis: Without obligation send me your big, free catalog with facts about Coyne Training and details of your "Pay-Tuition-After-Graduation" Plan.

NAME.....AGE.....

ADDRESS.....

CITY.....STATE.....

Be a RADIO EXPERT



**Learn to Make
\$30, \$50, \$75 a WEEK**
*I'll train you at
home in spare time*



**\$40 to \$100 Month
in Spare Time**

"I am servicing broadcast, auto Radios and electrical appliances in spare time. I have run from \$40 as high as \$100 a month. My Radio work equals and often exceeds my regular salary."—JOHN J. REID, 536 Dayton Ave., St. Paul, Minnesota.



**Now Has Fine
Business**

"I have a fine business servicing sets. I am making a good living—seldom have a week under \$40. If it wasn't for N. R. I., I would probably be tramping the streets."—GLENN C. KING, 46 Division Ave., 5, Grand Rapids, Mich.



**Gets Job While
Training**

"Before finishing your Course I was Radio Expert for the largest sporting goods store in North Carolina. Since enrolling I have made about \$5,500. I want to thank N. R. I."—J. E. SMITH, 601 W. 18th St., Austin, Texas.

Get my FREE book about the opportunities in Radio. Mail the coupon now. Get the facts about this new, fast-growing industry. N.R.I. training fits you for jobs making, selling, servicing short and long wave Radio sets, to have your own business; to build, service and install loud-speaker systems; to operate Radio apparatus on board ships, in a broadcasting or commercial land station; for Television, which promises hundreds of good jobs soon, automobile Radio, aviation, police Radio, and many other branches. My FREE book gives full information and tells how to learn quickly at home in spare time. Stop struggling along in a dull job with low pay and no future. Start training now for the live-wire Radio field. Hundreds of men now in Radio owe their success to N.R.I. training.

**Many Make \$5, \$10, \$15 a
Week Extra in Spare Time
While Learning**

Hold your job. I'll train you in a few hours of your spare time a week. The day you enroll, I start sending you Extra Money Job Sheets which quickly show you how to do Radio repair jobs common in most every neighborhood. I give you Radio equipment that teaches you to build and service practically every type of receiving set made. George W. Honert, 248 Water Street, Ligonier, Ind., made over \$500 from the start of the Course to its completion.

Get My Book—FREE—Now

My book has shown hundreds of fellows how to make more money and win success. It's FREE to any ambitious fellow over 15 years of age. Investigate. Find out what Radio offers; about my Course; what others who have taken it are doing and making; about my Money Back Agreement, and the many other N.R.I. features. Mail coupon NOW.

**J. E. SMITH, Pres.
National Radio Institute
Dept. 6BP3
Washington, D. C.**

MAIL NOW for FREE PROOF

J. E. SMITH, President
National Radio Institute
Dept. 6BP3
Washington, D. C.

Dear Mr. Smith:
Without obligating me, send free book about spare time and full time Radio opportunities, and how I can train for them at home in spare time. (Please write plainly.)

NAME.....AGE.....
ADDRESS.....
CITY.....STATE.....



Secrets of Success

the wires in these villages, still retaining my connection with the railway company.

During the real estate boom in Florida, I helped lay out plans for the electrical system of a proposed new town down there. I worked on these plans at night and during my spare time, and had accepted a job to install this system and operate it when the bubble burst. Happily I had not yet resigned from the railway company.

Since that time I have assisted in the installation of the overhead construction of the first trackless trolley coaches operated in this city, and in the maintenance and operation of the overhead wires of the street railway system. I am now rated as an assistant engineer in the overhead line department.

If you can attend college... fine! Go and study hard. But if finances prevent a college education, a home study course is a wonderful aid if one has the determination to learn. Thanks to my training, I have been able to provide a comfortable living for my wife (whom I married in 1926) and two children all through the depression.—C.F.C., Tennessee.

LIKES TO WORK SOME THINGS OUT ALONE

Home study courses are a hobby with me. They have enabled me to take up subjects not included in my college curriculum—at least not coming under the head of those required for my particular degree—when I could not afford to enroll for additional work away from home.

I have found it very convenient to delve into lessons at odd moments which might otherwise have been wasted. Contact with instructors, even though only on paper, was pleasant as well as profitable. I could easily increase my knowledge and keep on with my regular job.

Although there are undeniable advantages in class room recitations, I find it a comfort to work some things out alone. My mental processes may be peculiar, but when my brain "locks" on any question, the presence of other people is a hindrance, especially if those others get the idea quickly and clearly, and I am "sunk." With a properly written book before me, I can almost invariably work it out until it sinks in and I know what I am doing.

Then, too, I find relaxation in studying some favorite subject. I have taken advertising, short story writing and magazine journalism—oh yes, and one course in efficiency—and enjoyed every one. I may take some more when I am sufficiently inspired and have the time and money. Believe me, I'm for 'em!—P.H., Nebraska.

IT'S EASY TO MAKE BIG SPARE TIME MONEY

Send for our free plan on how to make \$5.00 to \$15.00 a week in your spare time by taking orders for POPULAR SCIENCE MONTHLY from your friends. No selling required. Turn extra hours into extra dollars.

POPULAR SCIENCE MONTHLY
353 Fourth Ave. New York, N. Y.

Learn DENTISTRY

A profession offering unlimited opportunities. Most modern and complete course embracing every branch from Plate to Porcelain Work, which prepares you to work for Dentists or start your own business. Individual instruction—practical training in day or night school. No books—no classes. Catalog upon request.



McCARRIE SCHOOL OF MECHANICAL DENTISTRY
207 N. Broad St. Dept. 630 Philadelphia, Pa.

COMPLETE PLANS

**FOR BUILDING A PERMANENT PROFITABLE
LAWN MOWER SHARPENING BUSINESS**

Plans tell how to build a paying business right in your own basement. \$30 to \$50 monthly in spare time alone. Experience unnecessary. Big descriptive catalog and complete plans. *Free!*



MAIL POST CARD
THE FATE-ROOT-HEATH CO.
536 Bell St. Plymouth, Ohio

RADIO ENGINEERING

RCA Institutes offers an intensive course of high standard embracing all phases of Radio. Practical training with modern equipment at New York and Chicago schools. Also specialized courses and Home Study Courses under "No obligation" plan. Illustrated catalog on request.



RCA INSTITUTES, INC.
Dept. PS-36, 75 Varick St., New York
1154 Merchandise Mart, Chicago
Recognized Standard in Radio Instruction Since 1909

Learn Public Speaking



At home—in spare time—Many overcome "stage-fright," gain self-confidence and increase their earning power, through ability to sway others by effective speech. Write for free booklet, *How to Work Wonders With Words* and requirements.

North American Institute, Dept. 1382
3601 Michigan Avenue, Chicago, Ill.

LEARN CARTOONING

At Home—In Your Spare Time

The famous Picture Chart Method of teaching original drawing has opened the door to success for hundreds of beginners. Send for sample chart to test your ability and examples of the work of students earning from \$50 to \$300 per week. Please state your age.



THE LONDON SCHOOL
1471 National Bldg. Cleveland, Ohio

Learn Photography at HOME

Splendid opportunities. Prepare quickly in spare time. Easy method. No previous experience necessary, common school education sufficient. Many earn while learning. Send for free booklet "Opportunities in Modern Photography," particulars and requirements.

AMERICAN SCHOOL OF PHOTOGRAPHY
3601 Michigan Ave. Dept. 1369 Chicago, Illinois

ELECTRICAL ENGINEERING

A BROAD, basic, intensive course complete in one school year. Includes fundamentals of Refrigeration, Air-conditioning, Electronics. Approved by educators, endorsed by industry. 44th year. Catalog.




**BLISS ELECTRICAL
SCHOOL**
102 Takoma Ave., Washington, D. C.

Always mention POPULAR SCIENCE MONTHLY when answering advertisements in this magazine.



BE A RAILWAY TRAFFIC INSPECTOR

A Real, Well-Paid Job for Ambitious Men
UPON COMPLETION of our simple, home-study course, we will place you as Railway and Bus Passenger Traffic Inspector at up to \$135 per month, plus expenses, to start, or refund tuition. Experience brings rapid advancement. Fascinating, healthful work in a growing field with a constant demand for trained men. Free Booklet outlines our 17-yr. experience. Write
STANDARD BUSINESS TRAINING INSTITUTE
Div. 302 Buffalo, N. Y.



**NEW!!
MIDGET
POCKET
RADIO**
**\$2.99
COMPLETE
POSTPAID**

Fits in any small pocket easily. Weighs only 4 ozs., as shown. Neat appearing. No tubes, batteries, or electrical connections needed! Nothing to wear or need replacement—will last for years—only one moving part! Separates and receives broadcast stations with beautiful clear tone. Range up to 50 miles—MUCH GREATER under good conditions—very little static or interference! Can be used by ANYONE ANYWHERE! NO CRYSTALS TO ADJUST! Absolutely complete with midget phone and instructions to use while in bed, hotels, autos, offices, camps, on bicycles or any place you may be. No complicated or messy hookups—takes only a second to connect! THOUSANDS OF SATISFIED OWNERS. THESE ARE FACTS! Send only \$1.00 and pay postman \$1.99 plus postage on arrival or send \$2.99 (Cash, M. O. Check). Ideal Gift. Guaranteed. ORDER NOW!

TINYTONE RADIO CO., Dept. PS-2, KEARNEY, NEBR.

I AM RICH!

Read How **25¢**
Can Start **You**
to Success

It would be a thrill, wouldn't it, to own your own business? Time and money to go places and do things. That's the life of a successful salesman. Good salesmen are well paid and never have to ask their boss for a salary raise. Their volume of orders automatically get them in the big pay class from \$2500. up to \$25,000 a year.

SPECIAL FREE OFFER!

A leading successful sales manager offers you "Psychology in Selling" . . . 32 pages of rich information that money never could buy . . . all facts from the hard school of experience . . . a revelation and truly a guide to a college course in salesmanship. Send 25¢ today and get your copy. We will include **FREE** "Your Way to Success" which might be the turning point in your business life. **Send TODAY** . . . the key to success is within your reach for only 25¢.

The Sales Institute, Dept. 202, West Englewood, N. J.

HAVE YOU SOME SPARE ROOM

a basement or garage where you can do light work? We can offer you a profitable proposition for 1936 casting 5 and 10c Novelties, Ashtrays, Toy Automobiles, etc., as Branch Manufacturer for a firm of many years standing. No experience necessary and small outlay starts you so if you mean strictly business and are interested in devoting your spare or full time to profitable work write at once for full details.

METAL CAST PRODUCTS CO. DEPT. E
1696 Boston Road New York, N. Y.

Get
into
RADIO
REAL
JOBS
REAL PAY

Earn While Learning at Home!

Television, Photo Electric
Cells, Public Address

Many R-T-I Trained Men
make up to \$75 a week and
more in full-time radio jobs
—\$5-\$15 in spare time
alone. More trained men
needed. Learn at home by
quick, easy, R-T-I WAY.
Endorsed by 50 big concerns.
Write for big Opportunity Book FREE.

**PHILCO
CROSLY
ZENITH
GRUNOW**
and 46
other
mfrs.
endorse
R-T-I

RADIO AND TELEVISION INSTITUTE, Inc.
2130 Lawrence Ave., Dept. 202, CHICAGO, ILL.

INFERIORITY COMPLEX

is a "disturbance centre" in subconsciousness, generating powerful negative impulses, causing self-consciousness, lack of charm, nervousness, worry, weak will, etc. To struggle against these personality-weakening forces is in vain — **REMOVE THEM ALTOGETHER** by reconstructing within yourself a powerful positive subconscious mind — vibrant, confident, resourceful! Write for **FREE BOOK**.

British Institute of Practical Psychology, Inc.
Dept. PS-26, Stamford, Conn.



VOICE

100% Improvement Guaranteed

We build, strengthen the vocal organs — not with singing lessons — but by fundamentally sound and scientifically correct silent exercises . . . and absolute guarantee to improve any singing or speaking voice at least 100% . . . Write for wonderful voice book — sent free. Learn WHY you can now have the voice you want. No literature sent to anyone under 17 unless signed by parent.

PERFECT VOICE INSTITUTE, Studio 13-62
64 E. Lake St., Chicago

Always mention **POPULAR SCIENCE MONTHLY** when answering advertisements in this magazine.

**CARTOON YOUR WAY
TO SUCCESS!**
DON'T COPY - LEARN TO ORIGINATE!

RAYE BURNS will teach you HOW to CREATE ORIGINAL CARTOONS at home that you can SELL! Course has 26 lessons and 600 illustrations. Send name and address for free details. Only **\$2.85**


RAYE BURNS SCHOOL, Dept. S-X, Box 2194, Cleveland, Ohio

YOUR MICROSCOPE SHOWS BEAUTIES OF CRYSTALS

(Continued from page 113)

you want to subdue the light from the lamp, add a disk of red, fireproof transparent material of the type used over show-window lamps, spotlights, and the like. An added refinement is a covering of asbestos around the outside of the can, to act as an insulating layer when the heater is operated for considerable periods.

In using this heater, be careful not to run it so long at one time that the lamp will be damaged. A lamp of the old carbon type, which gives more heat than light, can be used. Some of the special therapeutic or electric-heater lamps can be employed. Special lamps made for use inside ovens ought to prove satisfactory, if the imprisoned heat seems to damage ordinary lamps. When ordinary



This fantastic wonderland is composed of potassium bromide crystals, magnified 300 times

inside-frosted bulbs are used, thirty-, forty-, or sixty-watt sizes are about right, depending on the intensity of heat that is best suited for the work being carried on.

If you have a transformer for operating a 108-watt microscope lamp, or a toy transformer of sufficient capacity (such as the 150-watt size), you can wind a resistance unit from nichrome resistance wire, experimenting to find the proper length. The wire can be wound in a pancake spiral or zigzagged like the letter M, and mounted on an insulating, heat-proof support such as a piece of asbestos, slate, or mica. A mica disk taken from a burned-out fuse plug is excellent. Use fairly fine resistance wire, something like No. 28. A foot or so ought to be about the right length, for operation on four to six volts; but the best length can be found by test. Make a springlike coil by winding the wire around a darning needle, and then fasten the coil to the support. One way of doing this is to punch or drill holes in the support at intervals along the coil, bend short lengths of the resistance wire into the shape of a hairpin, and use these as staples to pass through the holes of the mounting support.

MOUNT the heater unit on an upright brass bolt passing through the center of a rectangular piece of sheet aluminum or other metal big enough to form a rigid base. The coil should be about one half inch above the plate. Bend a piece of stiff brass wire into a ring, with one end projecting to form a leg, and mount it as shown in the illustration to make a support for the specimen slide which is to be heated.

Connect the ends of the resistance wire to insulated wires running to the transformer secondary, and your heater is complete. You will find that a little heater of this type is surprisingly efficient, and one of the handiest pieces of equipment you can add to your microscope laboratory. Because of the low voltage used, there is no danger of shock; and it is safer to use, from a fire-hazard standpoint, than the conventional heater which employs an open flame.

Arrest Him, Officer!

I'LL HAVE COMPLETE FACTS ON
THE OTHER FELLOW TONIGHT!



Follow This Man!

SECRET Service Operator No. 38 is on the job . . . follow him through all the excitement of his chase after the counterfeit gang. See how a crafty operator works. Tell-tale finger prints in the murdered girl's room that help him solve the great mystery! BETTER than fiction because every word is TRUE. No obligation. Just mail me the coupon and get—

FREE

The Confidential Reports No. 38 Made to His Chief

And the best part of it all is this—it may open your eyes to the great opportunity for YOU as a well paid Finger-Print Expert. This is a young, fast-growing profession. The kind of work you would like. Excitement! Thrills! Travel! A regular monthly salary. Reward money. And remember: graduates of this school HEAD 47% of all Identification Bureaus in the U.S. Quick! Mail the Coupon NOW and I'll send you these Free Confidential Reports!

INSTITUTE OF APPLIED SCIENCE
1920 Sunnyside Ave., Dept. 13-62, Chicago, Ill.


Institute of Applied Science
1920 Sunnyside Ave., Dept. 13-62,
Chicago, Illinois

Gentlemen:—Without any obligation whatsoever, send me the Reports of Operator No. 38, also your illustrated Free Book on Finger Prints and your low prices and Easy Terms Offer. Literature will NOT be sent to boys under 17 years of age.

Name

Address

Age



The Diesel Engineer

Now is your chance to get into a big new industry and grow up with it to an important position. Today there is practically no competition in the Diesel field, but the increasing use of Diesel engines will result in keen competition for jobs after a few years. If you start your training now and get established in this field, you need not worry about competition.

American School, Dept. D-246, Drexel Avenue at 58th Street, Chicago, Illinois

Is Your Job Safe?

Just as the gasoline engine changed the jobs of thousands who depended on horse-drawn vehicles for their living — so now the Diesel engine is fast invading both the power and transportation fields, and threatening the present jobs of thousands of workers.

What This Field Offers You

Diesel engines are replacing steam and gasoline engines in power plants, motor trucks and busses, locomotives and ships, aircraft, tractors, dredges, pumps, etc.—opening up an increasing number of well-paid jobs for Diesel-trained men. You get complete information on all the latest Diesel developments in our course. Special diagrams for quick understanding of this new power.

Get our Free Diesel Booklet and find out what the Diesel field offers you—how quickly you can obtain a complete understanding of Diesel engine principles and operation by spare-time study at home. Write TODAY. No obligation.

“GET ON” “Uncle Sam’s” PAYROLL

**START
\$1260 to
\$2100 Year**
Common Education
Sufficient

Franklin Institute
Dept. E-298,
Rochester, N. Y.

Rush to me, entirely free of
charge 32 page book with: (1)
A full description of U. S. Gov-
ernment Jobs; (2) A list of U. S.
Government Jobs; (3) Tell me how
to get a job.

**New 40 Hour
Week Means
Many Post
Office
Jobs.**
Mail
coupon
today—
SURE

COUPON
Name

Learn Radio IN 12 WEEKS

BY SHOP WORK—NOT BY BOOKS
I'll Finance Your Training!

Prepare for jobs in Service Work, Broadcasting,
Talking Pictures, Television, Wireless, etc., by 12
weeks practical shop training in Coyne Shops. Free
Employment Service. Many earn while learning. Write for
BIG FREE RADIO AND TELEVISION BOOK, and my “Pay-
Tuition-After-Graduation” Plan.

H. C. LEWIS, President, COYNE RADIO SCHOOL
500 S. Paulina St., Dept. 26-4H, Chicago, Illinois

MAKE MONEY At Home!

EARN money working at home or in studio coloring
photos and miniatures in oil. Learn “Koehe Method”
in few weeks. Work done by this method is beautiful and
in demand. No previous experience needed. Many make
money full or spare time this easy way. Send for free
booklet, “Make Money at Home” and requirements.

NATIONAL ART SCHOOL, Inc.
3601 Michigan Avenue Dept. 1362 Chicago, Illinois

TRI-STATE COLLEGE

B. S. Degree in 2 years. World fa-
mous for technical 2-year courses in
Civil, Electrical, Mechanical, Chemi-
cal, Radio, Architectural, Aeronauti-
cal Engineering; Business Administra-
tion and Accounting. Equivalent in technical hours to 4-year
course. Those who lack high school may make up work. Low
tuition. Low living costs. Located in picturesque hill and
lake region. Students from every state and many foreign
countries. 53rd year. Enter Jan., March, June and Sept.
Write for catalog.

526 College Ave., Angola, Ind.

Always mention **POPULAR SCIENCE MONTHLY** when answering adver-
tisements in this magazine.

One Year From Today What Will You Be Earning?

This may be the most important year in your life! Your whole future is apt to depend on how you take advantage of present business changes.

The “New Deal” is opening up new jobs, creating unusual opportunities, bringing back prosperity. But that does not insure prosperity for you. Only you can insure that.

For months—maybe years—employers will be able to pick and choose out of the millions now unemployed or dissatisfied with their work and pay. Naturally they will pick the men with most preparation and ability.

You should—you must—make yourself quickly more valuable—to protect what you have and to insure getting your share of the promotions and pay raises. It is being done by OTHERS—it can be done by YOU!

Ask us to send you full details about our new spare time training, and to explain how it prepares you to meet today's demands and opportunities, also about our salary-increasing plan. If you really are in earnest, you should investigate at once. Check your field below, write your name and address, and mail.

LaSalle Extension University
Dept. 283-R Chicago

Send me, free, the facts about the demands and opportunities in the business field I have checked—and about your training for that field.

- | | |
|---|--|
| <input type="checkbox"/> Higher Accountancy | <input type="checkbox"/> Industrial Management |
| <input type="checkbox"/> Expert Bookkeeping | <input type="checkbox"/> Modern Foremanship |
| <input type="checkbox"/> Business Management | <input type="checkbox"/> Business English |
| <input type="checkbox"/> Traffic Management | <input type="checkbox"/> Law—LL. B. Degree |
| <input type="checkbox"/> C. P. A. Coaching | <input type="checkbox"/> Commercial Law |
| <input type="checkbox"/> Personnel Management | <input type="checkbox"/> Stenotypy |
| <input type="checkbox"/> Modern Salesmanship | <input type="checkbox"/> Effective Speaking |

Name

Present Position

Address

Better Jobs

MY NEW JOB, TOM, IS A DANDY
MORE FUN—EASIER WORK
AND BIGGER PAY NOW
WORKING AS A DRAFTSMAN

**Prepare Now!
Bigger Pay—**
pleasant desk
work—almost
your own boss—
draftsmen en-
joy good
salaries.

Illustrating assumed case

THE DRAFTSMAN JOB comes first! He draws the plans; thereafter come the steel mills; lumber yards and brick yards. An important factory town has already reported a shortage of trained draftsmen. U. S. Gov't work will create more jobs.

Learn Drafting! Learn in spare hours at home by mail.

No previous experience necessary; high school education NOT required; thanks to Engineer Dobe's practical method. Everything made plain, easy to understand. Aptitude needed. Established 1900. My students have won success far and wide. Join them!

It's high time now to get the practical training and to prepare for that good job. Study practical drafting evenings. All tools and drawing table given you at once if you enroll promptly. Send coupon below.

FREE BOOK

Write at once for the free book explaining “My Pay Raising Plan”. Send coupon.

ENGINEER DOBE, Div. 33-92, Libertyville, Ill.

Send me your free book “Successful Draftsman-ship” and please explain how you will assist me to a good position as a draftsman.

Name Age

Address

MERCY FLYERS BRING RESCUE FROM THE SKY

(Continued from page 21)

persons dead in the ruins and 7,000 injured lying in the streets. With radio towers wrecked, submarine cables snapped, all bridges leading into the city washed away, and the harbor bottled up by a sunken dredge, the victims were cut off from the world. Only by the sky road could assistance reach the stricken city.

Radio men at the Pan American air-line field rigged up a short-wave set and flashed an SOS. By the following morning, great birds of wood and metal, birds of mercy, were heading for Santo Domingo City with doctors, serums, medical supplies. Within a few days, 37,800 pounds of medical supplies alone—typhoid serums, tetanus serums, gauze, bandages, morphine tablets, ether, hypodermic needles—reached the city by plane and averted thousands of additional deaths.

LATER, the same year, swollen rivers in Alabama, Georgia, Mississippi, and Florida flooded more than a million acres and endangered the lives of 76,000 persons. Army planes from Maxwell Field, near Montgomery, Ala., made 296 flights, an average of almost fifty a day, while the flood was at its height. In addition, Navy airmen flew 15,000 miles in six days. Together, they saved thousands of lives by dropping food and supplies and by reporting the location of refugees.

During one of these flights, Lieut. W. H. Higgins and Corporal Woodward had a narrow squeak in a big observation plane loaded with supplies. They were clipping the tree tops, not far from Andalusia, Ala., when the excitement began. But, let the pilot tell the story.

“We had just sighted several marooned people. Suddenly, the motor started to vibrate violently. The power dwindled to almost nothing. My first inclination was to jump, but, knowing we were too low, I made for the open water of the Conecuh River.

“We hit at sixty miles an hour. The plane whipped over on its back, throwing Corporal Woodward clear of the ship. I was trapped in the cockpit with my parachute. I didn't know I could work so fast but somehow I got my safety belt unclashed and my parachute floated me to the top. Corporal Woodward had floated to a log jammed against some pine trees. I joined him and we ripped the pads from our parachutes to use as floats.

“The current carried him into midstream and he soon outdistanced me. I swam and floated for half a mile until I saw an old house sticking half out of the water. A window to the attic was open. Inside were some clothes and quilts hanging on a peg. I was shivering, and changed into the dry clothes. Then, men in a boat came along and we went on down the river where we found Corporal Woodward in the top of a pine tree.”

THE adventure ended in a laughable anticlimax. For Corporal Woodward had found a skunk in possession of the tree top and the evidences of the skunk's reception were carried on the breeze for half a mile around.

It was during this flood that an outboard motor was dropped from the sky for the first time to aid in rescue work. Attached to a parachute, it was carried aloft packed in hay, wrapped in canvas, and dangling from the bomb rack of an Army plane. Above a levee at Brewton, Ala., the pilot swooped down, released the motor, and saw it drift to a landing in shallow water near the waiting flood victims. Attached to a skiff, it speeded up the work of taking people from partly submerged trees and houses.

Most articles dropped from aloft are packed in hay or excel- (Continued on page 119)

FOR Real FUN Play A Soprani ACCORDION



● If you want to be really popular, have all the fun, the center of attraction everywhere, just learn to play this thrilling instrument from Italy. A complete band or orchestra in itself, and so easy to learn to play. You'll master this easier Soprani in no time, and you'll have real fun from the start. Don't delay. Big future. Send postal for beautifully illustrated literature. No obligation. Easy terms. Write today sure.

SOPRANI, INC., DEPT 231
630 S. WABASH AVE. CHICAGO, ILL.

MERCY FLYERS BRING RESCUE FROM THE SKY

(Continued from page 118)

sior. Experience has taught a number of things about the right way to safeguard supplies delivered by plane. For instance, sacks of coffee, beans, and flour are always packed only half full. Full sacks, no matter how carefully they are packed, burst on striking the ground. Canned goods usually come down a single can to a package, wrapped with rounded corners so it will roll like a ball.

So expert are some disaster pilots at dropping these "peace bombs" that they can place them directly on levees or high spots ninety-nine times out of a hundred. In several cases, they have planted the needed food on roof tops sticking up out of the water where flood victims were waiting for rescue boats to take them off.

A YEAR or so ago, a brash young baseball player was among the refugees marooned on the top of a knoll. When a relief plane circled low and gave four blasts of its motor, the other flood victims scattered to the edges of the open space, but he set himself to catch a fly. Down came a can of tomatoes padded with excelsior and wrapped in bur-lap. It landed right in his hands and the next thing he knew he was flattened out on the ground, being helped up by his friends. Although supplies are dropped when the plane is as near the ground as possible, they land with considerable force.

Consequently, large objects are always attached to parachutes. In a number of instances, five-gallon milk cans, protected by padded canvas covers, have floated down from bombing planes with food and drink for hurricane, flood, or earthquake sufferers.

In 1932, the strange "moonlight hurricane," which devastated parts of Southern Texas, gave relief planes another chance to demonstrate their ability.

After ripping across Cuba, the whirlwind crossed the Gulf of Mexico and struck Texas along a 200-mile front, extending from above Corpus Christi to Brownsville. At Corpus Christi, an immense steam whistle blew a shrill blast at ten-second intervals to warn of the approaching hurricane. With streets deserted, houses boarded up, and citizens huddled in stormproof structures, the community waited for the storm to strike.

Suddenly, the rain ceased, the black clouds parted, and brilliant moonlight illuminated the drenched streets, the whipping trees, and the crashing breakers. Then, as suddenly, the clouds rushed together again and the hurricane struck in a screeching, 100-mile-an-hour wall of air. It wrecked houses, sent automobiles rolling over and over like tumble-weeds, snapped wires, tore out bridges, and left twenty-two dead and 1,500 injured behind.

AT THE first word of such disasters, the flying Minute Men of the Red Cross go into action with their radio and planes. In addition they carry directing officials, shuttling back and forth across the map as the work shifts from one battle front to another.

Even when large-scale calamities are not present, they often guide their ships through the sky on errands of mercy. Not long ago, for example, one pilot raced three fourths of the way across the United States with a special kind of serum to save a woman's life. And, frequently, when persons are stricken at lonely outposts, they receive aid or are transported to hospitals by plane.

According to officials of the American Red Cross, an average of eighty-two disasters a year claim the attention of that organization. In caring for the needs of sufferers, increasing reliance is being placed on daring airmen, the disaster pilots who ride the skyways to aid in rescue and relief.

How to Get a GOV'T JOB

Paying \$1200 to \$2700 a Year!



Arthur Patterson

STOP worrying about strikes, layoffs, hard times! Get on the Govt. payroll. Vacations with pay—steady income **you can depend upon**—sick leave with pay—comfortable pension when you retire! Train now for a good job. For eight years I was a Civil Service Examiner. I have helped thousands. Free Book tells how I train you at home, in spare time. Mail coupon TODAY.

BE A RAILWAY MAIL CLERK \$1850 to \$2700 A YEAR

—plus allowance for living expenses while away from home. Railway Mail Clerks may earn as much as \$155 a month! Some work 4 days, then get 4 days off. 15 days' annual vacation with pay, 10 days' sick leave with pay. Citizens 18 to 35 are eligible.

Steady Work, Short Hours, and a PENSION

Government jobs require no special previous experience. Automatic salary increases. Chances for advancement can lead to positions paying up to \$4700 a year (\$90 a week). If you are a citizen, 18 to 50 years old, you may qualify.

Let me train you for job you want—just as I trained those whose remarks are printed at left, and thousands of others.

Travel or live in beautiful Washington, D.C., or train for position in your own community. Remember, your Government employs people in every state, city and practically every village in the Nation. Select job you want. Then let me help you to qualify!

\$3275 a Year

"Am drawing salary of \$3,275 a year." (About \$63 a week.) Thanks for your help: will recommend your school highly to anyone." J. S. W. Motor Rural Carrier, Tex.

Gets \$2633 a Year

"My work is clean, pleasant, healthful. Salary amounts to about \$2633. Get paid vacations, sick leave with pay, time off, retirement at 62, 30 a day work only 44 hrs. a week. Can never say too much for your course!" M. C. R. Phila., Pa.



POST OFFICE CLERK

\$1700 to \$2100 A YEAR

Special Clerks at \$2200 to \$2300. 15 days' vacation and 10 days' sick leave every year, with full pay. Promotion opportunities can lead to positions paying up to \$4700 a year! Men and women citizens, 18 to 45, are eligible.

CITY MAIL CARRIER

\$1700 to \$2100 A YEAR

15 days' vacation and 10 days' sick leave with full pay every year. Good chance for rapid promotion to bigger pay. Citizens 18 to 45 are eligible.

CUSTOM HOUSE POSITIONS

\$1100, \$1600 to \$3000 A Year


—and up. Extra pay for overtime. Mexican and Canadian border duty and seaports. Examinations open to all citizens between 23 and 45.

POSTMASTER

\$1200 to \$2500 A YEAR

FREE BOOK

My big FREE 48-page Book tells about the many interesting kinds of Government positions—the amount of salary each one pays; the advantages you enjoy by working for your Government. Learn how I can help you qualify for a steady, well paid job in Washington, near your home, or traveling. Send postal or mail coupon to me personally for your copy of my FREE BOOK—TODAY. Address: ARTHUR R. PATTERSON, Civil Service Expert, Patterson School, 162 Case Building, Rochester, N. Y.



MAIL COUPON NOW!

Arthur R. Patterson, Civil Service Expert, Patterson School, 162 Case Bldg., Rochester, N. Y.

Please send me, without cost or obligation, a copy of your FREE BOOK, "How to Secure a Government Position," which tells about the Civil Service positions paying \$1200 a year and up.

Name

Address

City State

Earn Money with this WONDERFUL NEW INVENTION!

Real Money Maker for Part or Full Time AGENTS!
Make quick PROFITS with new, patented invention—sells on "flash" demonstration. Main or side-line. Big, new market. **Soldering Iron and Blow Torch IN ONE!** Light, portable. Eliminates pump, pressure system, stove, charcoal—ALL! **PROOF IT SELLS**—Agent Rowland earned \$300 a month. —Ware sold 50 Irons while stopping in hotel! "Going like hot cakes," says Bailey. **WRITE** quick—get established for EXCLUSIVE territory. A postal will do! **JUSTRITE MFG. CO., 2061 Southport, Dept. 13-62 Chicago**

New Adding Machine Fits Vest Pocket!

Adds, subtracts, and multiplies, like \$300 machine—yet it costs only \$2.95. Weighs only 4 ounces. Not a toy—guaranteed workmanship. Perfectly accurate, lightning fast. Sells on sight to business men, storekeepers, homes—all who use figures.

Write at once for Free AGENTS Sample Offer and Money-Making Plan. 100% Profit!

C. M. Cleary, Dept. 67, 303 W. Monroe St., Chicago

"We Start You In Business"

The Plastex Industry needs manufacturers on small scale and for big production of Art Goods, Novelties, Souvenirs, etc. in Plastex and Marble imitation. Experience unnecessary. 5c material makes \$1 articles. Rubber moulds furnished for speed production. Small investment brings big returns. Interesting booklet mailed free. Plastex Industries, Dept. 2, 1085 Washington Avenue, New York, N. Y.

AGENTS 500% PROFIT GENUINE GOLD LEAF LETTERS

Guaranteed to never tarnish. Anyone can put them on stores and office windows. Enormous demand, large profits, Paul Clark says: smallest day \$28.70. R. L. Reel made \$920 in two months. Write today for free sample and liberal offer to general agents.

METALLIC LETTER CO., 437 N. Clark Street, Chicago

EARN MONEY Re-Stringing RACKETS At Home!



Set Perma-Tex Silk Strings & Instructions, Prepaid 65c

"Yes, you can earn real money at home stringing tennis rackets! No experience needed. LEARN HOW TO EARN in a few minutes. Your home is now to make \$50 to \$100 cash this season. QUICK—write for FREE details!" W. A. BICKEL, 809 W. Madison, Dept. C-13-62, CHICAGO, ILLINOIS.



Learn to Write
Begin Today—Write for My FREE BOOK. I can make a good penman of you at home during spare time. Write for my FREE BOOK, "How to Become a Good Penman." It contains specimens and tells how others mastered penmanship by the Tamblin System. Your name will be elegantly written on a card if you enclose stamp to pay postage. Write today for book. F. W. TAMBLYN, 437 Ridge Bldg., Kansas City, U.S.A.

SINCE LEARNING TAXIDERM, LEATHER-MAKING and FUR WORK, I've DOUBLED my fun from hunting and make \$20 per week spare time mounting and tanning for others.*



NOW! you can learn
① TAXIDERM
② TANNING
③ FUR WORK
All in ONE course!

* Quoted letter from a student

Learn All AT HOME

Simple home-lessons teach you in spare time to mount and preserve Birds, Animals, Fish; to tan hides and furs by Krome Methods and make up Fur Garments.

SPORTSMEN: Save your trophies. Game is growing scarcer—every Specimen is valuable. Keep them—save them—mount them. Decorate your den. Fun and fascination. Profits, too.

TAN heavy and light skins and furs. Make real Harness Leather, Buck Sole Lace, etc. Best method known, but easy and simple. Don't sell those hides cheap. Tan them for your own use. Make leather vests, belts, gloves, etc. Tan for others.

FUR-WORK for men and women. Tan and make up scarfs, capes, coats, muffs, mitts, trimmings. Quickly, easily learned.

EXTRA MONEY \$40 to \$80 a month, even more some students report. Big demand for Taxidermy, Tanning and Fur-Work. A real spare-time business—good in every community. If you need extra money, write!

FREE Book!

Explains Taxidermy, Tanning and Fur-Work. Get Free Copy Today—you'll be interested. It may lead to Fun and Profits. Send right now—a postal will do. State your Age.

N.W. School of Taxidermy, 3392 Elwood Bldg., Omaha, Neb.

GUS TELLS HOW TO SPOT IGNITION TROUBLE

(Continued from page 56)

cam stayed on the job. That's how it happened."

While Gus was saying this, he had fished a feeler gauge out of his pocket and reset the gap at its proper opening.

Backett grunted. "And how was I supposed to figure out a tricky thing like that?"

"Well," Gus smiled, "if you hadn't been so sure it was in the plugs, you'd at least have spotted the loose timer contact. Start her now, and see if that wasn't it."

The motor hummed smoothly on all cylinders, and Backett grinned. He looked at his watch. "Too late now to get over to Parksburg in time to catch the man I wanted to see. Have one, Gus," he said as he pulled two cigars out of his pocket. "I feel cheap about dragging you all the way out here. Put it on the bill, of course. If you're not in too much of a hurry, I wish you'd spend a few minutes explaining how to avoid getting off on the wrong foot in locating ignition troubles."

"It's mostly a matter of keeping your mind open as well as your eyes," Gus began, after the cigars were going well.

"REMEMBER, first, that there's hardly any trouble that can happen to a car that can't be due to several different causes, just like there are a lot of things that can give you a stomach ache or a pain in the back. Take this matter of engine missing. It can be due to bum plugs or loose timer contacts as you've seen, but it also might be caused by dirty, worn, or pitted timer contacts, burned-away distributor points, a cracked distributor head, a loose timer wiring connection, leaky high-tension wiring, or a partial breakdown in the coil or condenser.

"Then," Gus went on, "there's a string of carburetor troubles that'll make a motor miss—"

"Hold on!" Backett laughed. "Just stick to the troubles that are in the ignition system. If you can tell me how to sort them out, that'll be about all I can soak up at one time."

"All right," Gus agreed. "The first thing to do when a motor starts missing is to listen closely to see whether it's a regular miss that may be in one cylinder, or whether it seems irregular and not in any one cylinder. If the missing goes away for a while and then starts again, that's important, because it tells you that the trouble isn't a complete breakdown, and is quite likely to be a loose connection.

"If the miss is always in one cylinder, then you can forget about all the troubles that would cause random missing, such as a loose connection in the wiring, or coil or condenser failure. That narrows the list of possibilities to a shorted plug, a bad wire leading to it, or a crack in the distributor near the point that feeds current to that particular plug, and, of course, the particular form of timer trouble you just had—which is the rarest of all."

"I CAN get that fixed better in my mind if I can see what you're talking about," Backett interrupted, as he lifted the hood again. "That means," he went on, as Gus looked over his shoulder, "that if I found with the aid of a screw driver that there was no spark at this particular plug, I'd change to a spare, and if that didn't do any good, then I'd examine this wire leading to it, first making the test you did."

"And the only places you'd have to examine would be where it touches metal, because it couldn't leak anywhere else," Gus added.

"That's so," Backett agreed. "Then I'd look over the distributor head to see if I could find a crack in it, and, if I didn't, I'd look into the timer for a loose fixed contact."

"That's it, ex- (Continued on page 121)

Turn JUNK INTO Cash! TIRES START AT HOME

The Most Sensational Business Opportunity Since 1929.

Like turning lead into gold, here is a business with gigantic possibilities. Factories, Clubs, Stores, Schools, Homes, spend millions every year for rubber mats. Think of your profit when a

HAND MACHINE and

5¢ TIRE MAKES \$2.00 MAT

Brand new. Fully patented. Few men already started report unprecedented success. Wm. Eagle writes "Can't make mats fast enough. First week brought over 200 orders for \$1.00 to \$10.00 each." Flash from Harris says: "Orders enough to keep 15 men busy all the time." Gunter got big order from County Commissioners and now reports: "Just signed up order for all grade and high schools." No wonder responsible men are throwing everything else aside to establish local FABRIX factories.

COSTS NOTHING to get complete facts. Just send name and address. We'll send description of simple hand machine that quickly slices old tire into strips, show you how patented method forms strips into thick, springy, long-wearing FABRIX Mats—how five cents worth of Junk Tires makes a \$2.00 Mat; how you can start on a reasonable investment and build a business so big, so fast, that it will take your breath away. Don't delay a minute. Write or wire today. All information is free.

FABRIX, Inc., Dept. 62
325 West Huron St., Chicago, Ill.

LEARN ELECTRICITY RADIO REFRIGERATION DIESEL ELECTRIC POWER in Spare Time at Home!



Learn to earn up to \$50 or more a week after graduation...opportunities to make \$5, \$10 or more a week while learning. Learn by doing actual jobs in your own electrical workshop. We furnish dozens of items of electrical equipment at no extra cost with practical home-study course. No previous experience or advanced education needed. Money back if not satisfied. Mail coupon today for Free Book of facts and opportunities for trained men.

ELECTRIC INSTITUTE, Inc., H. W. Peterson, President
5840 Addison Street, Dept. 76-B, Chicago, Ill.
Send Free Book and all facts about E. I. Home Shop Training.

Name _____ Age _____
Address _____
City _____ State _____

BIG LEADER SELLS ON SIGHT
Genuine Leather Ties 4-in-Hands and Bows—For Men and Boys
Look like silk. Durable, neat, won't wrinkle. Cleaned with a damp cloth. 40 Beautiful patterns.
NOTE: We are the originators and manufacturers; DO NOT BE MISLED.
Be independent; have your own business. Big profits, repeat orders. Young man sold 23 one night after school. No sales ability needed. Send 50c or stamps for sample and kit. Information free.
Dept. K, 2345 W. Grand Blvd., Detroit, Mich.

KILL FOR MONEY

Make up to \$50 to \$75 weekly as a PROFESSIONAL EXTERMINATOR. Your own business. Customers everywhere. Our Five complete easy-to-learn Spare-time Home Study lessons QUICKLY show you how to Control and Exterminate roaches, bedbugs, termites, rats, mice, moths, etc. FREE OUTFIT. Write NOW for FREE details. EXTERMINATING INSTITUTE, 2650 Carmen, Dept. 10, Chicago.

WHAT CAN YOU DO WITH ONE INCH?

This is written in one inch—the smallest advertisement accepted in this magazine. Small advertisements of one or two inches produce results of many times their cost for hundreds of companies or individuals who have novelties, scientific or mechanical equipment, tools, games, puzzles, etc., to sell, and for firms looking for agents. Inch advertisements like this cost \$35.00. They pay well because they are seen and read by 400,000 wide-awake men every month. Interested parties are invited to address the Advertising Department, Popular Science Monthly, 353 Fourth Ave., New York, N. Y.

EXPERIMENTERS

SPECTROSCOPE showing countless lines of sun, chemicals, ores, and book of 120 experiments with charts for identifying elements.....\$2.50
ELECTRIC FUN! Book of 200 stunts with 110 volts. Make arcs, motors, tricks, window displays, etc.....\$1.00
STROBOSCOPE. Complete with 110 volt motor, neon lamp, and book of 100 experiments.....\$1.00
CATALOGUE with Atomic Chart.....3c Stamp
Cutting & Sons 26-S St. Campbell, Calif.

AIR CONDITIONING Comfort and Health Engineering

Promises to develop into big industry because public is vitally interested in air conditioning as a comfort and health measure. Offers good jobs to trained men. Think of opportunities in air conditioning new buildings—and even larger field in remodeling worth-while old buildings. Write TODAY for home-study method of preparing you for this thriving industry. No obligation.

American School, Dpt. AC-246, Drexel at 58th, Chicago

Climaxing 31 years practical Training progress

NATIONAL SCHOOLS ANNOUNCE A HIGHLY DEVELOPED DUAL COURSE IN GAS and

DIESEL ENGINEERING

National offers greatest opportunity to quickly and thoroughly learn Gas and Diesel Engineering. Easy, fascinating "shop-practice" methods. NO DUMMY EQUIPMENT AT NATIONAL SCHOOLS. The vast installation of Gas and Diesel equipment here is all used by you in learning your Trade, including Caterpillar, Cummins, McCormick-Deering, Hercules, Venn-Severn, Fairbanks-Morse, Enterprise, and many other Diesels.

LEARN IN LOS ANGELES

Coach R. R. fare to L. A. allowed for limited time. We help students to earn room and board while learning. 30,000 graduates. Est. 1905.


NATIONAL SCHOOLS—Los Angeles
Dept. PSA-2, 4000 S. Figueroa St.

NAME _____

ADDRESS _____

CITY _____ STATE _____

Send for Free Book



GUS TELLS HOW TO SPOT IGNITION TROUBLE

(Continued from page 120)

actly," Gus approved. "Line up your possibilities and go through them one by one.

"You can follow the same idea if the miss seems to be in first one cylinder and then another. Start with the timer contacts first, because they're the most probable cause of missing of this kind, and also because you can spot two other troubles at the same time.

"Look here," Gus went on, as he opened the timer and pushed the contacts apart. "These contacts should look smooth and gray as they do now, not rough and pitted. Now, if you place the distributor cap on its side and prop a screw driver so that the shank touches metal and the end comes within a quarter of an inch of the center contact button inside—like this—you can get a line on the condition of the condenser, and the coil, too.

"NOW," Gus continued, after turning on the ignition, "if you break the contacts this way, you should get almost no spark between 'em, and there should be a nice, fat spark between the center button of the distributor and the end of the screw driver. If there is a sizable spark at the contact points as you separate them, and only a thin, weak spark—or none at all—at the end of the screw driver, you can be sure the condenser is just about shot. On the other hand, if there is no spark at the breaker points, and hardly any at the point of the screw driver, the condenser is all right, but you'd better get a new coil."

"And if I still can't find the trouble, then what?" asked Backett.


"Then that's where my phone number comes in!" Gus grinned, as he climbed in behind the wheel of the service car.

ALARM SOUNDS WHERE LIGHTNING MAY STRIKE

SIGNALS which warn that lightning is about to strike at the spot where they are located may be added safeguards to life in the future, according to M. Emile Mathias, eminent French student of lightning phenomena. Such lightning alarms, says Mathias, would need only to detect an unusual concentration of negative electric particles or ions in the air. It has been generally known that lightning strikes where the air is strongly electrified, but this research worker has observed that it is the negative ions which create a most inviting path for the lightning. Practical, automatic indicators, he suggests, could be developed which would mark the danger spots where negative ions were concentrating during a thunderstorm.

SAFETY PEDAL ON CARS TO MEET EMERGENCIES

TO DECREASE auto accidents caused by car drivers when they are startled by a sudden emergency, Dr. Yandell Henderson, professor of physiology at Yale, proposes a new safety pedal. Scientists state that a car driver, when suddenly alarmed by an unexpected jolt or the sight of a child running out in front of his car, stiffens and tightens his whole body before meeting the emergency. This instinctive reaction, known as a "self-righting reflex," causes him to press both his feet down hard on the floor. The accelerator pedal is thus pushed and the car spurts ahead until the driver can recover and press his foot on the brake pedal. The proposed safety pedal would be placed on the car floor near the clutch, at the spot where the driver's left foot normally rests. It would be connected with the engine so that the heavy pressure caused by this reflex would either shut off the power or would counteract the effect of the right foot pressing on the accelerator pedal.



FREE! of extra cost—send the coupon for details of our amazing new plan. It tells you how to get a big assortment of beautiful gifts that you can paint.

This Magic Box Turns Spare Time Into Money!

We show you how and give you the complete outfit illustrated above. Also Free Idea Book which has started hundreds making easy money! Mrs. H. L., Illinois, says "I made \$100.00 in 1 week." Mrs. A. K., Virginia—"My sales were \$500.00 for 5 weeks." R. M. P., Illinois—"I did \$3,500 worth of business last year and over \$12,000 worth this year." A real desire to make money is all you need to make a big success at Fireside work—No tiresome study—You learn by doing. It is fun decorating beautiful gifts and furniture. You make good money practically from the start. Our FREE book tells you how. Send for it.

No Experience Needed

You need no experience to succeed at Fireside work and make excellent money. We help you and show you how.

FIRESIDE INDUSTRIES
Dept. 51-B, Adrian, Mich.

You can join now on the easiest plan ever offered. Coupon brings full details.

FREE Book on Decoration

Mail the coupon NOW for the beautiful new book on home decoration and money making. It's FREE! A new plan for starting you at good money at once will also be included. Do this now, while there are openings for new members!

FIRESIDE INDUSTRIES
Dept. 51-B, Adrian, Mich.

Send FREE book and details of your new plan. Also how to get the big artist's outfit.

Name.....

Address.....

City..... State.....

GOOD FOR PLAN

AGENTS UP TO \$5000 A WEEK

Steady cash for you in full or spare time. Over 250 household necessities—things people must buy. Proven fast sellers—steady repeaters. Big earnings very first day. FORD TUDOR SEDANS GIVEN PRODUCERS. I'll show you how to start at once; send you everything—Big Display Outfit and quick cash plans. Details FREE—no obligation. Just send name on postcard.

ALBERT MILLS
1529 Monmouth Ave., Cincinnati, Ohio



Learn Profitable Profession in 90 days at Home

Salaries of Men and Women in the fascinating profession of Swedish Massage run as high as \$40 to \$70 per week but many prefer to open their own offices. Large incomes from Doctors, hospitals, sanitariums, clubs and private patients come to those who qualify through our training. Reducing alone offers rich rewards for specialists. Anatomy charts and supplies are given without course. Write for details.

National College of Massage & Physio-Therapy, 20 N. Ashland Avenue, Dept. 270, Chicago, Ill.

Earn Cash at Home!



Grow new patented mushroom all year 'round in cellar, attic, barn. We show you easy, odorless method, furnish guaranteed materials, and buy crops. (Ten branches). Valuable book, pictures free. Write today. (Est. 1908).

UNITED MUSHROOM CO.
3848 Lincoln Ave., Dept. 98, Chicago

Learn DIESELS at AMERICA'S ORIGINAL and FOREMOST DIESEL SCHOOLS

World's Finest and Most Complete Diesel Engine Equipment



Hemphill training qualified MIKE McLEAN for a fine position with a Diesel Engine Manufacturer.

HEMPHILL students learn DIESELS on the world's finest and most complete DIESEL Engine and Testing Equipment. Thousands of dollars invested in latest type, high-speed DIESELS. International Free Employment Service. You need the thoroughness of HEMP-HILL training for success in DIESELS. Decide today to enroll at your nearest HEMP-HILL schools or learn Diesels at home with proven Combination Home-Study Course with later Shop Work.

HEMPHILL DIESEL SCHOOLS
NEW YORK: 31-28 Queens Blvd. Long Island City
CHICAGO: 2020 Larrabee Street
LOS ANGELES: 2121 San Fernando Road
SEATTLE: 503 Westlake No.
MEMPHIS: 421 W. Monroe Ave.
(Also schools at 1365 Granville St., Vancouver, B.C.)
CAUTION: Hemphill Diesel Schools are operated ONLY in cities listed above.

MAIL COUPON TODAY!

Hemphill Diesel Schools, Dept. PS: Please send me, without obligation, full details and copy of "Diesel News" with amazing facts and pictures.

Name.....
Address.....
City..... State.....

AUTO-MECHANICS & WELDERS

Auto Mechanics and Welders are in big demand. Complete courses in arc and acetylene welding, body and fender bumping, spray painting and metal finishing. Pay while you learn. Enroll now at special low rates. Write today.
MICHIGAN TRADE SCHOOL
3761 Woodward Ave., Detroit, Mich.

Be An ARTIST

Make \$50 to \$100 a Week
Learn at Home This Amazingly Simple Way

More and more trained Artists are needed each year. 28,531 magazines, advertisers, newspapers, printing houses, etc. pay good money for art work. Our simple, proven, personalized method makes it fun to learn Commercial Art, Cartooning and Designing quickly, AT HOME, in spare time.

Big Artist's Outfit Given
Drawing board, paints, brushes and all materials you need to learn and earn come with very first lessons. Actual fun learning to draw this new way. Be an artist and make big money!

FREE BOOK
Our big Free Book describes latest developments and wonderful opportunities in this fascinating field and gives full details of this quick, simple method. Tells all about our students—their successes—what they say—actual reproductions of their work—and how many earned big money even while learning. Mail coupon below or postcard today. State age. (No salesman will call.)

Free Book shows how

Washington School of Art, Studio 132
1115-15th St., N.W., Washington, D. C.
Please send me, without obligation, your Free Book, "Art for Pleasure and Profit."
Name..... Age.....
Address.....
City..... State.....



FREE TRIAL!

IMPROVES YOUR APPEARANCE 100%

Have that healthy **TAN** that Men and Women Admire!

DON'T have that pale, indoor, "pasty" look—when you can have the natural ruddy glow of vigorous health. The same kind of Tan you get on a Florida beach! Your personal appearance is either a distinct social and business asset—or a handicap.

■ Now a daily "sun bath" in the privacy of your own home, will keep you looking like a Million Dollars—and feeling as physically fit as you look.

LOOK HEALTHY . . . BE HEALTHY

■ A sales manager attributes his recent increase in personal sales to his "prosperous-appearing, healthy, just-back-from-Palm-Beach look." A few minutes each morning or night with his Sun Lamp does it. A leading Hollywood movie star, on leave for personal appearance in a Broadway stage production, keeps her fashionable Tan in the same way.

■ But your daily bath with ultra-violet rays does far more than enhance your appearance. For these rays actually help to increase youthful vigor and vitality. They tend to stimulate glandular functions. Ultra violet rays are known to be remarkably efficacious in some forms of skin diseases and in destroying germ life. Many cases of pimples and temporary blemishes have yielded quickly to their purifying action. These rays have often been found unusually effective in cases of listlessness and anemia and are an invaluable aid in the treatment of rickets. Children have responded rapidly to their beneficial results.

SEND NO MONEY! TEST IT AT OUR EXPENSE!

■ We want you to experience the remarkable benefits the perfected HEALTH RAY SUN LAMP brings. We offer you FREE use for 7 days in your own home . . . 7 days works wonders in the way you look and feel! Then if you decide to keep it, it is yours for the remarkably new low price of \$7.50. Pay as little as one dollar down payment.

THE CHEAPEST FORM OF HEALTH INSURANCE!

■ Build up your resistance and vitality so that your system will easily throw off germs and poisons. Insure yourself against illness the sunshine way!

■ Now, for the first time, a really high grade Ultra-Violet Sun Lamp, bearing the stamp of approval of some of the highest testing laboratories, is within the reach of all. So—because you have everything to gain, nothing to lose, because you try before you buy—don't delay, but rush coupon below for full details.

FOR EVERY MEMBER OF THE FAMILY



DON'T WAIT!

\$1.00

**DOWN
PAYMENT
BUYS
IT!**



MAIL TODAY!

**HEALTH RAY MFG. CO., Dept. 152
342 W. 14th Street, New York City**

Send me full details of your special FREE TRIAL OFFER on the Health Ray Sun Lamp.

Name
Please write Mr., Mrs., or Miss

Address

City State

This is not an order—Ship nothing C.O.D.

NEW SCIENTIFIC WOODCRAFT TRAPS FOREST FIRE FIENDS

(Continued from page 15)

Then, with a pressure spray gun loaded with plaster of Paris and water, he builds up the footprint, layer by layer, until the coating is half an inch thick. He allows the cast to harden for thirty minutes, then removes it for study and for possible use as evidence.

No two men walk exactly alike. Some feet toe in, some toe out, some are always parallel. Tracks may show as much as two inches difference in stride. Lameness or shortness of one leg leaves unmistakable prints. Sometimes, a criminal attempts to disguise his trail by taking long steps or walking backwards but an alert investigator can detect this subterfuge. An individual taking a longer step than his natural gait leaves deeper heel marks. The foot usually makes a slight impression where it first touches the ground and if the footprint proper is not ahead of this mark, the detective suspects a ruse.

FROM the moment a man puts on a new pair of shoes, his habits of walking begin to write their story in the way the shoes wear. Soles and heels wear differently, some nails become more prominent than others, and a distinctive pattern is created. If a track indicates that the person scuffs his heels, the investigator knows he need not look for a man with a good, even heel. If the footprint shows that the suspect drags his toe, the G-man may be sure that the wanted man's shoes will be worn at the tips.

A fire bug who operated in the Trinity National Forest sought to disguise his tracks by wrapping his shoes with burlap. Investigators were nearly baffled but, after following the trail for about three miles over rough country, they found that marks began to show where the hobnails of the shoes were protruding. They took a plaster cast of a good specimen which showed a clear imprint of the hobnail pattern and even the weave of the burlap. Tracking down the suspect, they found him working in the fire-fighters' camp, still wearing the shoes. The hobnails matched the cast perfectly and the evidence sent him to a Federal prison.

Horse tracks are easier to follow. The weight of the animal produces deeper, sharper impressions, revealing not only characteristics due to the blacksmith's individual style of workmanship but also prints of the frog of the foot that are almost as distinctive as fingerprints.

A sleuth investigating an incendiary fire recently found five spots where blazes had been started. Footprints led him half a mile to where a horse had been tied. He then followed hoofprints for eight miles over country so steep that finally the rider had been compelled to dismount and lead his horse.

THE suspect had traveled a circuitous route to throw off pursuers. He failed, however, to shake off the forest sleuth, who trailed him to his home. Here he found a horse whose hoofs exactly matched the tracks and, in the attic, the shoes the fire bug had worn at his work.

Tire prints, too, are cast in plaster. If a suspect's car is found, the tires are rolled in the dust for two feet or more and an impression taken showing not only the tread pattern but every rock cut and bruise as well. Candles, tobacco tins, and other objects often yield fingerprints. Matches are identified by comparison under the microscope with known brands.

For more than a year, mysterious fires flared along the Roosevelt Highway in California, set, apparently, by matches thrown from a car. Examined microscopically, these matches were found to be of a single brand.

Rangers watched the district for months and

questioned witnesses for descriptions of persons seen driving through the section near the time of the fires. By careful comparison and elimination, the possible suspects were reduced to four. Tire tracks near the origin of a fire gave them an additional clew. At length, they tracked down each of the four men. Three furnished perfect alibis but the fourth could not. In his pockets were found matches identical with those from the fire zones, and more like them in his home. He was a pyromaniac and, upon his imprisonment, the fires stopped.

ONE day a forest G-man received a telegraphic tip that a stranger had just bought a large number of candles at a local store. Jumping into his car, the ranger sped sixty-eight miles to the district. When he arrived, fire already had broken out. He picked up a trail, overtook the man, and demanded to see the candles.

"I left them in my tent," he was told. The ranger went along to the camp but the only candles the stranger could produce were two half-inch stubs. The man was held while the ranger, back-tracking, found evidence at the scene of the fire that conclusively established him as the guilty fire bug.

A pyromaniac set fire after fire in a western national forest simply for a thrill. When the blaze had started, this man would return to watch the fire fighters as they battled. But swift work by Uncle Sam's forest army usually spoiled the fun. The fire bug then conceived the diabolical scheme of cutting telephone wires, not realizing that a marvelously rapid communication network is one of the Forest Service's first defenses against fire.

As soon as a dispatcher could not get "central," he sent a messenger to locate the trouble. Meanwhile, a lookout atop a near-by mountain spotted the blaze and flashed a warning by short-wave radiophone.

Investigators who hurried to the scene found footprints. They trailed the fire bug to a house where the occupants described a mysterious visitor who had happened along about the time the fire started. From this description, they identified the man among onlookers at the scene of the fire.

A series of six fires in the timber on the slopes of the rugged Sierras of California, brought Forest Service G-men to the scene. Among the ashes they found the remains of several ingenious devices for setting fires, one of which had failed to go off. Laboratory tests showed that eleven minutes were required for it to function, giving the incendiaries plenty of time for their get-away.

SKILLFUL probing among the ashes revealed dim tracks. The sleuths followed a faint trail to a cabin far back in the mountains. Here lived four men whose footprints matched those taken at the scene of the fire. In the cabin were materials which were identical with those used in the apparatus that started the blaze. The men thus linked to the crime were members of a ring of communists who practiced incendiarism as one of their means of sabotage.

One afternoon last spring, Albert L. Leo-Wolf, pilot of a CCC forest-fire patrol plane, noticed a string of fire creeping up the slopes of Wurtsboro Mountain. Near it was a man whom Leo-Wolf carefully sized up. He radioed headquarters, then kept the man in view until he entered a cabin near-by. Flashing this information from his plane, the patrol directed authorities to the spot and caused the arrest of the culprit. This was the first case on record in which a fire bug was tracked from the air.

QUEER THINGS PEOPLE HAVE USED FOR MONEY

(Continued from page 23)

changed hands, then a metal token representing the cloth.

Bean-shaped coins made in Asia Minor were the first minted money in the world. Twenty-six centuries ago, natives of Lydia formed the coins of electrum, a mixture of gold and silver native to the country, and stamped a crude impression on one side. The idea spread to the mainland of Greece and through Greek commerce to all the countries of the Mediterranean. Later, both sides of the coins were stamped and still later mottoes, such as the familiar "In God We Trust"—which first appeared on United States coins about the time of the Civil War—took their places on the metal.

Almost as soon as coins appeared, counterfeiters got busy. Not long ago, archaeologists discovered a hidden cache of Roman coins near an ancient highway in France. All were made of debased metal and were the work of counterfeiters who lived in the days of the Caesars. One curious use of imitation money became widespread in countries where it was



The large coil is a belt covered with tiny humming-bird feathers, from Vanikoro Island. In front of it is tobacco money of Portuguese Africa. The white object is a stone "coin"

customary to bury coins with the dead. Counterfeit money took the place of the actual gold and silver.

Queerest of counterfeit stories, however, is one Gibbs told me about the island of New Guinea. Here, natives used dog teeth as currency. When European traders came to the island, they brought along thousands of porcelain imitation teeth to use as money. The natives, who had become so expert in dealing with canine teeth that they maintained they could tell whether they had been taken from a live or dead dog, were not fooled for long by the ruse.

What is the rarest, most valuable coin? Contrary to common belief, it is far from being the oldest. The coin that brought the highest price in a public auction was a five-dollar gold piece minted in San Francisco in 1849 by the Massachusetts and California Company. A few years ago, it brought \$7,900 at an auction in the East.

During the gold-rush days, Gibbs explained, transporting the metal back to the East was a hazardous job, and concerns in California minted much of it into coins. Some of these are at the top of the list of rarities. Other valuable oddities in United States money are the pine-tree shilling, which was issued for thirty years in Colonial New England yet always bore the date 1652; the 1804 half dollar, called "the king of American rarities," and the Confederate half dollar, only four of which were struck. The value of a coin depends upon two things, its rarity and its state of preservation.

Few people know that when the states began issuing paper money, some of them printed the bills in more than one language. In Louisiana, for example, where a large part of the population was French, the money appeared printed in English and French. And in Pennsylvania, it was printed in English and German.

"Mistake money," (Continued on page 124)

WEAK, RUNDOWN, NERVOUS, SKINNY!

How NATURAL IODINE Builds Worn-Out, Pale, Sickly Folks Into Strong, Red-Blooded Men and Women!

Kelpamalt, New Mineral Concentrate From The Sea, Rich in NATURAL PLANT IODINE, Feeds Starved Glands—Must Build Good Red Blood, Put on Lbs. of Solid, "Stay-There" Flesh, Give Steady Nerves and Day-long Energy in First Week or Trial is Free!

Here's new hope and encouragement for thousands of tired, weak, worn-out, haggard-looking men and women whose energy and strength have been sapped by overwork and worry, who are nervous, irritable, always half sick and ailing. Science says the principal cause of these rundown conditions is "GLANDS STARVING FOR IODINE." When these glands don't work properly, all the food in the world can't help you. It just isn't turned into flesh. The result is, you stay skinny, pale, tired-out and rundown.

The most important gland—the one which actually controls body weight and strength—needs a definite ration of iodine all the time—NATURAL ASSIMILABLE IODINE—not to be confused with chemical iodides which often prove toxic. Only when the system gets an adequate supply of iodine can you regulate metabolism—the body's process of converting digested food into firm flesh, new strength and energy.

To get this vital mineral in convenient, concentrated and assimilable form, take Kelpamalt—now recognized as the world's richest source of this precious substance. It contains 1,300 times more iodine than oysters, once considered the best source. 6 tablets alone contain more NATURAL IODINE than 486 lbs. of spinach or 1,387 lbs. of lettuce.

Try Kelpamalt for a single week and notice the difference. See flattering extra pounds of "stay-there" flesh appear in place of scrawny hollows. Notice how much better you feel, and if you don't gain at least 5 lbs. in one week the trial is free. 100 jumbo size Kelpamalt tablets—four to five times the size of ordinary tablets—cost but a few cents a day to use. Get Kelpamalt today. Kelpamalt costs but little at all good drug stores. If your dealer has not yet received his supply, send \$1.00 for special introductory size bottle of 65 tablets to the address at the right.

Kelpamalt Tablets



Print Your Own

Cards, Stationery, Advertising, labels, paper, circulars, tags, etc. Save money and time. Sold direct from factory only. **Junior Press \$5.90**, Job Press \$11, Power \$149. Do popular raised printing like engraving with any of our presses. **Print for Others, Big Profits.** Pays for itself in a short time. Easy rules sent. Write for free catalog of outfits and all details. The Kelsey Co., 0-33, Meriden, Conn.

Make Glazed Concrete Pottery

Colored, glazed concrete pottery made without molds, power or costly tools. New, perfected, low cost method. No experience needed. Use sand and cement. Complete plants making 2,500 designs birdbaths, vases, etc., cost less than one mold by old methods. Patent protection given operators. Money making business. Booklet, color plate, etc., 10c.



NATIONAL POTTERIES COMPANY
424 Second Ave., So., Room 22
MINNEAPOLIS, MINN.

Raise Giant Frogs

START IN YOUR BACKYARD

Big Profits Breeder lays 10,000 eggs yearly. Modern methods hatch over 90%.

MARKET WAITING Bullfrogs sell up to \$5.00 per dozen. Demand exceeds supply everywhere.

Any climate suitable. Season just starting. WRITE for FREE frog book and complete details NOW!

AMERICAN FROG CANNING COMPANY

(World's largest frog market)

Dept. 144-B

New Orleans, Louisiana



Nufond Giants Weigh up to 3 lbs.



BE A TRAINED

AUTO-DIESEL

Expert

Diesel Power for trucks, busses, tractors, farm power and lighting plants opens rich, new fields of opportunity for Diesel-trained men.

Good jobs, at good pay, await those who prepare NOW to get in on the ground floor of this fast-growing industry. And with combined Auto-Diesel "Job-Way" Training, brought to your home by the pioneer automotive home-study school, you can train for success in this new field without leaving your present position while learning.

GOOD JOBS—
GOOD PAY
EARN AS
YOU LEARN
AT HOME

"Job-Way" Training Is Practical, Complete, Modern
Our modern, revised Training covers every new development in the operation and repair of present day gasoline and Diesel automobiles, trucks, tractors, etc. And the same practical, easy-to-learn method that has started thousands of our graduates toward success, will qualify you in a few short months for a better job, or a profitable repair business of your own.

New Auto-Diesel Course Included at No Extra Cost
Students enrolling now for our regular Automotive course get our complete new Auto-Diesel course AT NO EXTRA COST. Send Coupon today for details of our "Earn as You Learn" Training plan, backed by fifteen years' success in the automotive training field.


Earn as You Learn—Two Motor Testers Free
Just now, we are also including complete, valuable motor testing equipment, to assist your training and enable you to begin earning extra spare-time money soon after you enroll.

AUTO-DIESEL BOOK FREE
Men without previous auto experience or special education quickly master "Job-Way" Training and become skilled experts in every branch of auto work. Mail the coupon today for Big FREE AUTO-DIESEL Book and complete facts about Free Employment and Consultation Service. No obligation!

MOTOR INSTITUTE OF AMERICA
2140 Lawrence Ave., Dept. BD-12, Chicago

MOTOR INSTITUTE OF AMERICA
2140 Lawrence Ave., Dept. BD-12, Chicago, Ill.
Without obligating me, send Free Auto-Diesel Book with all facts about "Job-Way" Home Training and Special Offer.

Name.....
Address.....
City..... State.....



\$1260 to \$2100 Year TO START

Men—Women

New 40 Hour Week
Means Many
Post Office Jobs

Mail Coupon
Today—
SURE

FRANKLIN INSTITUTE
Dept. E-272, Rochester, N. Y.
Rush FREE list of U. S. Government big pay JOBS, 32-page book describing salaries, hours, work and free sample coaching tests.

Name.....
Address.....

"Radio's Latest Developments"
WHOLESALE RADIO'S
New 1936 CATALOG!

Just off the Press! And it's FREE!
Lists thousands of items. Every latest radio development, every last minute improvement. Newest sets from 2-24 tubes, parts, kits, tools, accessories; Short-wave, X'mitting and Public Address equipment. Nationally known lines. Quality approved parts for construction kits. Buy from the world's largest stock at Lowest WHOLESALE Prices and save money.

Sales rooms at: 901 W. Jackson Blvd., Chicago; 430 W. Peachtree St., Atlanta; 542 E. Fordham Rd., Bronx, N. Y.; 219 Central Ave., Newark, N. J.

WHOLESALE RADIO SERVICE CO. (main office)
100 Sixth Ave., Dept. PS-26, New York City
☐ Rush FREE 196 page catalog No. 59
☐ Send new catalog exclusively for radio amateurs

Name.....
Address.....
City..... State.....

QUEER THINGS PEOPLE HAVE USED FOR MONEY

(Continued from page 123)

bills that contain some error in printing, are extremely rare, as the money is inspected by experts before it leaves Washington. One famous exception is a one-dollar bill with a two-dollar back, which actually slipped into circulation.

Theoretically, all paper money is based on precious metal held in the treasury of a country. When paper issues are disassociated from a metallic base, inflation is the result. In the Gibbs collection there is a German trillion-mark note. At pre-war exchange rates, it would have been worth more than a million dollars. Actually, in 1923, when it was issued, it was worth less than fifty cents.

Another historic instance of debased currency dates from the time of King Henry VIII of England, Gibbs told me. That ruler's nickname of "Old Copper Nose" came from the fact that he reduced the amount of precious metal in his coins until the outer coating wore away rapidly revealing the copper underneath. As his nose was the highest point on the coin, it turned to copper first.

"TOKENS" and scrip issued by American municipalities during the depression will doubtless be valued highly by future collectors. Some of this was stamped on wood, making the proverbial "wooden nickel" a reality. Another example of depression money is the issuing of tokens worth fractions of a cent, to be used in the payment of sales taxes in various states.

The earliest coin collectors were the Romans. Petrarch, the fourteenth-century Italian poet, sent to all parts of the Mediterranean world for specimens of money. Victor Emmanuel III, the present king of Italy, is famous as a numismatist. His collection of 100,000 coins is the most complete set of Roman and Italian moneys in existence, and his twelve-volume work on the subject is a standard guide throughout the world. Enrico Caruso, the opera singer, was also an ardent coin collector.

Historians estimate that more than 2,000 rulers and places of the ancient past are known to our civilization solely through coins which have outlasted the other works of the time. Like the archaeologist, the coin collector links us with long-ago people and nations. It is mainly through images on coins that we know what Alexander the Great, the Ptolemies of Egypt, Sappho, and Cicero looked like.

Science also turns to numismatics to verify its dates. The year that Halley's comet startled the Romans, for example, has been established through an ancient coin.

Modern collections, such as those of Gibbs, are more than mere assemblages of oddities. Their specimens, coming from the four corners of the earth, embrace thousands of years of history. They form fascinating, human documents, vital to our understanding of the past.

PILLS MAY SUPERSEDE VACCINATION NEEDLE

SWALLOWING a pill may take the place of having a hypodermic needle thrust into the arm, to prevent typhoid, and other infectious diseases. An Illinois doctor recently announced a method to insure the success of "vaccination" via the mouth. Thirty minutes before a vaccine pill is to be swallowed, a pill containing bile extract is taken. In the stomach the bile prevents the secretion of digestive juices that would normally destroy the vaccine. When taken, the vaccine virus is slowly absorbed into the blood through the lower digestive tract without causing soreness, swelling, and other minor discomforts which often occur after vaccine injections into the bloodstream.

Be a TELEVISION EXPERT

LEARN TELEVISION with RADIO-NOW!

Fine opportunity for experts in this amazing new industry. A NEW business in a NEW era offers NEW opportunities for big salaries! You learn Radio and Television from beginning to end in our marvelously equipped labs and studios. You actually operate thousands of dollars worth of expensive equipment. You get expert instruction and skillful guidance by radio-television specialists.

Demand for Television Experts

Television now perfected and ready for the market ON THE NEXT BIG BUYING WAVE. Business leaders predict new system television will require thousands of relay and broadcasting stations. Ultra-short waves will permit eighty thousand television stations in America alone.

GET IN NOW and "build up" with the world's next billion-dollar industry.

6 MONTHS THOROUGH, PRACTICAL TRAINING

Qualifies for radio-phone license (1st Class). Complete up-to-the-minute training on modern "workable" television equipment including the new cathodray. Practical experience in studio, control room. Transmitter operation of Television Station W9XAL. Employment aid while training and upon graduation. Write for free book "Pictures On The Air" NOW!

S. Q. NOEL, Pres. First National Television, Inc.
Dept. E-2, Power & Light Bldg., Kansas City, Mo.

Without obligation, send me postpaid FREE Illustrated Folder "Pictures On The Air", telling about new opportunities in television. I am 17 years or older.

Name.....
Address.....

Cut 80% off your battery charging costs!

with the new

ADD-A-CHARGER

Charges a battery for only 8¢. New rectifier costs but \$1.00. FAST 10 ampere rate fully charges a battery in 8 to 12 hours. Costs only \$12.75 to buy. Increases Charging PROFITS in both large and small shops. GET THE FACTS.

Also manufacturers of HOME TYPE CHARGERS—\$4.75 up

THE AUTOMATIC ELECTRICAL DEVICES CO.
643 EAST THIRD ST., CINCINNATI, OHIO

WONDERS through the MICROSCOPE

Turn an inexpensive microscope on hundreds of specimens within a stone's throw of your front door and you step off into a new world of wonders. Complete Manual for amateurs. How to use equipment, secure and preserve specimens, take photomicrographs, etc. Numerous illustrations. Full cloth bound \$1.00 C.O.D. plus postage.

Popular Science Monthly

353-4th Ave., New York, N. Y.



FIX IT YOURSELF

Save yourself a lot of expense by doing your own odd repair jobs. Get this new edition of a famous book, showing with diagrams and directions, how to fix and repair furniture, electric outlets, windows, doors, leaky pipes, floor boards, chimneys, boilers, weather proofing, painting and hundreds of other construction and repair jobs. Picture diagrams show how each job is done. Full cloth bound \$1.00.

Popular Science Monthly
353 Fourth Ave. New York, N. Y.



Science Supplies

Put your leisure time to profitable and interesting use by delving into the sciences. You need very little equipment for chemical or biological experiments that can be performed in your own home. Send 10c for our 32 page illustrated catalog listing supplies of the same quality as we furnish to schools and colleges—at our school prices.

New York Scientific Supply Co.
Dept. 10 111 East 22nd St. New York



CHEMICALS

Laboratory

Apparatus and Glassware

Send 3¢ for Catalog CP1

BIOLOGICAL SUPPLY COMPANY

1176 Mt. Hope Ave. Rochester, N. Y.

Be an ELECTRICAL EXPERT

No "hard times" in Electricity—the Big Pay Field. Thousands of new Experts needed for present and future activity. Boulder Dam—"TVA"—other government electrical projects soon ready. Start Now. Earn while learning at home. Easy. Low Cost. 100,000 men successfully trained. Write for FREE BOOK

L. L. Cooke School of Electricity,
Dept. 202, 2150 Lawrence Ave., Chicago



Learn to Mount BIRDS, ANIMALS, FISH

Professional Taxidermy Course covering 264 subjects, 89 illustrations with over 40,000 words. Includes professional training on Bird, Animal and Fish Mounting. Hide Tanning and Novelty Making. Written by South's best known Taxidermist. Fun and profitable. Seven easy to understand volumes—\$2.00 postpaid.

SCHMIDT SCHOOL of Taxidermy, Box A-9, Memphis, Tenn.

MAN IN EACH TOWN

To Plate Auto Parts, Reflectors, Bathroom Fixtures, Refinish Beds, Mirrors, Chandeliers, by new method; no capital or experience required. Simple plan of manufacturing at home starts you in big money making business. Outfit furnished. Free particulars and proofs.

GUNMETAL CO., Ave. F, Decatur, Ill.

Save Your Feet

When all else fails end your suffering with the flexible "no metal"

Heefner ARCH SUPPORT
WRITE FOR FREE BOOKLET

Heefner Arch Support Co., 403 M.E. Taylor Bldg., Louisville, Ky.

CHEMICALS

5c C. P. Grade—**5c**
Generous Quantities

...and in glass containers—unconditionally guaranteed!

FREE fully illustrated valuable catalogs regularly sold for 25c. Equip a complete home laboratory with chemicals, instruments and apparatus. —New bargains! New prices! Save real money. Send 3c for postage.

KEMKIT CHEMICAL CORP.
135-A Johnson St. Brooklyn, N. Y.

CHEMISTRY EQUIPMENT FROM ODDS AND ENDS

(Continued from page 49)

ammonia is used, as many present-day preparations will foam or froth. A Bunsen burner turned very low can be employed. If you have no gas supply at your chemical workbench, an alcohol lamp will do nicely.

In fact, an alcohol lamp is a more useful all-around source of heat in an amateur laboratory than is generally realized. While the ordinary type furnishes insufficient heat for many chemical experiments, this defect is easy to remedy. A tin can, suitably cut to serve as a shield, will prevent the loss of heat to the surrounding air. Remove the top of the can, or cut away the central portion to within half an inch of the outer rim; the latter procedure gives more rigidity. Detach the whole bottom of the can, and cut deep notches in the sides to admit air for combustion. When this fitting is placed over the lamp, the heat is concentrated where it is needed. Several layers of asbestos paper, wrapped around the upper part of the can and cemented over with dilute water-glass solution, will further reduce heat loss. A square of wire screen may be placed upon the top of the can to support a beaker or flask.

WHEN you use an ordinary alcohol lamp, the cork, which carries the wick, often catches fire. This may be prevented by placing a washer or disk of bright tin around the metal tube in which the wick passes through the cork. The shiny metal reflects the heat of the flame and also acts as a cooling fin for the tube. It is easily removed when the glass snuffer, or cap, of the lamp is to be replaced. Denatured alcohol is the best fuel for such a lamp; other kinds are expensive, or, like rubbing alcohol, contain water.

In the list of chemicals available in any home, even safety matches might have been included. Their heads contain potassium chlorate, from which you can liberate chlorine gas in order to observe its interesting properties. The quantity of chlorine gas produced is small, to be sure; but that is just as well, for the gas is so irritating that you would not care to generate a great deal of it indoors.

Place about a teaspoonful of water in a test tube, and drop in the heads of one or two safety matches. Add several drops of muriatic, or hydrochloric, acid, and heat the contents of the tube gently with a small flame. A Bunsen burner turned low, an alcohol lamp, or a candle will do. Have the test tube clamped to a support of some kind, so that your hands will be free. Be sure that the mouth of the test tube is pointing away from you; this is a good rule to follow whenever you are heating a liquid in an open tube, so that if the boiling contents should spatter they will not come your way.

DYE in the match heads may color the solution, but this will not interfere with the reaction that takes place when you heat the test tube. The hydrochloric acid and the potassium chlorate react with each other, releasing chlorine gas. You can readily detect the pungent odor of the chlorine by cautiously smelling the escaping vapor. Don't place your nose to the tube; a better way to detect the odor of any acrid gas, without risking getting too strong a whiff, is to keep the tube a little distance from you and waft the vapor gently toward you with your hand.

Chlorine has a powerful bleaching action on many dyed objects, as you can observe by moistening them and hanging them in the mouth of the test tube. Scraps of colored cloth and paper are turned white, and the dyed red portion of a safety-match box is also bleached; a sliver of it may be bent to a "V" shape and hung on the edge of the tube for this test. A drop (Continued on page 126)

"I'll prove in only 7 days I can make YOU a NEW MAN"




Photo by Winemiller & Miller

By Charles Atlas
Holder of the Title:
"The World's
Most Perfectly
Developed
Man"

Won in
open com-
petition in the
only National
and Interna-
tional Contests
held during the
past 15 years.

YOU don't have to take my word—nor that of my hundreds of pupils who have added inches to their chests, biceps, necks, thighs and calves. Prove for yourself in "just one week that you too can actually become a husky, healthy NEW MAN!"

My Dynamic-Tension system does it. That's how I built myself from a 97-pound weakling to "The World's Most Perfectly Developed Man." Let me prove that you can get a big, balanced muscular development in the same easy way.

GAMBLE A STAMP

—Mail Coupon for FREE BOOK!

Dynamic-Tension is a natural method of developing you, inside and out—without using any pills, unnatural dieting, or any tricky contraptions that may strain your heart and other vital organs. It goes after such ailments as constipation, pimples, skin blotches and other conditions that keep you from really enjoying life.

Gamble a stamp today. Mail coupon for free copy of my new illustrated book, "Everlasting Health and Strength." It shows you, from actual photos, how I have developed my pupils to the same perfectly balanced proportions of my own physique. Jot your name and address down on the coupon. Send it to me personally. Act at once as the supply is limited. CHARLES ATLAS, Dept. 1-B, 115 East 23rd St., New York, N. Y.



This Sterling Silver Cup Being Given Away

This valuable cup stands 14 inches high on a black mahogany base. I will award it to my pupil who makes the most improvement in his development within the next 3 months.

CHARLES ATLAS, Dept. 1-B
115 East 23rd Street, New York, N. Y.

I want the proof that your system of Dynamic-Tension will make a New Man of me—give me a healthy, husky body, and big muscle development. Send me your free book, "Everlasting Health and Strength."

Name (Please print or write plainly)

Address

City..... State.....

© 1936, C. A. Ltd.



Become an Expert Accountant

The Profession that Pays

The demand for skilled accountants—men who really know their business—is unceasing. Big corporations are in constant need of expert counsel in Auditing, Cost Accounting, Business Law, Organization, Management, Finance. Men who prove their qualifications in this important branch of business are rapidly promoted to responsible executive positions—given an opportunity to earn real salaries.

Send for This Book—It's Free

Are you ambitious to make a real success in business—to fit yourself for positions paying \$3,000, \$5,000, \$10,000 a year and even better? Then you will find LaSalle's 64-page book, "Accountancy, the Profession that Pays," of the greatest help and inspiration—and—LaSalle will send it to you FREE. For the sake of a brighter future, clip and mail the coupon NOW.

Find Yourself Through LaSalle!

LaSalle Extension University

Dept. 283-HR Chicago

I should be glad to have details of your salary-increasing plan and a copy of "Ten Years Promotion in One," all without obligation.

- ☐ Higher Accountancy
- ☐ Business Management
- ☐ Modern Salesmanship
- ☐ Traffic Management
- ☐ Railway Station Mgmt.
- ☐ Railway Accounting
- ☐ Law—Degree of LL. B.
- ☐ Commercial Law
- ☐ Industrial Management
- ☐ Factory Management
- ☐ Banking and Finance
- ☐ Personnel Management
- ☐ Modern Business
- ☐ Correspondence
- ☐ Credit and Collection
- ☐ Correspondence
- ☐ Telegraphy
- ☐ Modern Foremanship
- ☐ Expert Bookkeeping
- ☐ C. P. A. Coaching
- ☐ Business English
- ☐ Effective Speaking
- ☐ Stenotypy—Stenography
- ☐ Paper Salesman's Training

Name _____
Present Position _____
Address _____



ELECTRICAL BOOKS

shipped FREE

10

BIG BOOKS

A.C. RADIO TELEVISION

EVERY ELECTRICAL SUBJECT COVERED

Here's great news for anybody interested in Electricity. BRAND NEW edition of Applied Electricity brought right down to date with every NEW Electrical subject fully covered. 10 big Volumes and all shipped FREE for examination.

For Beginners and Experts

Over 3000 pages—hundreds of illustrations—the most complete work of its kind ever published. Dynamos, motors, power stations, radios, television, everything electrical explained clearly so anyone can understand them.

BIG FIELD! Big Demand! Big Pay! Men who understand electricity are urgently needed right now in thousands of industries. Autos, airplanes, machine shops—practically every industry depends on electricity and men who know this subject make big money. Pleasant, fascinating work, easy to learn and do. Send coupon for a set of these books for FREE examination.

FREE A year's consulting membership in the American Technical Society now given free to all readers of this famous *Cyclopedia of Electricity*. Many say, "That's worth more than cost of books."

American Technical Society, Drexel at 58th St., Dept. E 220, Chicago
Send for 10 days' free use. BRAND NEW 10 volume set of Electrical Engineering. Include free, certificate of membership in the American Technical Society. I will pay the few cents delivery charges on the books. If I wish I may return them in 10 days and owe you nothing, but if I keep them I will send \$2.00 after 10 days, then \$3.00 a month until the special price of only \$29.80 is paid.

Name _____
Address _____
City _____ State _____
Attach letter stating age, occupation and name and address of employer and at least one business man as reference.

CHEMISTRY EQUIPMENT FROM ODDS AND ENDS

(Continued from page 125)

of silver nitrate, held in the mouth of the test tube on a glass rod or piece of tubing, turns white; the chlorine, reacting with the silver nitrate, produces a white precipitate of silver chloride. Brightly polished brass or copper is quickly tarnished, and becomes coated with a green chloride of copper if it is exposed to the chlorine vapor for several minutes.

A stock way of making hydrogen gas is to allow dilute sulphuric or hydrochloric acid to act upon zinc. Sulphuric acid and zinc will not always produce hydrogen, however, as you can easily demonstrate.

MIX two volumes of strong sulphuric acid with one part of water. Be careful to pour the acid into the water; if, instead, water is poured into strong sulphuric acid, the heat produced by the lively interaction is apt to turn the first few drops of water to steam and spatter the powerful acid upon anything in the vicinity. Place the acid-water mixture in a flask, add some pieces of zinc metal, and heat the contents of the flask gently.

Moisten a piece of white paper with several drops of lead acetate solution and hold it at the mouth of the flask; it will turn brown or black, indicating the presence of hydrogen sulphide gas. This is the gas produced under the circumstances of the experiment.

Still a different result is obtained if the sulphuric acid is undiluted. In this case, its reaction with the zinc produces sulphur dioxide gas.

These experiments show that what happens when sulphuric acid and zinc react depends upon the strength or dilution of the acid. When hydrogen is the gas desired, the acid should be diluted in the proportion of one part to four or five of water. The same applies when hydrochloric acid is used.

For some of the experiments that you may perform with hydrogen, carbon dioxide, hydrogen sulphide, and other gases, it is desirable that they should be dried—that is, freed of the water vapor that they may contain as a result of ordinary laboratory methods of preparation. This may be done by passing them through a glass tube of half-inch to one-inch diameter, filled with granules of desiccated (anhydrous) calcium chloride, which acts as a dehydrating agent. To construct the drying tube, insert a wad of absorbent cotton, not too tightly packed, at one end of the tubing. Then close this end with a one-hole stopper carrying a glass tube, to which rubber tubing leading from other apparatus may be attached. The anhydrous calcium chloride may now be poured in from the open end of the drying tube until it is nearly filled. A second wad of cotton is inserted at this end to keep the contents in place, and another one-hole stopper with a glass tube completes the assembly of the essential parts. A useful addition, however, is a pair of square "bumpers" cut from sponge rubber about one inch thick. When holes are cut in the "bumpers" and they are slipped over the tube, one near each end, they protect it from breaking and keep it from rolling about on the top of your chemical workbench.

BEES' SCHEDULE TAKES THEM SOUTH IN WINTER

BEES owned by one of New York State's largest beekeepers have not been loafing through the winter. Deciding that a winter vacation was a useless luxury for the insects, the owner has transported 210 colonies south to feed on Florida wild flowers and orange blossoms. Smaller experiments last year proved satisfactory; 140 colonies sent to winter quarters in Florida thrived and grew to 558 colonies before they were returned to their homes in May.

TYPewriter ½ Price

Now Only

10¢ a Day

AFTER 10 Day FREE Trial

No Money Down



Positively the greatest bargain ever offered. A genuine full sized \$100.00 office model Underwood No. 5 for only \$44.90 (cash) or on easy terms. Has up-to-date improvements including standard 4-row keyboard, backspacer, automatic ribbon reverse, shiftlock key, 2-color ribbon, etc. The perfect all-purpose typewriter. Completely rebuilt and FULLY GUARANTEED.

Learn Touch Typewriting Complete (Home Study) Course of the Famous Van Sant Speed Typewriting System—fully illustrated, easily learned, given during this offer.

Lowest Terms—10¢ a Day Money-Back Guarantee

Send coupon for 10-day Trial—if you decide to keep it pay only \$3.00 a month until \$49.90 (term price) is paid. Limited offer—act at once.

INTERNATIONAL TYPEWRITER EXCHANGE
231 West Monroe St., Chicago, Ill., Dept. 207

Send Underwood No. 5 (F. O. B. Chicago) at once for 10-days trial. If I am not perfectly satisfied I can return it express collect. If I keep it I will pay \$3.00 a month until I have paid \$49.90 (term price) in full.

Name _____ Age _____
Address _____
Town _____ State _____



I'll Show You How To Make Up To \$15.00 A Day

An amazing discovery has solved a way to make wax liquid for waxing and cleaning cars... permits both jobs in one operation... quicker and better than old method. Makes old cars look new and keeps show room finish on new ones... the name is BLUE MOON LIQUID VELVET WAX POLISH. Prospects buy on sight demonstration. A pinch to sell up to 30 cans a day and pocket your \$15.00 cash commission. A free deal for your customers and a free deal for you makes this an irresistible selling opportunity.

Write Today For Free Plans

Send your name and address for tested free selling plans. Let us show you how to retint and dignified selling business of your own with a 75¢ investment.

BLUE MOON PRODUCTS
Box 544, Dept. 202, Woonsocket, R. I.

SYNCR JIG SAW COMPLETE TO RUN \$9.95 f. o. b. Detroit

Slightly higher in distant states

This electric power tool lends itself to a multitude of uses and operates from a 60 cycle, 110 volt alternating current. Its clean, easy-cutting power is due to 7,200 saw strokes per minute, which leaves absolutely smooth edges that need no sanding. Syncro is of sturdy construction with no heavy reciprocating parts—never needs oiling and runs smoothly.

See your nearest dealer. If he is unable to supply you send his name and address to us and literature will be sent to you free. Write today for further information, address Dept. SC.

SYNCR DEVICES, INC.
BOYDELL BLDG. DETROIT, MICH.

This is written in one inch—the smallest advertisement accepted in this magazine.

WHAT CAN YOU DO WITH ONE INCH?

Small advertisements of one or two inches produce results of many times their cost for hundreds of companies or individuals who have novelties, scientific or mechanical equipment, tools, games, puzzles, etc., to sell, and for firms looking for agents. Inch advertisements like this cost \$35.00. They pay well because they are seen and read by 400,000 wide-awake men every month. Interested parties are invited to address the Advertising Department, Popular Science Monthly, 353 Fourth Ave., New York, N. Y.



100 PAGE BOOK No. 8 Make Beautiful Furniture

at a fraction of store cost. USE THE CRAFTSMAN new process of inlaying, needing no clamps for the finest work. Hard to find rare grains for all wood, including foreign hard-to-find cabinet hardware. Lists and illustrates 76 blueprints of scroll patterns, inlay table tops—Kits for inlay art boxes, plaques, trays, book ends, etc., that anyone can make—22 pages in color.

only 10¢ Big 100 page book

Craftsman Wood Service Co.
2729 Mary Street, Chicago

LIVING RAT TRAPS RAISED ON NOVEL FARMS

(Continued from page 37)

front for two or three weeks before taking them out to the dog territory. Then he transports the box to one edge of the dog town, and arranges a small opening so the ferrets can enter and leave as they please. Once a week he takes water and milk to the box. The ferrets usually are out, but they return to get the food. When all the dog holes in the vicinity are cleaned out, he moves the ferrets to a new location, and in this way gradually works through the dog colony. The ferrets, in spite of their free lives, remain tame, so that he can pick them up wherever he finds them.

IN SOME sections, including parts of the State of Washington, ground squirrels are destructive pests. Ferrets have proved effective aids to farmers in cleaning them out. The ferrets are trained to enter the squirrels' holes and either kill them or chase them out where dogs can do the job. One man, with three ferrets and two dogs, destroyed sixty-two squirrels in less than two hours. A half-dozen ferrets will rid a farm of its squirrel population, and keep it that way.

Not long ago, the ferret joined the medical profession in its fight against influenza. Farnsworth has sold animals for laboratory use in connection with the production of influenza serum. In England, it has been reported that the ferret apparently is the only animal that can be used for producing serum that is effective when administered to humans to combat influenza.

Farnsworth's ferret farm looks, to the visitor who turns into it from the gravel road, not unlike any other farm. A closer inspection reveals that there are several outbuildings not exactly like the usual farm structures. They are long and narrow, and have peculiar openings along the sides. These are the ferret houses. There are, in all, six of these long structures, each containing from seventy-five to 132 pens. They are twelve feet wide, and some of them are over 100 feet long. Inside, there is a three-foot alleyway running the length of each building. It is flanked by the ferret stalls or pens, each measuring two by four and one half feet, and thirty inches high. In front of each pen is wire netting, which aids ventilation and permits the animals to get exercise by running over it, like squirrels. Extending from one end of the building to the other on each side are two ventilating doors, one at the top and the other at the bottom. These are covered with netting, the top ones with mesh small enough to keep sparrows out.

Floors of the stalls are solid, with the exception of about eighteen inches at the rear, which is slatted to permit moisture to escape. The pens must be kept dry, in order to prevent disease. Farnsworth uses wheat straw for bedding his animals, changing it whenever it becomes dirty.

ANYONE who wants to keep a few ferrets can house them in a store box measuring about three by four feet, and thirty inches high, Farnsworth says.

Young ferrets will thrive on a diet consisting principally of bread and unskimmed milk and meat. After reaching maturity in the fall, the animals can be kept on a diet of meat and water, although milk is desirable when it is available.

Farnsworth has to use large-scale methods for feeding his big colony of ferrets. He raises cattle so that there will be a steady supply of fresh milk; and wheat which produces material for graham mush, and straw for bedding. Although meat is excellent food, it is not fed extensively because it is too costly. He cooks the graham (Continued on page 128)

I WISH I HAD SOME
SPENDING
MONEY



HERE'S MY
CHANCE!
I'LL MAIL THE
COUPON!



BRING A
'COMPANION'
EVERY
MONTH



NOW I HAVE
MONEY
AND A
BICYCLE.
BESIDES!



WIN THIS BICYCLE!

It's easy! Earn your own SPENDING MONEY! Get this speedy motorbike—and your choice of 300 other prizes—without a cent of cost. Bike comes to you fully equipped with coaster brake, headlight, and other big features. Built for easy riding, long wear, and speed.

MONEY and PRIZES can be yours for delivering 3 well-known magazines to customers in your neighborhood. Will not interfere with school or play. Mail the coupon—and we'll start you.

MAIL THIS COUPON AT ONCE!

Mr. Jim Thayer, Dept. 570
The Crowell Publishing Co.
Springfield, Ohio

Dear Jim: I want to win MONEY and PRIZES. Start me as a salesman.

Name Age.....

Address

City State.....



NEW!
EASIER THAN EVER

You play tunes in a few hours. Exclusive features of latest model Buescher True-Tone saxophones enable you to join band or orchestra quickly. Be popular. Earn a college education. Make music a career—good pay jobs open!

Clyde Doerr, pictured, famous radio saxophonist, is one of many artists using Buescher True-Tones, "featured instruments of the air ways."

FREE TRIAL, Easy Payments. Write for free book. Mention instrument which interests you.

BUESCHER BAND INSTRUMENT CO.
213 Buescher Bldg. Elkhart, Ind.

BUESCHER
True-Tone

"I have **REDUCED**
MY WAIST 8 INCHES
WITH THE WEIL BELT!"
...writes George Bailey

Wear the WEIL BELT for 10 days at our expense!

YOU will appear many inches slimmer at once and in ten days your waist line will be 3 inches smaller. 3 inches of fat gone or no cost! "I reduced 8 inches" ... writes Geo. Bailey. "Lost 50 lbs." writes W. T. Anderson ... Hundreds of similar letters.

REDUCE your WAIST 3 INCHES in 10 DAYS
or it will cost you nothing.

THE MESSAGE-LIKE ACTION DOES IT!

You will be completely comfortable as its massage-like action gently but persistently eliminates fat with every move! Gives an erect, athletic carriage ... supports abdominal wall ... keeps digestive organs in place ... greatly increases endurance.

Insurance Companies know the danger of fat accumulations. Don't wait ... act Today!

NO DRUGS, DIETS OR EXERCISES
• SUPPORTS FALLEN ABDOMINAL MUSCLES

SEND FOR FREE 10 DAY TRIAL OFFER

THE WEIL COMPANY, INC.
852 HILL ST., NEW HAVEN, CONN.

Gentlemen: Send me FREE, your illustrated folder describing The Weil Belt and full details of your 10 DAY FREE TRIAL OFFER.

Name

Address

City State.....

Use Coupon or Send Name & Address on Penny Post Card

**HOW SHORTCUT
BUSINESS
TRAINING**
Doubled
MY SALARY
in
18
MONTHS
James R. Williams

Who, in 8 Months, With
ence, Became Office
out Previous Experi-
Manager and Auditor

"I WAS tired of the monotony of my work as a typesetter. Discouraged by my lack of opportunity and low earnings. While looking thru a newspaper I saw an advertisement, 'A Shortcut to Business Training' and answered it immediately. 'When 'Business Tech's' FREE book arrived I knew my problem was solved. Here was a new, complete, comprehensive home study course in Business Management and Accountancy so simplified, so concise, that it not only would qualify me in a fraction of the time, but also could be sold at 1/3 the USUAL COST.

"Soon after I secured, thru 'Business Tech's' recommendations, a position as bookkeeper. Eight months later I was made Office Manager and Auditor with a substantial increase in salary. Now—18 months after enrolling—I have more than doubled my earnings! 'Business Tech' home study training did it all."

James R. Williams is typical of the many men who have won better, bigger jobs and more pay thru the **shortcut** "Business Tech" home study method. FREE book tells how YOU may do as well. Today—the demand for men and women—trained in **every** phase of business management—is increasing rapidly. Fill in the coupon—Mail it TODAY!

CHECK THE POSITION YOU WANT

INSTITUTE OF BUSINESS TECHNOLOGY
Dept. AC-402, Chattanooga, Tenn.

Please send me your FREE book. I am particularly interested in the positions I have checked.

<input type="checkbox"/> Accountant	<input type="checkbox"/> Executive Secretary
<input type="checkbox"/> Office Manager	<input type="checkbox"/> Sales Executive
<input type="checkbox"/> Purchasing Agent	<input type="checkbox"/> Credit and Collection Man
<input type="checkbox"/> Bookkeeper	<input type="checkbox"/> Personnel Manager

Name

Address

City State.....

Easy to play

THE NEW CONNS

The world's largest manufacturers announce sensational improvements in band instruments. Outstanding stars of radio, stage and screen are equipping themselves with new model Conns as fast as our factories can supply them.

They all want the easier playing, faster action and exclusive features that Conn has perfected to meet the demands of modern music. You, too, will advance faster with one of these wonderful new instruments.

NEW PATENTED VOCABELL Revolutionizes Tone Effects

New principle VOCABELL on new Conqueror trumpets, cornets and trombones hailed as the greatest improvement in century. New tone brilliance. Faster, sweeter, easier to play.

Many exclusive improvements, yet they cost no more. See the new models at your music dealer's store. Or write us for home-trial, easy payment offer and free book on your favorite instrument. Mention instrument.

Write FOR FREE BOOK

C. G. CONN, Ltd.
232 Conn Building
ELKHART, IND.

NEW CONQUEROR TRUMPET

Inventions Wanted Patented or Unpatented

Our manufacturer-clients want better inventions to meet competition. Write for details.
Chartered Institute of American Inventors
Dept. 3, Barrister Building Washington, D. C.
World's Largest Association of Inventors, Est. 1924.

INVENTORS PATENT YOUR IDEAS SEND FOR FREE BOOK

HOW TO OBTAIN A PATENT, written by a Former Member of the Examining Corps (1922-24) of the U. S. Patent Office. If you want to profit by your idea, you should take steps to apply for a U. S. Patent at once. Your first step is to get this Free Book. This interesting illustrated book contains valuable information you should have. It tells you fully how to obtain a patent on your idea in the quickest way. With this Free Book you will also receive a "Record of Invention" form on which you can easily record your idea. Personal and Confidential Service: Your case will be personally handled only by a Registered Patent Attorney who is also a Former Member of the Examining Corps of the U. S. Patent Office. All communications will be strictly confidential.

MAIL COUPON TODAY for FREE PATENT BOOK and RECORD OF INVENTION Form.

CARL MILLER
REGISTERED PATENT ATTORNEY
FORMER MEMBER EXAMINING CORPS U. S. PATENT OFFICE

1638 Woolworth Bldg., Dept. 26 C, New York
MILLER BUILDING, DEPT. 26 C, WASHINGTON, D. C.
Please send me your Free Book, "How to Obtain a Patent," and "Record of Invention Form."

NAME
ADDRESS

LIVING RAT TRAPS RAISED ON NOVEL FARMS

(Continued from page 127)

mush in a large kettle holding seventy-five gallons. Two batches a day are prepared, for the animals are fed morning and night. The mush is ladled out into buckets and allowed to cool.

For transporting this food to the various pen houses, Farnsworth uses an overhead-trolley system. The car is equipped with a geared winch by which the platform supporting the buckets of mush can be raised and lowered. The car is pushed along from house to house, and from pen to pen. When the pens are being cleaned, the food car is uncoupled and replaced with a wooden box for carrying out soiled straw.

WITH this system, one man, working full time, can care for about 1,000 ferrets. The cost of raising a ferret to marketable size is about a dollar a year. The retail price varies with the season. Ferrets are cheapest in the fall, when the money spent on feeding the young animals has not reached a very high total. As the season advances, and the upkeep cost piles up, the prices rise. At present, prices range from two dollars to three dollars and higher for single animals.

The breeding season for ferrets runs from about March 1 to September 1. There are, on the average, eight or nine young to a litter, although the number may reach fifteen. These are guarded very carefully by the jealous mother, who will pounce on anything that threatens to disturb them. A simple nest is made by placing straw in a box measuring twelve by fourteen inches, and about nine inches high. A depression is made in the straw for the mother ferret. She lines this with hair shed from her body.

Born with their eyes closed, the young ferrets cannot see until they are six weeks old. The ferret raiser, by weaning the babies as soon as possible, frequently can secure a second litter the same season. The weaning process consists of feeding the young animals bread soaked in milk, with perhaps some finely chopped meat, as soon as they will eat it. By the time their eyes are open, they will come to the dish for their meals, and can be separated permanently from their mother.


Farnsworth begins handling and training his ferrets as soon as their eyes are open. Thus, by the time they are ready for market, they are tame, and expert at catching rats and other animals. A ferret will hunt instinctively as soon as it reaches the proper age. Farnsworth has found that a ferret, when tame, makes as gentle a pet as a kitten.

From a commercial standpoint, the ferret's chief value is as an exterminator of rats and other pests, a business at which it is particularly effective. Its pelt has no value worth mentioning; its meat is not popular as food.

SOME people ask Farnsworth whether the use of ferrets for clearing a region of some pest might not act like a boomerang by introducing an even greater pest. He explains that the ferret, if released and left to shift for itself, does not survive very long. Dogs and other enemies soon destroy it, so that it cannot multiply. Therefore, there is little danger that escaped ferrets will overrun a region. Properly raised ferrets are so tame that, after they have completed a particular assignment of killing rats or other vermin, they can be picked up with ease. It generally is not a good idea to pull them forcibly from a hole, because this frightens them. They should be permitted to travel a few feet from the hole before being picked up.

In some states, where hunting rabbits with ferrets is prohibited, permits are necessary for purchasing the animals or shipping them into the state.

NOW... YOU CAN BUY \$5 A COMPLETE BARBELL OUTFIT



INCLUDED FREE
48 lessons

Barbell training course illustrated by actual photographs of the World Famous Arthur Saxon.

Strong Men of All Times Have Used Barbells to Gain Their Great Strength

NOW for the first time Barbells are within the reach of every man. Formerly as high as \$50.00 they can now be obtained for as little as \$5.00. You want a symmetrical he-man's body that commands admiration wherever you go! And you want the most inexpensive way—by the Saxon Super System. Now is the time to start.

Look at the Records of Saxon Pupils!

Saxon pupils are famous for their strength and development. He will teach you to be as successful if you will follow the Saxon System.

Full Course of Instructions Included FREE!

An illustrated instruction charted course, "The Saxon Super System," is included free with each outfit. Get your outfit while the prices are drastically reduced.

NEW BOOKLET
"STRENGTH and the BODY BUILDER"
SENT FREE

World's Finest Barbell Sets

We are the inventors of the best modernized barbell sets. Our newly invented features make handling and training easier. Better results. These rights are exclusively Saxon's to make and sell. Write for free information.

SAXON SUPER SYSTEM

4324 Paul St., Dept. 402, Philadelphia, Pa.
Duty FREE to Canadians, Address: Canadians App. Co.
Morrisburg, Ontario



Fix It Yourself

Save yourself a lot of expense by doing your own odd repair jobs. Get this new edition of a famous book, showing with diagrams and directions, how to fix and repair furniture, electric outlets, windows, doors, leaky pipes, floor boards, chimneys, boilers, weather proofing, painting and hundreds of other construction and repair jobs. Picture diagrams show how each job is done. Full cloth bound \$1.00.

Popular Science Monthly
353 Fourth Ave. New York, N. Y.

PATENTS—TRADEMARKS

All inventions submitted held confidential and given personal attention by members of the firm. Form, "Evidence of Conception" and instructions, "How to Establish Your Rights"—FREE!

LANCASTER, ALLWINE & ROMMEL
PATENT LAW OFFICES
413 Bowen Building Washington, D. C.

Inventions Promoted

Patented or Unpatented. In business over 30 years. Send drawing and description or model, or write for information. Complete facilities. References.

ADAM FISHER COMPANY
183-D Enright, St. Louis, Mo.

Take Out Your Own Patents

Pay only patent office fees. Valuable manual by Raymond F. Yates tells how to write patent claims, prepare drawings, make searches, etc. Invaluable in assuring inventor of a strong patent, whether taken out by himself or his attorney. Postpaid, complete with all legal forms, \$1.00.

LIST OF NEEDED INVENTIONS FREE!
Don't waste time on inventions the public does not want. Write for free list of needed inventions with catalogue of books every inventor and mechanic should have.

Donley Publishing Co., Dept. S-2, 509 Fifth Ave., New York, N. Y.

PATENTS PERSONAL SERVICE

My Personal service assures strictest confidence on all your patent problems. Send me a model or drawing, or sketch and description of your invention, and \$5.00. I will make a search and report promptly as to its patentability and send you a copy of my 72-page booklet. Or, if you prefer to read my booklet first, write today for FREE copy. Registered Patent Attorney.

L. F. Randolph, 340 Victor Bldg., Washington, D. C.

HERE'S THE ANSWER

(Continued from page 55)

same as the difference in sounds produced by the long, heavy wires of a piano and those made by the short, lighter wires. The quality or timbre of a voice is due to the size and shape of the larynx or voice box.

At Least, He'll See the Bait

A. F. T., LITTLE ROCK, ARK. Fishing upstream is likely to be more effective because fish lie in the stream with their heads turned towards the current.

For a Non-Skid Rug

I. G. B., ATLANTIC CITY, N. J. Rugs can be made slip-proof, with little expense, by sewing a triangle of corrugated rubber (corrugations on the down side) under each of the corners.

A Lot of Alligator

Q.—How large are the biggest specimens of alligators?—M. C., Pueblo, Colo.

A.—AN OBSERVER, who has studied the alligator in its native haunts for most of his lifetime, records the largest alligator he has measured as being nineteen feet two inches long. The females, according to records, seldom exceed nine feet in length.

A Nutty Seed

S. A. T., SIOUX CITY, IOWA. The cashew nut is not, correctly speaking, a nut but the seed of a small, crescent-shaped fruit which grows on an evergreen tropical tree. On the tree, this small fruit, the kernel of which is the familiar cashew nut, appears to be attached to the bottom of a large pear-shaped fruit. The latter is actually the fruit stem which is many times larger than the fruit it supports.

Being Higher, It's Lower

G. I. S., HAMTRAMCK, MICH. It takes longer to cook foods by boiling at a high altitude because water boils at a lower temperature than at sea level. For example, water would boil on the top of Mt. Blanc at about 183 degrees F. whereas at sea level it boils at approximately 212 degrees F. Lower atmospheric pressure brings a lowered boiling point so that at a high altitude it is not possible to produce enough heat by boiling to do a good cooking job.

Taste-Robbing Colds

S. D., NEW BRITAIN, CONN. Food does not taste right when you have a cold because of the partial stoppage of the nasal passages. The nerve endings which are stimulated by odors cover a very limited area of the upper nasal cavities. Taste and smell are commonly confused. The so-called taste of many foods, such as fruits, coffee, and wine, are really aromas which we smell but associate with the sense of taste.

Red to Green to Black

Q.—WHY does a green leaf appear black under a red light?—I. T. D., Lincoln, Nebr.

A.—OBJECTS do not have a fixed color of their own but depend for color upon the light waves which they reflect from their surface. Surfaces which reflect all color rays appear white in sunlight (where all color waves are present), red in red light, blue in blue light, and so on. Surfaces which absorb all light waves and reflect none appear black under any light. A green leaf reflects the green rays but absorbs all the others. Under the red light, there are no green rays, consequently the red rays are absorbed and the leaf appears black.

PATENTS and TRADEMARKS

INVENTORS
Get this
FREE Book

Patent Your Ideas This Free Book Shows How

YOUR idea for a practical article or an improvement upon an old one should be patented NOW. Frequently many of the thousands of applications filed in the U. S. Patent Office each year are for the same or almost the same idea. In such a case, the burden of proof rests with the last application filed. Sometimes a delay of even a few days in filing the application means the total loss of the patent. Lose NO TIME.

The entire time of our large and experienced organization is devoted exclusively to patent and trade-mark cases. We know the rules and requirements of the Patent Office. We understand the technicalities of Patent Law. We can proceed in the quickest and safest ways in preparing an application for a patent covering your idea.


The book shown here contains valuable information that every inventor should know. It tells you just how to go about obtaining a patent for your idea. With the booklet we will send you our "Record of Invention" form on which you may sketch your idea and establish its date before a witness. If a dispute arises this will be valuable to you. Send the coupon TODAY! You will receive the FREE book, the "Record of Invention" Form, and full information regarding costs.

Strict Secrecy Preserved

All communications, sketches, etc., are held in strictest confidence and protected by steel files. Your idea will be in trustworthy hands. We have the highest references. It is probable that we can help you. Send the Coupon AT ONCE.

Personal Service

Your case will be handled by a specialist selected for knowledge and experience in certain lines of inventions. His personal attention will be given to your idea.



ALSO FREE

"Record of Invention" Blank: On request I will send you FREE a copy of my "Record of Invention" blank. On this blank you can sketch and describe your invention and have it witnessed in such manner that it may be of value to you as evidence. Send coupon now and receive this form together with my free book.

CLARENCE A. O'BRIEN
& Hyman Berman
REGISTERED PATENT ATTORNEYS
881 Adams Building
WASHINGTON, D.C.

Please send at once your FREE book, "Patent Guide for the Inventor" and your "Record of Invention" form, without any cost or obligation on my part.

NAME

ADDRESS

(Be sure to write or print name clearly)

TOUCH CONTROL Is The Answer!



Make Sure the Portable You Buy has TOUCH CONTROL



Only Royal gives you this feature—the most important improvement ever presented on a typewriter! With Touch Control you can instantly adapt the key tension to your exact finger pressure!

Other Amazing Exclusive Features

Finger Comfort Keys. Centralized Controls. Complete Dust Protection! All mean easier, faster typing—plus lifetime durability!

FREE HOME DEMONSTRATION

FREE! Handsome, durable, weather-proof case. Instantly convertible!

NEW ROYAL PORTABLE with TOUCH CONTROL



LOWEST MONTHLY TERMS

See your nearest dealer—Or

-----USE THIS COUPON!-----

Please send me details of Royal's new purchase plan; also beautiful folder on the New Royal Portable.

Address: Royal Typewriter Company, Inc.
Dept. PS-236, 2 Park Avenue, New York City

Name _____

Street _____

City _____ State _____

Check here ☐ for free Home Course in Touch Typewriting

ASK FOR
LEPAGE'S
CASEIN GLUE
A real CASEIN GLUE



"NEW DEAL" GOVERNMENT JOBS

START \$1260 to \$2100 Year

Men-Women

Get ready immediately. Common education.

Mail coupon today, SURE.

FRANKLIN INSTITUTE
Dept. E276, Rochester, N. Y.

Rush to me FREE of charge, list of U. S. Government big pay positions. Send 32-page book describing salaries, hours, work and free sample coaching tests.

Name _____

Address _____

HOW DANGEROUS IS YOUR JOB?

(Continued from page 35)

for a long period and the insurance company paid him the full limit of his policy, which in this case was twice as much as would have been paid if he had been killed, and four times as much as if he had lost his entire hand!

A carpenter doing general work or framing on buildings, as that man did before his accident, faces about as much danger as a tree pruner, an etcher using acid, or a pneumatic-drill operator in a quarry when no explosives are used. All are in the fifth class.

But a carpenter doing bench work only, with no scaffolds to fall from, and no risk of tools or materials dropping from above, is as safe as a dentist or a lens grinder, in the third group.

If, however, the carpenter uses power-driven machinery, his hazard leaps about two thirds higher! He is in the sixth class, with roofers, building movers, cutlery grinders using unguarded wheels, hostlers, display-sign electricians, street-lamp testers, and noodle-machine operators.

HUNDREDS of strikingly different jobs share the same degree of danger when their accidents, from minor hurts to deaths, are reduced to a dollars-and-cents basis. Fifteen days' work were lost by an iceman who fell down a stairway and stabbed his arm with a pick. A truck driver strained his back while handling a heavy crate. A live-stock tender was trampled by steers. A threshing-machine feeder was caught in the machine and killed. From the insurance company's viewpoint, these accidents fell in the same class.

All those jobs are "safe" however, in comparison with those in the next group. The menace of death creates an ominous distinction between the sixth and seventh classes.

During the construction of a building, a few years ago, two men were killed. One was a truckman, hauling steel, crushed when a beam slipped from its sling. The other was a riveter; he fell ten stories. It happened that both men carried accident insurance. The cost to both had been practically the same. But when they were killed, the truckman's policy paid \$1,000, and the riveter's paid only \$200!

That was the company's limit on death claims of riveters and other workers in the seventh class or higher—\$200. It represents a sinister calculation of their chances of death and the company prefers to avoid that additional risk!

If a riveter is hurt, and lives, he is paid the same as a truckman or a cutlery grinder would be paid for the same degree of disability. In other words, the riveter's danger of injury, not counting death, is as great as the truckman's danger of injury or death.

In his own peculiar way, a trapeze performer takes about the same chances as a riveter. Others who go just as far to meet danger, are steam-shovel laborers, comb benders and jig-saw operators, sailing-vessel captains, and locomotive engineers.

THE hot-blast tender in a Bessemer steel mill is a step closer to peril; and a freight brakeman is still closer. The latter runs nearly twice as much chance of injury as his engineer! Death isn't very important in these comparisons because it means a much smaller payment than serious disability.

Among the ninth-class men, working in as much danger as brakemen, are well drillers and quarrymen who use explosives, operators of corn-husking-and-shredding machines, lumber-camp river drivers who guide floods of logs downstream, cartridge makers, fireworks handlers, sponge fishers, and seamen on sailing vessels.

A man in any of these occupations is seven or eight times as likely to be injured or killed as a bookkeeper.

As great as the difference is, it would be far greater, except for the fact that automobile accidents and accidents at home cause more injuries and deaths than accidents at work. The office clerk is just as likely as a quarryman to be the victim of a car, or a fall in the bath tub. It is the additional danger of the quarryman's work which makes his hazard more than seven times as great.

The auto toll has become so serious, however, that many companies now are considering a new system of classifications, with only four groups of occupations. They think the traffic juggernaut is crushing out all minor differences of hazard to human life.

Distinct from the perils that follow a man through the twenty-four hours of the day, the dangers that exist while he is at work probably are watched more closely by compensation-insurance companies than by any others. In the last ten years, they have spent more than a billion dollars in settlement of claims against employers by injured workmen—as well as by the relatives of workmen who were killed.

LIKE the accident-insurance companies, they regard clerical office work as the safest occupation. Unlike the accident companies, however, they cannot exclude death from their calculations, even in the most dangerous industries. And in case of serious accident, they may have to pay many times as much as the amount of the ordinary accident policy. Figured on this basis, a comparison of jobs discloses many with terrific hazards.

In New York, a structural-steel worker's danger is just 506 times as great as a stenographer's.

Cleaning the outside of an old building is ten percent more hazardous than putting up steel for a new one.

Accidental injury or death is 339 times as likely on a compressed-air caisson job as in an office.

Air-transport pilots and all flying employees on scheduled routes are in 175 times as much danger as the "safest" workers.

Stevedores run sixty-three times the risk of clerical workers while they load or unload ships by hand and hand truck; and 155 times as much if power hoisting machinery is being used!

These are the average dangers in the industries. On individual jobs, there may be wide variations. When a large employer buys compensation insurance, an inspection engineer decides whether he is likely to have fewer or more accidents than the average for his business. Studies are made of his accident record during the preceding five years, the skill of the men he employs, the presence of safety devices—and the special efforts for accident prevention.

IN ANY job, the insurance company knows that the danger really depends on two things. One is the inherent hazard of the work, the opportunity for an accident. Working on a window ledge or a scaffold thirty stories above the ground, or shoving a plank against the teeth of a circular saw which doesn't know the difference between wood and flesh, creates more possibilities for accident than guiding a fountain pen over smooth bond paper. But a part of the peril—often a very large part—is within control of the individual.

The science with which insurance companies calculate the risk of an occupation does not reveal any method of abolishing accidents altogether. But it shows where they are most likely to occur. And it suggests that if one man, because of his job, has to take twice or three hundred times as many chances of injury or death as another man, he will do well to be at least three hundred times as careful!

This One



D2S9-GBC-CKYQ

only
MIDWEST

SAVE UP TO 50%

*Direct FROM MIDWEST
LABORATORIES*

Gives You an
**18-TUBE
Radio** *(for
Metal or Glass Tubes)*

SIX TUNING RANGES

4½ to 2400 METERS

**FULL SCOPE
HIGH FIDELITY**

PUSH BUTTON TUNING

ROBOT EAR

*and Scores of Other
Features for*

\$59.50
*with New
GIANT
THEATRE-
SONIC
SPEAKER*
(LESS TUBES)

TERMS AS LOW AS \$5.00 DOWN

ONCE again Midwest demonstrates its leadership by offering the world's most powerful Super De Luxe 18-METAL Tube 6-Tuning Range radio. It is a master achievement . . . today's most highly perfected, precisely built, laboratory adjusted set. It is a radio musical instrument that will thrill you with its marvelous super performance . . . glorious new acousti-tone . . . crystal-clear "concert" realism . . . and magnificent foreign reception. Before you



Send for FREE 40-page four-color catalog. It pictures the complete line of beautiful 1936 Midwest Acousti-Tone V-Spread consoles . . . and chassis . . . in actual colors.

buy any radio, write for FREE 40-page 1936 catalog. Learn about the successful Midwest Laboratory-To-You policy that saves you 30% to 50% . . . that gives you 30 days FREE trial.

SIX TUNING RANGES

This exclusive engineering triumph (U. S. Patent No. 96750) puts Midwest radio years ahead of ordinary sets and makes them the "World's Greatest Radio Values." Now, it is easy to make the nations of the world parade before you. You can switch instantly from American programs to Canadian, police, amateur, commercial, "secret," experimental, airplane and ship broadcasts . . . to the finest and most fascinating programs from Europe, Asia, Australia, South America . . . 12,000 miles away.

**30 Days
FREE Trial!**

No middlemen's profits to pay. You buy at wholesale price, direct from Laboratories . . . saving 30% to 50%.

You can order your 1936 Midwest radio from the new 40-page catalog with as much certainty of satisfaction as if you were to come yourself to our great laboratories. You save 30% to 50% . . . you get 30 days free trial . . . as little as \$5.00 down puts a Midwest radio in your home. You are triply protected with a One-Year Guarantee. Foreign Reception Guarantee and Money-Back Guarantee.

GUARANTEED FOREIGN RECEPTION



This super radio will out-perform \$200 and \$300 sets on a side by side test. It is so powerful, so amazingly selective, so delicately sensitive that it brings in distant foreign stations with full loud speaker volume, on channels adjacent to powerful locals. The 18 tubes permit of advanced circuits, make it possible to use the tremendous reserve power, and to exert the sustained maximum output of the powerful new tubes.

80 SENSATIONAL ADVANCEMENTS

Scores of marvelous Midwest features, many of them exclusive, explain Midwest glorious tone realism, super performance and thrilling world-wide 6-band reception. They prove why nationally known orchestra leaders like Fred Waring, George Olsen, Jack Denny, etc., use a Midwest in preference to more costly makes. Pages 12 to 21 in FREE catalog illustrate the new Midwest features. Study them before you make up your mind.

ACOUSTI-TONE V-SPREAD DESIGN

The V-Front Dispersing Vanes established a new radio style overnight. They spread the beautiful lace-work of the "highs" throughout the room in a scientific manner . . . directing the High Fidelity waves uniformly to the ear. Now, get complete range of audible frequencies from 30 to 16,000 cycles . . . achieving glorious new acousti-tone . . . assuring life-like crystal-clear reception . . . "concert" realism.



Push Button Tuning

Simply pushing Silencer Button silences set between stations. Beautiful tuning lights automatically indicate when station is properly tuned. Release button . . . and station comes in perfectly. Pressing Station Finder Button (Midwest's exclusive ROBOT EAR) automatically determines proper dial position for bringing in extremely weak stations.

Ted Weems Enthuses Over Crystal-Clear World Reception

Dearborn, Mich.—After comparing many radios, I can truthfully say my Midwest out-performs other sets costing almost twice as much. Only the new Midwest could satisfy my desire for crystal-clear, undistorted reception . . . from all over the world.

Ted Weems.



MAIL COUPON TODAY for

**Free 30-DAY TRIAL OFFER
and 40-PAGE FOUR-COLOR Free CATALOG**

MIDWEST RADIO CORP.,
Dept. 59-H, Cincinnati, Ohio
Without obligation on my part, send me your new FREE catalog, complete details of your liberal 30-day FREE trial offer, and FREE Miniature Rotating 18-tube Dial. This is NOT an order.

User-Agents
Make Easy
Extra Money
Check Here
for details ☐

Name
Address
Town State
☐ Check ☐ If Interested in a Midwest All-Wave Battery Radio

MIDWEST RADIO CORP.

DEPT. 59-H, CINCINNATI, OHIO U.S.A.


Established 1920

Cable Address MIRACO All Codes

VALUABLE BOOKS FREE TO INVENTORS AND OTHER MEN WITH IDEAS

THIS BOOK Tells How To Protect an Invention

TELLS you exactly how the Patent Laws protect you. Why you need a Patent at all. Explains simple but important steps to take *at once* without cost to help establish your claim to your invention. Explains what kind of sketch, drawing or model is needed, the preliminary search, how Patent papers are prepared, assignments in return for financial assistance, etc. Also illustrates many interesting inventions, shows you 115 different mechanical movements that inventors have used in working out ideas, and much more. Inventors the world over have welcomed this book. We gladly send it with our compliments to any serious, interested man.



What is an Invention?

Many people have the impression that an invention must be something radically new or complex. Nothing is farther from the truth. Most successful inventions of today are improvements on devices which have already been thought of before and many of which have been on the market for years. Whether your invention, or your idea for one, is something radically new or merely a sensible improvement on an existing article does not matter. If it will save time, save labor, make money or give pleasure, you should at least see about the possibility of protecting it.

THIS BOOK Tells How to Go About Selling an Invention

Tells you how in an inexpensive manner you can bring your invention to the attention of prospective buyers. Suggests the proper time to take such step. Outlines methods other inventors have used successfully in selling and marketing. Remember, an invention isn't enough. A Patent isn't enough. You must also know how to cash in. This book deals with that subject. Also sent to you free and without slightest obligation. Mailed the same day we hear from you.

Suggestions on WHEN and HOW to Sell an INVENTION

36 Years in the Business of Helping Inventors

For 36 years—more than a third of a century—it has been our business to help inventors. We have represented thousands of them from all over the world in their dealings with the United States Patent Office. We answer questions. We study each device to bring out its best patentable possibilities. Also, we frequently advise inventors against going ahead with inventions which could not possibly have been protected. By carefully developed methods, we try to keep expense at a minimum, and arrange deferred payments when needed.

The booklets shown above may be the means of saving you time, trouble, expense and even later disappointment. They are yours for the asking. Write us today.

Strictest Secrecy— Write us in Confidence

With the booklets we will also send you a free copy of our "Evidence of Invention" form, on which you can sketch and describe your invention and establish a date of disclosure. Such a dated disclosure may later prove important to you. We send full instructions. Any letters, sketches, drawings or models which you entrust to us are held in strictest secrecy. You may write us fully and frankly. But first, **KNOW THE FACTS.** Sign and send the coupon now. Get that much done today.

VICTOR J. EVANS & Co. REGISTERED PATENT ATTORNEYS

Main Office: 710-B, Victor Building, Washington, D. C.
Other Offices: 1640-C Conway Bldg., CHICAGO; 1007-C Woolworth Bldg., NEW YORK; 514-C Empire Bldg., PITTSBURGH; 1010-C Hobart Bldg., SAN FRANCISCO; 736-C Security Bldg., LOS ANGELES.

Send me FREE copies of your books, "Patent Protection" and "When and How to Sell an Invention." (Note: Same books supplied by any of branch offices listed above.)

Name
Street and No.
City or Town.....

A HALF CENTURY OF ALUMINUM

(Continued from page 28)

in determining the proportions of different metals in them. In one alloy, for example, a minute amount of cadmium is present. Measuring it by ordinary metallurgical methods is slow and difficult. By the new method, the scientist merely examines the alloy with the spectroscope and determines what metals are present by the position and intensity of the lines in the spectrum.

One of the latest aluminum products which has resulted from research is a brilliant reflector. This reflector is now in use with sodium lamps on eastern highways. Experiments show it has almost as high reflectivity as silver and, at the same time, does not tarnish.

TWO years ago, a report of the U. S. Bureau of Standards gave dramatic evidence of aluminum's resistance to corrosion. The Government scientists examined the cap on the 555-foot Washington Monument. For nearly five decades, the little pyramid had withstood constant weathering. Yet they found its surfaces still able to reflect sunlight.

Incidentally, the vast progress made in aluminum fabrication in fifty years is exemplified by comparing the 100-ounce cap of the monument, the largest aluminum casting in the world at the time it was made, and a 7,500-pound Diesel motor part cast recently.

Additional resistance to corrosion is being given aluminum by an ingenious electrochemical process known as the anodic treatment. A very thin layer of oxide ordinarily protects the metal from weathering. By using the aluminum as the anode, or positive electrode, in the treatment, a heavy layer of oxide is added to its surface. By dyeing the oxide surface, aluminum in brilliant colors is now being produced and placed upon the market.

A recent test proved that thin layers of aluminum foil would make an efficient heat insulator. Thirty pounds of foil, it was discovered, would insulate a truck body as effectively as 2,000 pounds of cork.

Most metals are as old as history. Lead was used by the ancient Romans. Iron and copper go back to 3,000 years before the birth of Christ. But aluminum, in contrast, is a modern metal of the laboratory.

Scientifically, it dates back only to 1825; commercially, to the 1880's. Millions now living have witnessed virtually the whole of its dramatic rise. In five short decades, in the years since Charles Martin Hall came to the end of his quest in his back-yard laboratory in Oberlin, the aluminum age has become a reality.

NEGATIVE IONS AFFECT OUR HEALTH AND MOODS

MYSTERIOUS electric particles in the air affect human happiness and health, according to a theory being investigated by Dr. Harlan T. Stetson of Harvard University, one of the scientists studying the effect of ionized air on human welfare. The theory is that ductless glands, believed to control our temperament and well-being, are stimulated when air is ionized, or charged with negative particles of electricity. In an experiment recently performed in a room where negative charges had been removed from the air, a subject developed a headache and became depressed and tired. Shortly after the air had been ionized, he lost his headache and appeared to return to his normal spirits. Dr. Stetson is now trying to discover whether sun spots cause the ionization of the earth's atmosphere. If so, science may be able to prove that radiations from the sun influence human affairs as well as climate and the growth of crops.

Mail this to
Washington, D.C.
today!

FOR MANY YEARS KEYSTONE PURE HIDE GLUE HAS PLAYED AN IMPORTANT PART IN INDUSTRY

Why HOMECRAFTERS PREFER THIS *PURE HIDE* GLUE

For your Homeworkshop, dependable *pure hide* glue such as this means dependable workmanship and furniture that lasts. What is more; the superior working qualities of this glue mean real economy of time, effort and materials. It has the *holding strength* which reduces waste labor in repairs, and *coverage*, meaning more pieces glued and more square inches covered per pound of glue used.

For many years, the builders of America's finest furniture and automobile bodies have been large users of Keystone *Pure Hide* Glue because this glue meets every requirement of the professional woodworking craftsman.

KEYSTONE GLUE COMPANY

Manufacturers of *PURE HIDE* Glue Exclusively
WILLIAMSPORT, PENNSYLVANIA

*If Your Dealer Cannot Supply You (but ask him first)
Use the Convenient Coupon NOW*

COUPON

KEYSTONE GLUE CO.

DEPT. S-4

Williamsport, Penna.

Please Send { Homeworkshop *GLUE HANDBOOK* (10c. In Stamps Enclosed)
Introductory Package *LIQUID GLUE* (25c. in Stamps Enclosed)
Introductory Package *DRY GLUE* (25c. in Stamps Enclosed)

Name _____

Street and No. _____

City _____

Name of my hardware dealer _____

His Address _____

Shown Above: The Handy wide-mouthed Can (Liquid) and the convenient Box (Dry) with the patented pouring spout.



Luckies a light smoke

OF RICH, FULL-BODIED TOBACCO

ASK YOUR DOCTOR ABOUT A LIGHT SMOKE